

PRODUCT SPECIFICATIONS 2015

OUTBACK

MODEL NAME	PACKAGE/OPTION	TRANSMISSION	MODEL CODE	OPTION GROUP
2.5i		CVT	FDB	01
2.5i PREMIUM		CVT	FDD	11
2.5i PREMIUM	MOONROOF PACKAGE + POWER REAR GATE	CVT	FDD	12
2.5i PREMIUM	MOONROOF PACKAGE + POWER REAR GATE + NAVIGATION SYSTEM	CVT	FDD	13
2.5i PREMIUM	EYESIGHT® + REAR VEHICLE DETECTION SYSTEM + POWER REAR GATE	CVT	FDD	14
2.5i PREMIUM	MOONROOF PACKAGE + NAVIGATION SYSTEM + EYESIGHT + REAR VEHICLE DETECTION SYSTEM + POWER REAR GATE	CVT	FDD	15
2.5i LIMITED		CVT	FDG	21
2.5i LIMITED	MOONROOF PACKAGE + KEYLESS ACCESS WITH PUSH-BUTTON START + NAVIGATION SYSTEM	CVT	FDG	22
2.5i LIMITED	MOONROOF PACKAGE + KEYLESS ACCESS WITH PUSH-BUTTON START + NAVIGATION SYSTEM + EYESIGHT	CVT	FDG	23
3.6R LIMITED		CVT	FDK	21
3.6R LIMITED	MOONROOF PACKAGE + KEYLESS ACCESS WITH PUSH-BUTTON START + NAVIGATION SYSTEM	CVT	FDK	22
3.6R LIMITED	MOONROOF PACKAGE + KEYLESS ACCESS WITH PUSH-BUTTON START + NAVIGATION SYSTEM + EYESIGHT	CVT	FDK	23

CVT=Continuously Variable Transmission

ENGINE		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
2.5-LITER DOHC BOXER 4	2.5-LITER DOHC 16V HORIZONTALLY OPPOSED 4 CYLINDER	STD	STD	STD	-
	• DISPLACEMENT: 2.5 LITERS (2498 CC)				
	• BORE/STROKE: 94.0MM X 90.0MM				
	• HORSEPOWER: 175 HP @ 5,800 RPM				
	• TORQUE: 174 LB-FT @ 4,000 RPM				
	• COMPRESSION RATIO: 10.3:1				
	• TUMBLE GENERATOR VALVES				
• ACTIVE VALVE CONTROL SYSTEM (AVCS) VARIABLE INTAKE VALVE TIMING					
• CHAIN-DRIVEN CAMSHAFTS WITH AUTOMATIC TENSIONERS					
• SEQUENTIAL MULTI-PORT FUEL INJECTION					
• CYLINDER HEAD DIRECT MOUNT MULTI-SPRAY FUEL INJECTORS					
• DIRECT IGNITION					
• IRIIDIUM-TIPPED SPARK PLUGS					
FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE OCTANE RATING	87	87	87	-	
EPA FUEL ECONOMY RATING: AUTOMATIC TRANSMISSION (CITY/HWY MPG)	25/33	25/33	25/33	-	
ENGINE OIL CAPACITY: QUARTS	5.1	5.1	5.1	-	
COOLING SYSTEM CAPACITY: QUARTS AUTOMATIC TRANSMISSION	7.9	7.9	7.9	-	
FUEL TANK CAPACITY: GALLONS	18.5	18.5	18.5	-	

PRODUCT SPECIFICATIONS 2015

OUTBACK

ENGINE		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
3.6-LITER DOHC BOXER 6	3.6-LITER DOHC 24V HORIZONTALLY OPPOSED HIGH OUTPUT 6 CYLINDER	-	-	-	STD
	<ul style="list-style-type: none"> • DISPLACEMENT: 3.6 LITERS (3,630 CC) • BORE/STROKE: 92.0MM X 91.0MM • HORSEPOWER: 256 HP @ 6,000 RPM • TORQUE: 247 LB-FT @ 4,400 RPM • COMPRESSION RATIO: 10.5:1 • DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING • CHAIN-DRIVEN CAMSHAFTS WITH AUTOMATIC TENSIONERS • SEQUENTIAL MULTI-PORT FUEL INJECTION • MULTI-SPRAY FUEL INJECTORS • DIRECT IGNITION • IRIIDIUM-TIPPED SPARK PLUGS 				
	FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE OCTANE RATING	-	-	-	87
	EPA FUEL ECONOMY RATING: AUTOMATIC TRANSMISSION (CITY/HWY MPG)	-	-	-	20/27
	ENGINE OIL CAPACITY: QUARTS	-	-	-	6.9
	COOLING SYSTEM CAPACITY: QUARTS	-	-	-	7.4
FUEL TANK CAPACITY: GALLONS	-	-	-	18.5	

DRIVETRAIN, TOWING, WHEELS & TIRES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
TRANSMISSION	LINEARTRONIC® CVT (CONTINUOUSLY VARIABLE TRANSMISSION)	STD	STD	STD	-
	<ul style="list-style-type: none"> • 6-SPEED MANUAL SHIFT AND PADDLE SHIFT CONTROL SWITCHES • ADAPTIVE CONTROL • X-MODE™ 				
	HIGH TORQUE LINEARTRONIC CVT	-	-	-	STD
	<ul style="list-style-type: none"> • 6-SPEED MANUAL SHIFT AND PADDLE SHIFT CONTROL SWITCHES • ADAPTIVE CONTROL • X-MODE 				
AWD & DRIVE	HILL HOLDER®	STD	STD	STD	STD
	AUTOMATIC TRANSMISSION FINAL DRIVE RATIO	4.11:1	4.11:1	4.11:1	4.11:1
TOWING	ACTIVE AWD WITH ELECTRONICALLY CONTROLLED HYDRAULIC TRANSFER CLUTCH	STD	STD	STD	STD
	VEHICLE DYNAMICS CONTROL TRACTION & STABILITY CONTROL (VDC/TCS)	STD	STD	STD	STD
TOWING	MAXIMUM TRAILER TOWING CAPACITY: LBS (CLASS ONE)	2,700	2,700	2,700	3,000
	MAXIMUM TONGUE WEIGHT LOAD CAPACITY (LBS)	200	200	200	200
	CONNECTOR FOR GENUINE SUBARU ACCESSORY TRAILER HARNESS	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2015

OUTBACK

DRIVETRAIN, TOWING, WHEELS & TIRES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
WHEELS	17-INCH X 7.0-INCH STEEL	STD	-	-	-
	17-INCH X 7.0-INCH ALUMINUM ALLOY: SILVER FINISH	-	STD	-	-
	18-INCH X 7.0-INCH ALUMINUM ALLOY: DARK GRAY WITH MACHINE FINISH	-	-	STD	STD
TIRES	225/65 R17 102H BRIDGESTONE DUELER H/P SPORT ALL-SEASON RADIAL	STD	STD	-	-
	225/60 R18 100H BRIDGESTONE DUELER H/P SPORT ALL-SEASON RADIAL	-	-	STD	STD
	TEMPORARY SPARE TIRE: T155/80 R17: STEEL RIM	STD	STD	STD	STD

BRAKES, STEERING & SUSPENSION		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
BRAKES	ANTI-LOCK BRAKING SYSTEM: 4 CHANNEL/4 SENSOR	STD	STD	STD	STD
	ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD
	BRAKE ASSIST	STD	STD	STD	STD
	BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
	ACTIVE TORQUE VECTORING	STD	STD	STD	STD
	FRONT VENTILATED DISCS WITH DUAL-PISTON FLOATING CALIPERS (INCHES)	12.4	12.4	12.4	12.4
	REAR VENTILATED DISCS WITH SINGLE-PISTON FLOATING CALIPERS (INCHES)	11.8	11.8	11.8	11.8
	ELECTRONIC PARKING BRAKE: CALIPER ACTIVATED	STD	STD	STD	STD
	HILL HOLDER®	STD	STD	STD	STD
STEERING	QUICK-RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION (EPAS)	STD	STD	STD	STD
	VEHICLE SPEED AND TORQUE SENSITIVE	STD	STD	STD	STD
	TURNS: LOCK-TO-LOCK	2.82	2.82	2.82	2.82
	TURNING CIRCLE: CURB-TO-CURB (FEET)	36.1	36.1	36.1	36.1
SUSPENSION	FRONT SUSPENSION: RAISED, INDEPENDENT, STRUTS WITH COIL SPRINGS, LOWER L-ARMS AND STABILIZER BAR WITH ANTI-DIVE GEOMETRY	STD	STD	STD	STD
	REAR SUSPENSION: RAISED, INDEPENDENT, DOUBLE WISHBONE, COIL SPRINGS AND STABILIZER BAR WITH ANTI-LIFT GEOMETRY	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2015

OUTBACK

EXTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
FRONT	GRILLE: OUTBACK TYPE	STD	STD	STD	STD
	HOOD: ALUMINUM	STD	STD	STD	STD
	HOOD: DUAL GAS STRUTS	STD	STD	STD	STD
	HOOD INSULATOR	STD	STD	STD	STD
SIDE	DOOR HANDLES: BODY-COLOR	STD	STD	STD	STD
	DOOR HANDLES WITH DRIVER AND FRONT PASSENGER DOOR UNLOCK / LOCK SENSOR	-	-	OPT	OPT
	FUEL DOOR: RIGHT-SIDE REAR QUARTER PANEL	STD	STD	STD	STD
ROOF	ROOF RAILS: BLACK FINISH WITH INTEGRATED RETRACTABLE CROSS BARS AND ADJUSTABLE REAR RAIL CROSS BAR	STD	STD	STD	STD
	ROOF RAIL TIE-DOWN HOOKS	4	4	4	4
	ROOF RAIL LOAD CAPACITY (LBS)	150	150	150	150
	ROOF SPOILER: BODY-COLOR	STD	STD	STD	STD
	POWER MOONROOF: TILT UP & INTERNAL RETRACTING WITH AUTO-OPEN/CLOSE	-	PKG	PKG	PKG
BUMPERS	FRONT: ACTIVE GRILLE SHUTTER	STD	STD	STD	-
	FRONT: UPPER: BODY-COLOR / LOWER: BLACK	STD	STD	STD	STD
	FRONT BUMPER UNDERGUARD	-	-	STD	STD
	REAR: UPPER: BODY-COLOR / LOWER: BLACK	STD	STD	STD	STD

EXTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
GLASS	WINDSHIELD: ACOUSTIC, LAMINATED UV AND TINTED GREEN	STD	STD	STD	STD
	WINDSHIELD: DARK UPPER SUNSHADE BAND	-	STD	STD	STD
	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	-	STD	STD	STD
	MOONROOF GLASS: LAMINATED, UV AND TINTED GREEN	-	PKG	PKG	PKG
	DOOR GLASS, FRONT: UV AND TINTED GREEN	STD	STD	STD	STD
	DOOR GLASS, REAR: UV AND TINTED GREEN	STD	-	-	-
	DOOR GLASS, REAR: UV AND DARK TINT	-	STD	STD	STD
	DOOR GLASS: FRAME TYPE	STD	STD	STD	STD
	REAR WINDOW: UV AND TINTED GREEN	STD	-	-	-
	REAR WINDOW: UV AND DARK TINT	-	STD	STD	STD
	REAR WINDOW DEFOGGER WITH TIMER	STD	STD	STD	STD
	MIRRORS	DUAL, MANUAL-FOLDING BLACK POWER EXTERIOR MIRRORS	STD	-	-
DUAL, MANUAL-FOLDING BODY-COLOR POWER EXTERIOR MIRRORS		-	STD	STD	STD
HEATED (ALL-WEATHER PACKAGE)		-	STD	STD	STD
INTEGRATED TURN SIGNALS WITH INDICATOR		-	OPT	STD	STD
REAR RADAR DETECTION INDICATOR		-	OPT	STD	STD

PRODUCT SPECIFICATIONS 2015

OUTBACK

EXTERIOR DIMENSIONS & WEIGHTS		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
DIMENSIONS	COEFFICIENT OF DRAG (CD)	0.34	0.34	0.34	0.34
	LENGTH OVERALL: INCHES	189.6	189.6	189.6	189.6
	FRONT OVERHANG: INCHES	39.4	39.4	39.4	39.4
	REAR OVERHANG: INCHES	42.2	42.2	42.2	42.2
	WIDTH OVERALL: INCHES	72.4	72.4	72.4	72.4
	WIDTH OVERALL INCLUDING MIRRORS: INCHES (WITHOUT INTEGRATED TURN SIGNALS)	81.3	81.3	-	-
	WIDTH OVERALL INCLUDING MIRRORS: INCHES (WITH INTEGRATED TURN SIGNALS)	-	81.9	81.9	81.9
	HEIGHT OVERALL: INCHES	66.1	66.1	66.1	66.1
	WHEELBASE: INCHES	108.1	108.1	108.1	108.1
	MINIMUM ROAD CLEARANCE AT CURB WEIGHT: INCHES (MEASURED AT EXHAUST PIPE)	8.7	8.7	8.7	8.7
	ANGLE OF APPROACH: DEGREES	19.3	19.3	19.3	19.3
	ANGLE OF DEPARTURE: DEGREES	22.7	22.7	22.7	22.7
	TRACK, FRONT: INCHES	61.8	61.8	61.8	61.8
	TRACK, REAR: INCHES	62.2	62.2	62.2	62.2
WEIGHT	BASE CURB WEIGHT: AUTOMATIC TRANSMISSION (LBS)	3,593	3,593-3,642	3,633-3,668	3,810-3,845
	GROSS VEHICLE WEIGHT RATING (LBS)	4,695	4,695	4,695	4,850

INTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
DASH	AUTO-DIMMING REARVIEW COMPASS MIRROR WITH HOMELINK®	-	PKG	PKG	PKG
	GLOVEBOX: ILLUMINATED & LOCKABLE	STD	STD	STD	STD
INSTRUMENTATION	TACHOMETER WITH COOLANT TEMPERATURE GAUGE	STD	STD	STD	STD
	SPEEDOMETER WITH FUEL GAUGE	STD	STD	STD	STD
	3.5-INCH LCD COLOR CENTER DISPLAY	STD	STD	STD	STD
	<ul style="list-style-type: none"> • CRUISE CONTROL SYSTEM OPERATION • DIGITAL SPEEDOMETER • ECO GAUGE (FUEL ECONOMY) • CURRENT/AVERAGE FUEL ECONOMY A & B AND DISTANCE TO EMPTY • JOURNEY TRAVEL TIME & DISTANCE • WARNING INDICATORS • AUTOMATIC TRANSMISSION SHIFT POSITION INDICATOR 				
	5.0-INCH LCD COLOR CENTER DISPLAY (WITH EYESIGHT®)	-	OPT	OPT	OPT
	<ul style="list-style-type: none"> • CRUISE CONTROL SYSTEM OPERATION • DIGITAL SPEEDOMETER • COMPASS (MODELS WITH NAVIGATION SYSTEM) • ECO GAUGE (FUEL ECONOMY) • EYESIGHT SYSTEM OPERATION • CURRENT/AVERAGE FUEL ECONOMY A & B AND DISTANCE TO EMPTY • JOURNEY TRAVEL TIME & DISTANCE • WARNING INDICATORS • WELCOME/GOODBYE DISPLAY • AUTOMATIC TRANSMISSION SHIFT POSITION INDICATOR 				

PRODUCT SPECIFICATIONS 2015

OUTBACK

INTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
HVAC	MANUAL SYSTEM	STD	-	-	-
	DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM	-	STD	STD	STD
	CENTER CONSOLE REAR A/C OUTLETS	-	-	STD	STD
	AIR FILTRATION SYSTEM	-	STD	STD	STD
FRONT SEATS	BUCKET-TYPE, RECLINING, WHIPLASH PROTECTION	STD	STD	STD	STD
	HEAD RESTRAINTS: HEIGHT & TILT ADJUSTABLE	STD	STD	STD	STD
	HEATED, THREE-STAGE (ALL-WEATHER PACKAGE)	-	STD	STD	STD
	DRIVER'S SEAT HEIGHT ADJUSTER (PUMP-LEVER TYPE)	STD	-	-	-
	DRIVER'S SEAT 10-WAY POWER (INCLUDES POWER LUMBAR)	-	STD	STD	STD
	DRIVER'S SEAT TWO POSITION MEMORY	-	-	STD	STD
	PASSENGER SEAT 4-WAY POWER	-	-	STD	STD
	DRIVER & PASSENGER SEATBACK POCKET	STD	STD	STD	STD
REAR SEATS	HEAD RESTRAINTS: HEIGHT-ADJUSTABLE AND REMOVABLE: ALL SEAT POSITIONS	STD	STD	STD	STD
	RECLINING SEATBACK FUNCTION	STD	STD	STD	STD
	HEATED, DUAL-STAGE (ALL-WEATHER PACKAGE)	-	-	STD	STD
	60/40-SPLIT FOLD-DOWN REAR SEATBACK	STD	STD	STD	STD
	REAR SEATBACK RELEASE LEVERS IN CARGO AREA	STD	STD	STD	STD
	FOLD-DOWN CENTER ARMREST WITH DUAL CUP HOLDERS	STD	STD	STD	STD

INTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
STEERING WHEEL & SWITCHES	SOFT-GRIP URETHANE	STD	-	-	-
	LEATHER-WRAPPED	-	STD	STD	STD
	AUDIO SYSTEM CONTROLS	STD	STD	STD	STD
	CRUISE CONTROL WITH ON/OFF, SET/COAST, RESUME/ACCELERATE AND CANCEL	STD	STD	STD	STD
	EYESIGHT® ADAPTIVE CRUISE CONTROLS	-	OPT	OPT	OPT
	BLUETOOTH® CONTROLS	STD	STD	STD	STD
	PADDLE SHIFT CONTROLS	STD	STD	STD	STD
	INSTRUMENT CLUSTER CENTER DISPLAY CONTROLS	STD	STD	STD	STD
	STEERING COLUMN	ILLUMINATED IGNITION SWITCH RING	STD	STD	STD
COLLAPSIBLE TILT/TELESCOPIC STEERING COLUMN		STD	STD	STD	STD
SHIFTER HANDLE	AUTOMATIC TRANSMISSION: SOFT-GRIP URETHANE	STD	-	-	-
	AUTOMATIC TRANSMISSION: LEATHER-WRAPPED	-	STD	STD	STD

PRODUCT SPECIFICATIONS 2015

OUTBACK

INTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
CENTER CONSOLE	FRONT STORAGE BOX WITH LID	STD	STD	STD	STD
	• USB PORT	STD	-	-	-
	• DUAL USB PORTS	-	STD	STD	STD
	• 3.5MM AUXILIARY INPUT JACK	STD	STD	STD	STD
	STORAGE BOX WITH LID	STD	STD	STD	STD
	ELECTRONIC PARKING BRAKE SWITCH	STD	STD	STD	STD
	HILL HOLDER® SWITCH	STD	STD	STD	STD
	X-MODE™ CONTROL SWITCH	STD	STD	STD	STD
OVERHEAD	SUNGLASSES STORAGE COMPARTMENT (N/A WITH EYESIGHT®)	STD	STD	STD	STD
	DUAL OVERHEAD MAP LIGHTS	STD	STD	STD	STD
	ILLUMINATED OVERHEAD CONSOLE	-	STD	STD	STD
	SUN VISOR; DRIVER & PASSENGER: SLIDE ADJUSTABLE	STD	STD	STD	STD
	SUN VISOR VANITY MIRROR: DUAL, ILLUMINATED WITH LID	STD	STD	STD	STD
CUP HOLDERS	FRONT DUAL: CENTER CONSOLE	STD	STD	STD	STD
	REAR DUAL: REAR SEAT CENTER ARMREST	STD	STD	STD	STD
	BOTTLE HOLDERS: FRONT AND REAR DOORS	STD	STD	STD	STD

INTERIOR FEATURES		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
TRIM	CENTER CONSOLE PANEL: BLACK FINISH	STD	STD	STD	STD
	DOOR TRIM PANEL ACCENT INSERT: TEXTURED SILVER-METALLIC FINISH	STD	STD	-	-
	DOOR TRIM PANEL ACCENT INSERT: WOODGRAIN-PATTERNED DARK MATTE FINISH	-	-	STD	STD
	FLOOR MATS: CARPETED WITH DRIVER'S SIDE RETENTION HOOKS	STD	STD	STD	STD
	DOOR SILL COVERS, DOOR OPENINGS: RESIN	STD	STD	STD	STD
	FRONT DOOR SILL PLATE INSERT: ALUMINUM ALLOY WITH SUBARU LOGO	-	-	STD	STD
CARGO AREA	CARGO AREA COVER	-	STD	STD	STD
	TRAY: REMOVABLE	STD	STD	STD	STD
	TIE-DOWN HOOKS	4	4	4	4
	GROCERY BAG HOOKS	2	2	2	2
	LIGHT WITH GATE SWITCH	STD	STD	STD	STD
	REAR SEARBACK AND CARGO FLOOR: CARPETED	STD	STD	STD	STD
	SUBFLOOR MULTI-BOX STORAGE TRAY	STD	STD	STD	STD
	SUBFLOOR: SPARE TIRE, JACK, TWO-WAY SCREWDRIVER AND LUG WRENCH	STD	STD	STD	STD
	ELECTRONIC TYPE REAR GATE HANDLE	STD	STD	STD	STD
	INTERNAL REAR GATE LOCK/UNLOCK LEVER	STD	STD	STD	STD
	POWER REAR GATE & SWITCH	-	OPT	STD	STD
	REAR GATE UNLOCK SENSOR/LOCK BUTTON	-	OPT	OPT	OPT

PRODUCT SPECIFICATIONS 2015

OUTBACK

INTERIOR DIMENSIONS		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
PASSENGER AREA	SEATING CAPACITY	5	5	5	5
	HEAD ROOM, FRONT: INCHES (WITHOUT MOONROOF)	40.8	40.8	40.8	40.8
	HEAD ROOM, FRONT: INCHES (WITH MOONROOF)	-	38.3	38.3	38.3
	HEAD ROOM, REAR: INCHES (WITHOUT MOONROOF)	38.9	38.9	38.9	38.9
	HEAD ROOM, REAR: INCHES (WITH MOONROOF)	-	38.9	38.9	38.9
	LEG ROOM, FRONT: INCHES	42.9	42.9	42.9	42.9
	LEG ROOM, REAR: INCHES	38.1	38.1	38.1	38.1
	SHOULDER ROOM, FRONT: INCHES	58.1	58.1	58.1	58.1
SHOULDER ROOM, REAR: INCHES	57.3	57.3	57.3	57.3	
CARGO AREA	EPA CARGO VOLUME: CUBIC FEET (REAR SEAT UP)	35.5	35.5	35.5	35.5
	SAE V2 CARGO VOLUME: CUBIC FEET (REAR SEAT DOWN)	73.3	73.3	73.3	73.3
	CARGO WIDTH BETWEEN WHEEL HOUSINGS: INCHES	42.5	42.5	42.5	42.5
	CARGO AREA HEIGHT: INCHES (WITH AND WITHOUT MOONROOF)	32.5	32.5	32.5	32.5
	CARGO LIFT OVER HEIGHT AT CURB WEIGHT: INCHES	27.9	27.9	27.9	27.9
	REAR GATE OPENING WIDTH AT FLOOR: INCHES	43.3	43.3	43.3	43.3
	REAR GATE OPENING WIDTH AT BELTLINE: INCHES	46.3	46.3	46.3	46.3
	REAR GATE OPENING HEIGHT: INCHES	30.0	30.0	30.0	30.0
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEATBACK UP)	41.8	41.8	41.8	41.8
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEATBACK FOLDED DOWN)	77.7	77.7	77.7	77.7

SAFETY		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
INTERIOR	SUBARU ADVANCED FRONTAL AIRBAG SYSTEM (SRS)	STD	STD	STD	STD
	DUAL-STAGE DEPLOYMENT DRIVER AND FRONT PASSENGER AIRBAGS (SRS)	STD	STD	STD	STD
	FRONT SEAT SIDE PELVIS/TORSO AIRBAGS (SRS)	STD	STD	STD	STD
	FRONT PASSENGER SEAT OCCUPANT DETECTION SYSTEM	STD	STD	STD	STD
	SIDE CURTAIN AIRBAGS (SRS)	STD	STD	STD	STD
	DRIVER & FRONT PASSENGER SEAT CUSHION AIRBAGS (SRS)	STD	STD	STD	STD
	ROLLOVER SENSOR	STD	STD	STD	STD
	AIRBAG DEPLOYMENT FUEL SYSTEM CUTOFF	STD	STD	STD	STD
	WHIPLASH PROTECTION FRONT BUCKET-TYPE SEATS	STD	STD	STD	STD
	REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
	PILLAR-TO-PILLAR SUPPORT BEAM FOR COLLAPSIBLE STEERING COLUMN	STD	STD	STD	STD
	SAFETY PEDAL SYSTEM	STD	STD	STD	STD
	SEATBELTS	FRONT SEATBELTS: THREE-POINT WITH PRETENSIONERS AND FORCE LIMITERS	STD	STD	STD
FRONT DRIVER'S SEATBELT: EMERGENCY LOCKING RETRACTORS (ELR)		STD	STD	STD	STD
FRONT PASSENGER SEATBELT: EMERGENCY LOCKING RETRACTORS (ELR)		STD	STD	STD	STD
FRONT PASSENGER SEATBELT: AUTOMATIC LOCKING RETRACTORS (ALR)		STD	STD	STD	STD
REAR SEATBELTS: THREE-POINT, ALL THREE SEATING POSITIONS		STD	STD	STD	STD
REAR SEATBELTS: EMERGENCY LOCKING RETRACTORS (ELR)		STD	STD	STD	STD
REAR SEATBELTS: AUTOMATIC LOCKING RETRACTORS (ALR)		STD	STD	STD	STD
LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILDREN) WITH TETHER ANCHORS		STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2015

OUTBACK

SAFETY		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
EXTERIOR	DAYTIME RUNNING LIGHTS (DRL)	STD	STD	STD	STD
	REMOTE KEYLESS ENTRY SYSTEM	STD	STD	STD	STD
	SECURITY SYSTEM	STD	STD	STD	STD
	SIDE-IMPACT FRONT AND REAR DOOR BEAMS	STD	STD	STD	STD
	RING-SHAPED REINFORCEMENT FRAME	STD	STD	STD	STD
DRIVETRAIN	ENGINE IMMOBILIZER	STD	STD	STD	STD
	KEY INTERLOCK SYSTEM	STD	STD	STD	STD
	VEHICLE DYNAMICS CONTROL TRACTION AND STABILITY CONTROL (VDC/TCS)	STD	STD	STD	STD
	ANTI-LOCK BRAKING SYSTEM (ABS): 4 CHANNEL/4 SENSOR	STD	STD	STD	STD
	BRAKE ASSIST	STD	STD	STD	STD
	BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
	ACTIVE TORQUE VECTORING	STD	STD	STD	STD
	INCLINE START ASSIST	STD	STD	STD	STD
	HILL HOLDER®	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	STD	STD	

SAFETY		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
KEYS & LOCKS	KEY INTEGRATED WITH KEYLESS ENTRY REMOTE TRANSMITTER	STD	STD	STD	STD
	STANDARD CUT MASTER KEY	STD	STD	STD	STD
	VALET KEY: DRIVER'S DOOR AND IGNITION ONLY	STD	STD	STD	STD
	SPARE MASTER KEY	STD	STD	STD	STD
	POWER DOOR LOCKS – ALL DOORS	STD	STD	STD	STD
KEYLESS ACCESS WITH PUSH-BUTTON START	STANDARD CUT MASTER KEY	-	-	OPT	OPT
	REMOTE TRANSMITTER WITH REMOVABLE KEY	-	-	OPT	OPT
	ILLUMINATED ENGINE START/STOP SWITCH	-	-	OPT	OPT
	STARTER OVERRIDE PROTECTION	-	-	OPT	OPT
	DRIVER & FRONT PASSENGER DOOR UNLOCK/LOCK SENSOR	-	-	OPT	OPT
	REAR GATE UNLOCK SENSOR	-	-	OPT	OPT
	PIN CODE ACCESS	-	-	OPT	OPT

PRODUCT SPECIFICATIONS 2015

OUTBACK

DRIVER ASSIST TECHNOLOGY: SUBARU REAR VEHICLE DETECTION SYSTEM (SRVD)		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
FEATURES	SUBARU REAR VEHICLE DETECTION SYSTEM: RADAR-BASED <ul style="list-style-type: none"> • EXTERIOR MIRRORS: DETECTION SENSOR • EXTERIOR MIRRORS: DETECTION INDICATOR • BLIND SPOT DETECTION • LANE CHANGE ASSIST • REAR CROSS TRAFFIC ALERT • AUDIBLE VEHICLE DETECTION WARNING 	-	OPT	STD	STD

DRIVER ASSIST TECHNOLOGY: EYESIGHT®		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
FEATURES	EYESIGHT® SYSTEM* <ul style="list-style-type: none"> • PRE-COLLISION BRAKING SYSTEM WITH OFF SWITCH • PRE-COLLISION BRAKE ASSIST • PRE-COLLISION THROTTLE MANAGEMENT • LANE DEPARTURE AND SWAY WARNING • LANE DEPARTURE AND SWAY WARNING OFF SWITCH • LEAD VEHICLE START ALERT • ADAPTIVE CRUISE CONTROL 	-	OPT	OPT	OPT
WARNING INDICATORS	<ul style="list-style-type: none"> • FOLLOW DISTANCE SETTING INDICATOR • HOLD INDICATOR • LEAD VEHICLE INDICATOR • LANE DEPARTURE AND SWAY INDICATOR • PRE-COLLISION WARNING INDICATOR • READY INDICATOR • SET VEHICLE SPEED DISPLAY • WARNING CHIME • LANE DEPARTURE AND SWAY WARNING OFF SWITCH • PRE-COLLISION BRAKING SYSTEM OFF INDICATOR • SYSTEM TEMPORARY OFF WARNING • SYSTEM MALFUNCTION OFF WARNING 				

*All features and warning indicators are included on optional EyeSight®

PRODUCT SPECIFICATIONS 2015

OUTBACK

ELECTRICAL SYSTEM		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
EXTERIOR LIGHTS	SQUARE-C LED CLEARANCE LIGHTS	STD	STD	STD	STD
	LOW-BEAM HALOGEN PROJECTOR HEADLIGHTS	STD	STD	STD	-
	LOW-BEAM HID HEADLIGHTS WITH AUTOMATIC HEIGHT ADJUSTMENT CONTROL	-	-	-	STD
	HIGH-BEAM HEADLIGHTS: HALOGEN MULTI-REFLECTOR	STD	STD	STD	STD
	HEADLIGHTS: BLACK INNER BEZEL	STD	STD	STD	STD
	AUTOLIGHTS	STD	STD	STD	STD
	HEADLIGHTS & PARKING LIGHTS: AUTO-OFF WITH IGNITION SWITCH	STD	STD	STD	STD
	STEERING RESPONSIVE FOG LIGHTS WITH OFF SWITCH (EYESIGHT®)	-	OPT	OPT	OPT
	FOG LIGHT INSERT COVERS	STD	-	-	-
	HALOGEN FOG LIGHTS	-	STD	STD	STD
	WELCOME LIGHTING: VEHICLE APPROACH/DEPART	STD	STD	STD	STD
INTERIOR LIGHTS & 12-VOLT OUTLETS	ILLUMINATED DRIVER'S POWER DOOR LOCK SWITCH	STD	STD	STD	STD
	ILLUMINATED POWER WINDOW SWITCHES: ALL DOORS	STD	STD	STD	STD
	DUAL OVERHEAD MAP LIGHTS & FRONT DOOR COURTESY LIGHTS	STD	STD	STD	STD
	ILLUMINATED OVERHEAD CONSOLE	-	STD	STD	STD
	ILLUMINATED FRONT CONSOLE STORAGE TRAY	STD	STD	STD	STD
	ILLUMINATED IGNITION SWITCH RING	STD	STD	STD	STD
	ILLUMINATED ENGINE START/STOP SWITCH	-	-	OPT	OPT
	12-VOLT POWER OUTLET IN FRONT CENTER CONSOLE AND IN CARGO AREA	STD	STD	STD	STD
12-VOLT POWER OUTLET IN CENTER CONSOLE	-	STD	STD	STD	
WIPERS	WINDSHIELD WIPERS: TWO-SPEED WITH MIST FEATURE	STD	STD	STD	STD
	WINDSHIELD WIPERS: INTERMITTENT FEATURE AND VARIABLE TIMER	STD	STD	STD	STD
	WINDSHIELD WIPERS: WASHERS: CENTER; BLACK (EYESIGHT®)	-	OPT	OPT	OPT
	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	-	STD	STD	STD
	REAR WIPER, DUAL MODE: SINGLE-SPEED AND FIXED, INTERMITTENT	STD	STD	STD	STD
	REAR WIPER: AUTOMATIC OPERATION WITH SHIFT LEVER IN REVERSE POSITION WITH FRONT WIPERS ON	STD	STD	STD	STD
	REAR WIPER WASHER: DUAL SPRAY	STD	STD	STD	STD

AUDIO & NAVIGATION SYSTEMS		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
<p>BASE AUDIO SYSTEM: 6.2-INCH INFOTAINMENT SYSTEM</p> <ul style="list-style-type: none"> • AM/FM STEREO HD RADIO® WITH SINGLE-DISC CD PLAYER • 4 SPEAKERS • MP3/WMA/CRR/RW PLAYBACK CAPABILITY • DISPLAY SCREEN: SIMPLE-TOUCH GESTURE HIGH-RESOLUTION: 6.2-INCH LCD • RADIO BROADCAST DATA SYSTEM (RBDS) • BLUETOOTH® HANDS-FREE PHONE CONNECTIVITY • BLUETOOTH AUDIO STREAMING CAPABILITY • IPOD® CONTROL CAPABILITY • ITUNES® TAGGING CAPABILITY • SUBARU STARLINK™ SMARTPHONE INTEGRATION <ul style="list-style-type: none"> • AHA™ INFOTAINMENT • PANDORA® • IHEART® RADIO • REAR-VISION CAMERA • IN REAR GLASS: AUDIO ANTENNA 	STD	-	-	-	

PRODUCT SPECIFICATIONS 2015

OUTBACK

AUDIO & NAVIGATION SYSTEMS		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
<p>MID-RANGE AUDIO SYSTEM: 7.0-INCH INFOTAINMENT SYSTEM</p> <ul style="list-style-type: none"> • AM/FM STEREO HD RADIO® WITH SINGLE-DISC CD PLAYER • 6 SPEAKERS (2.5i PREMIUM) • HARMAN KARDON® 12 SPEAKER SYSTEM (2.5i LIMITED AND 3.6R LIMITED) • HARMAN KARDON 576-WATT AMPLIFIER (2.5i LIMITED AND 3.6R LIMITED) • MP3/WMA/CRR/RW PLAYBACK CAPABILITY • DISPLAY SCREEN: MULTI-TOUCH GESTURE HIGH-RESOLUTION: 7.0-INCH LCD • RADIO BROADCAST DATA SYSTEM (RBDS) • BLUETOOTH® HANDS-FREE PHONE CONNECTIVITY • BLUETOOTH AUDIO STREAMING CAPABILITY • BLUETOOTH HANDS-FREE TEXT MESSAGING CONNECTIVITY (DEPENDENT ON CELLPHONE SOFTWARE) • IPOD® CONTROL CAPABILITY • ITUNES® TAGGING CAPABILITY • SIRIUSXM® SATELLITE RADIO (SUBSCRIPTION REQUIRED) • SUBARU STARLINK™ SMARTPHONE INTEGRATION <ul style="list-style-type: none"> AHA™ INFOTAINMENT PANDORA® iHEART® RADIO MIRROR LINK™ • VEHICLE INFORMATION DISPLAY • REAR-VISION CAMERA • IN REAR GLASS: AUDIO ANTENNA AND ROOF-MOUNTED SATELLITE ANTENNA 	-	STD	STD	STD	

AUDIO & NAVIGATION SYSTEMS		2.5i	2.5i Premium	2.5i Limited	3.6R Limited
<p>HIGH-END AUDIO SYSTEM: 7.0-INCH NAVIGATION INFOTAINMENT SYSTEM</p> <ul style="list-style-type: none"> • AM/FM STEREO HD RADIO® WITH SINGLE-DISC CD PLAYER AND NAVIGATION SYSTEM • 6 SPEAKERS (2.5i PREMIUM) • HARMAN KARDON® 12 SPEAKER SYSTEM (2.5i LIMITED AND 3.6R LIMITED) • HARMAN KARDON 576-WATT AMPLIFIER (2.5i LIMITED AND 3.6R LIMITED) • MAP: SD CARD • MP3/WMA/CRR/RW PLAYBACK CAPABILITY • DISPLAY SCREEN: MULTI-TOUCH GESTURE HIGH-RESOLUTION: 7.0-INCH LCD • VOICE ACTIVATED CONTROLS AND NAVIGATION • RADIO BROADCAST DATA SYSTEM (RBDS) • BLUETOOTH® HANDS-FREE PHONE CONNECTIVITY AND AUDIO STREAMING CAPABILITY • BLUETOOTH HANDS-FREE TEXT MESSAGING CONNECTIVITY (DEPENDENT ON CELLPHONE SOFTWARE) • IPOD® CONTROL CAPABILITY AND ITUNES® TAGGING CAPABILITY • SMS TEXT MESSAGING CAPABILITY • SIRIUSXM® SATELLITE RADIO (SUBSCRIPTION REQUIRED) • SIRIUSXM NAVTRAFFIC® (SUBSCRIPTION REQUIRED) • SIRIUSXM NAVWEATHER® (SUBSCRIPTION REQUIRED) • SUBARU STARLINK™ SMARTPHONE INTEGRATION <ul style="list-style-type: none"> AHA™ INFOTAINMENT PANDORA® iHEART® RADIO MIRROR LINK™ • VEHICLE INFORMATION DISPLAY • REAR-VISION CAMERA • IN REAR GLASS: AUDIO ANTENNA AND ROOF-MOUNTED SATELLITE ANTENNA 	-	OPT	OPT	OPT	