TRIM LEVEL	MODEL CODE	OPTION GROUP	PACKAGE/OPTIONS	TRANSMISSION
CROSSTREK BASE	RRA	03		CVT
PREMIUM	RRB	13		CVT
PREMIUM	RRB	14	BSD/RCTA + POWER MOONROOF + 10-WAY POWER DRIVER'S SEAT + AWP	CVT
SPORT	RRD	21		CVT
SPORT	RRD	22	BSD/RCTA + POWER MOONROOF + 10-WAY POWER DRIVER'S SEAT	CVT
LIMITED	RRF	31		CVT
LIMITED	RRF	32	POWER MOONROOF + HARMAN KARDON® AMPLIFIER AND SPEAKERS	CVT
LIMITED	RRF	33	POWER MOONROOF + HARMAN KARDON $^{\textcircled{0}}$ AMPLIFIER AND SPEAKERS + NAVIGATION SYSTEM	CVT

AWP = All-Weather Package CVT = Continuously Variable Transmission BSD/RCTA = Blind-Spot Detection / Rear Cross-Traffic Alert

Revised 3/14/2023

	ENGINE	Crosstrek Base	PREMIUM	SPORT	LIMITED
2.0-LITER DOHC BOXER 4	2.0-LITER DOHC 16V HORIZONTALLY OPPOSED 4-CYLINDER  • DISPLACEMENT: 2.0 LITERS (1,995 CC)  • BORE/STROKE: 84.0MM X 90.0MM  • HORSEPOWER: 152 HP @ 6,000 RPM  • TORQUE: 145 LB-FT @ 4,000 RPM  • COMPRESSION RATIO: 12.5:1  • TUMBLE GENERATOR VALVES (TGV)  • DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING  • CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONER  • DIRECT IGNITION  • DIRECT FUEL INJECTION  • ELECTRONIC THROTTLE CONTROL (ETC)  FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE 87 OCTANE RATING (AKI)  EPA FUEL ECONOMY RATING: CITY/HWY MPG  ENGINE OIL CAPACITY: QUARTS	87 PENDING 4.7	87 PENDING 4.7	-	-
	FUEL TANK CAPACITY: GALLONS	16.6	16.6		
2.5-LITER DOHC BOXER 4	2.5-LITER DOHC 16V HORIZONTALLY OPPOSED 4-CYLINDER  • DISPLACEMENT: 2.5 LITERS (2,498 CC)  • BORE/STROKE: 94.0MM X 90.0MM  • HORSEPOWER: 182 HP @ 5,800 RPM  • TORQUE: 176 LB-FT @ 3,700 RPM  • COMPRESSION RATIO: 12.0:1  • TUMBLE GENERATOR VALVES (TGV)  • DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING  • CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONER  • DIRECT IGNITION  • DIRECT FUEL INJECTION  • ELECTRONIC THROTTLE CONTROL (ETC)  FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE 87 OCTANE RATING (AKI)  EPA FUEL ECONOMY RATING: CITY/HWY MPG  ENGINE OIL CAPACITY: QUARTS  FUEL TANK CAPACITY: GALLONS	_	_	87 PENDING 4.4 16.6	87 PENDING 4.4 16.6
FUEL ECONOMY TECHNOLOGY	AUTO START-STOP	STD	STD	STD	STD

	DRIVETRAIN, WHEELS & TIRES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	LINEARTRONIC® CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	OP03	OP13,14	STD	STD
	LOW SHIFT MODE	STD	_	_	_
	8-SPEED MANUAL SHIFT AND PADDLE SHIFTERS	_	STD	STD	STD
	<ul> <li>SI-DRIVE ENGINE PERFORMANCE MANAGEMENT W/ INTELLIGENT &amp; SPORT MODES</li> </ul>	STD	STD	STD	STD
	• X-MODE <sup>®</sup>	STD	STD	_	_
	HILL DESCENT CONTROL				
	X-MODE® DUAL-MODE W/ SNOW/DIRT & DEEP SNOW MUD SETTINGS	_	_	STD	STD
	HILL DESCENT CONTROL				
	INCLINE START ASSIST	STD	STD	STD	STD
	LOCK-UP TORQUE CONVERTER	STD	STD	STD	STD
	FINAL DRIVE RATIO	3.90:1	3.90:1	3.70:1	3.70:1
AWD & CONTROL SYSTEMS	CVT: ACTIVE AWD W/ ELECTRONICALLY CONTROLLED VARIABLE TRANSFER CLUTCH	STD	STD	STD	STD
AWI CONT	ACTIVE TORQUE VECTORING	STD	STD	STD	STD
0 00	VEHICLE DYNAMICS CONTROL (VDC) W/ TRACTION CONTROL SYSTEM (TCS)	STD	STD	STD	STD
ō	MAXIMUM TOWING CAPACITY (CLASS ONE) (LBS)	1500	1500	1500	1500
TOWING	MAXIMUM TRAILER TONGUE LOAD CAPACITY (LBS)	150	150	150	150
¥	CONNECTOR FOR GENUINE SUBARU ACCESSORY TRAILER HARNESS	STD	STD	STD	STD
	17-INCH X 7.0 INCH ALLOY: DARK GRAY	STD	_	_	_
WHEELS	17-INCH X 7.0 INCH ALLOY: DARK GRAY W/ MACHINE FINISH	_	STD	_	-
×	18-INCH X 7.0 INCH ALLOY: DARK GRAY	_	_	STD	_
	18-INCH X 7.0 INCH ALLOY: DARK GRAY W/ MACHINE FINISH		_		STD
	225/60 R17 99H ALL-SEASON	STD	STD	_	_
TIRES	225/55 R18 98V ALL-SEASON	_	_	STD	STD
	TEMPORARY SPARE TIRE: T145/80 D17: STEEL RIM	STD	STD	STD	STD

	BRAKES, STEERING & SUSPENSION	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	ANTI-LOCK BRAKING SYSTEM: 4 CHANNEL/4 SENSOR	STD	STD	STD	STD
	BRAKE ASSIST				
	BRAKE OVERRIDE SYSTEM (BOS)				
	ACTIVE TORQUE VECTORING				
3RAKES	ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)				
BRA	ELECTRONIC PARKING BRAKE (EPB)				
_	PARKING BRAKE: DRUM IN REAR DISC				
	ELECTRIC BRAKE BOOSTER / POWER ASSIST				
	FRONT VENTILATED DISCS W/ DUAL-PISTON FLOATING CALIPERS (INCHES)	12.4	12.4	12.4	12.4
	REAR VENTILATED DISCS W/ SINGLE-PISTON FLOATING CALIPERS (INCHES)	11.2	11.2	11.2	11.2
Ø	DUAL PINION ELECTRIC POWER STEERING	STD	STD	STD	STD
Ž.	VEHICLE SPEED AND TORQUE SENSING	STD	STD	STD	STD
STEERING	TURNS: LOCK-TO-LOCK	2.5	2.5	2.5	2.5
S	TURNING CIRCLE: CURB-TO-CURB (FEET)	35.44	35.44	35.44	35.44
z	4-WHEEL FULLY INDEPENDENT	STD	STD	STD	STD
SUSPENSION	FRONT SUSPENSION: STEEL LOWER L-ARMS AND STABILIZER BAR W/ ANTI- DIVE GEOMETRY	STD	STD	STD	STD
SUSF	REAR SUSPENSION: DOUBLE WISHBONE AND STABILIZER BAR W/ ANTI-LIFT GEOMETRY	STD	STD	STD	STD

	EXTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	GRILLE: BLACK FINISH TRIM	STD	_	_	_
	GRILLE: DARK GRAY TRIM	-	STD	_	STD
FRONT	GRILLE: GLOSS BLACK TRIM	_	_	STD	_
FRC	HOOD: ALUMINUM W/ PROP ROD	STD	STD	STD	STD
	HOOD: INSULATOR	_	STD	STD	STD
	ACTIVE GRILLE SHUTTER	STD	STD	STD	STD
	DOOR HANDLES: UNPAINTED BLACK	STD	_	_	_
	DOOR HANDLES: BODY-COLOR	_	STD	STD	STD
SIDE	DOOR HANDLES W/ DRIVER AND FRONT PASSENGER DOOR UNLOCK/LOCK SENSOR	_	STD	STD	STD
	FUEL DOOR: RIGHT-SIDE REAR QUARTER PANEL	STD	STD	STD	STD
	WHEEL ARCH: UNPAINTED BLACK	STD	STD	STD	STD
	POWER MOONROOF: TILT UP AND INTERNAL RETRACTING W/ AUTO- OPEN/CLOSE	_	OP14	OP22	OP32,OP33
	ROOF RAILS: RAISED LADDER-TYPE W/ BLACK FINISH	_	STD	STD	STD
	FIXED POSITION CROSSBAR MOUNTING POINTS	STD	_	_	_
ш.	CROSS BARS: BLACK FINISH	ACC	ACC	ACC	ACC
ROOF	CROSS BARS: DYNAMIC LOAD CAPACITY (LBS)	150	150	150	150
	ROOF RAILS: DYNAMIC LOAD CAPACITY (LBS)	175	175	175	175
	ROOF RAILS: STATIC LOAD CAPACITY (LBS)	_	700	700	700
	ROOF-MOUNTED ANTENNA, BLACK, AUDIO, SATELLITE	STD	STD	STD	STD
	ROOF-MOUNTED ANTENNA, BLACK, AUDIO, SATELLITE & CONNECTED SERVICES	_	STD	STD	STD
~	REAR-VISION CAMERA	STD	STD	STD	STD
REAR	ROOF SPOILER: GLOSS BLACK	_	_	STD	_
<u>~</u>	ROOF SPOILER: BODY COLOR	STD	STD	_	STD
	FRONT BUMPER: CROSSTREK 2.0 TYPE	STD	STD	_	_
SS &	FRONT BUMPER: CROSSTREK 2.5 TYPE W/ COLORED INSERTS	-	_	STD	STD
PEF	REAR BUMPER: CROSSTREK 2.0 TYPE	STD	STD	_	_
BUMPERS & CLADDING	REAR BUMPER: CROSSTREK 2.5 TYPE W/ COLORED INSERTS	-	_	STD	STD
	FUEL TANK AND FLOOR AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD	STD

	EXTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	WINDSHIELD: LAMINATED AND TINTED GREEN	STD	STD	STD	STD
	WINDSHIELD: SOUND INSULATING	_	_	STD	STD
	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	_	OP14	STD	STD
WINDOWS	MOONROOF GLASS: LAMINATED, UV AND DARK TINT	_	OP14	OP22	OP32,OP33
<u>N</u>	DOOR GLASS, FRONT: UV AND TINTED GREEN	STD	STD	STD	STD
× ×	DOOR GLASS, REAR: UV AND DARK TINT	STD	STD	STD	STD
3LASS	DOOR GLASS: FRAME TYPE	STD	STD	STD	STD
GL/	REAR WINDOW: UV AND DARK TINT	STD	STD	STD	STD
	REAR WINDOW DEFOGGER W/ TIMER	STD	STD	STD	STD
	AUTO UP/DOWN DRIVER'S SIDE AND FRONT PASSENGER'S SIDE WINDOWS W/ANTI-PINCH PROTECTION	STD	STD	STD	STD
SS	DUAL, MANUAL-FOLDING	STD	STD	STD	STD
MIRRORS	DUAL: UNPAINTED BLACK	STD	_	_	_
	DUAL: DARK GRAY	_	STD	_	STD
EXTERIOR	DUAL: GLOSS BLACK	_	_	STD	_
Ħ	HEATED (ALL-WEATHER PACKAGE)	_	OP14	STD	STD
POWER EXT	BLIND-SPOT DETECTION/REAR CROSS-TRAFFIC ALERT DETECTION INDICATOR LANE CHANGE ASSIST INDICATOR IN MIRROR HOUSING	_	OP14	OP22	STD
POV	INTEGRATED TURN SIGNALS	_	STD	STD	STD

	EXTERIOR DIMENSIONS & WEIGHTS	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	LENGTH OVERALL (INCHES)	176.4	176.4	176.4	176.4
	FRONT OVERHANG (INCHES)	38.4	38.4	38.4	38.4
	REAR OVERHANG (INCHES)	32.9	32.9	32.9	32.9
	WIDTH OVERALL (INCHES)	70.9	70.9	70.9	70.9
	WIDTH OVERALL INCLUDING MIRRORS (W/O INTEGRATED TURN SIGNALS) (INCHES)	79.4	79.4	_	_
DIMENSIONS	WIDTH OVERALL INCLUDING MIRRORS (W/ INTEGRATED TURN SIGNALS) (INCHES)	_	_	79.5	79.5
NS.	HEIGHT OVERALL INCLUDING ROOF RAILS (INCHES)	63.6	63.6	63.6	63.6
I WE	WHEELBASE (INCHES)	105.1	105.1	105.1	105.1
"	MINIMUM ROAD CLEARANCE AT CURB WEIGHT (INCHES) (MEASURED AT FRONT CROSSMEMBER)	8.7	8.7	8.7	8.7
	ANGLE OF APPROACH (DEGREES)	18.0	18.0	18.0	18.0
	ANGLE OF DEPARTURE (DEGREES)	30.1	30.1	30.1	30.1
	BREAKOVER ANGLE (DEGREES)	19.7	19.7	19.7	19.7
	TRACK, FRONT (INCHES)	61.2	61.2	61.2	61.2
	TRACK, REAR (INCHES)	61.2	61.2	61.2	61.2
노	BASE CURB WEIGHT (LBS)	3,276	3,296	3,333	3,349
WEIGHT	BASE CURB WEIGHT W/ OP (LBS)		3,333	3,369	3,391
>	GROSS VEHICLE WEIGHT RATING (LBS)	4,817	4,817	4,817	4,817

	INTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	DAY/NIGHT REARVIEW MIRROR	STD	STD	STD	STD
	GLOVE BOX: ILLUMINATED	_	STD	STD	STD
_	GLOVE BOX: LOCKABLE	-	_	_	_
DASH	ENGINE START/STOP SWITCH: ILLUMINATED	STD	STD	STD	STD
L	PANEL W/ EMBOSSED SIMULATED STITCHING	STD	STD	_	_
	PANEL W/ YELLOW STITCHING	_	_	STD	_
	PANEL W/ ORANGE STITCHING	_	_	_	STD

	INTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	4.2-INCH LCD COLOR COMBINATION METER DISPLAY (CMD)	STD	STD	STD	STD
	AUTOMATIC TRANSMISSION SHIFT LEVER POSITION INDICATOR	STD	STD	STD	STD
	AUTO START-STOP INDICATOR	STD	STD	STD	STD
	AUTO VEHICLE HOLD (AVH) INDICATOR	STD	STD	STD	STD
	DIGITAL FUEL GAUGE W/ FUEL DOOR POSITION INDICATOR	STD	STD	STD	STD
	DIGITAL ODOMETER & DUAL-MODE TRIP ODOMETER	STD	STD	STD	STD
	DIGITAL SPEEDOMETER	STD	STD	STD	STD
	ECO GAUGE (FUEL ECONOMY)	STD	STD	STD	STD
	EYESIGHT FEATURE STATUS AND WARNING INDICATORS	STD	STD	STD	STD
	FUEL ECONOMY (CURRENT & AVERAGE & DISTANCE TO EMPTY)	STD	STD	STD	STD
	HIGH BEAM ASSIST (HBA) INDICATORS	STD	STD	STD	STD
	HILL DESCENT CONTROL (HDC) OPERATION INDICATOR	STD	STD	STD	STD
DASH	JOURNEY TRAVEL TIME AND DISTANCE	STD	STD	STD	STD
-	NAVIGATION SYSTEM INFORMATION	_	_	_	OP33
	PADDLE SHIFT RATIO POSITION INDICATOR	_	STD	STD	STD
	REAR SEAT REMINDER	STD	STD	STD	STD
	REVERSE AUTOMATIC BRAKING (RAB) SYSTEM INDICATORS	_	_	_	STD
	SI-DRIVE MODE INDICATOR	STD	STD	STD	STD
	STEERING RESPONSIVE HEADLIGHTS (SRH) INDICATORS	STD	STD	STD	STD
	TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	_	_
	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY INDICATOR	_	_	STD	STD
	WELCOME / GOODBYE MESSAGE	STD	STD	STD	STD
	WINDSHIELD WASHER FLUID LOW WARNING INDICATOR	STD	STD	STD	STD
	X-MODE OPERATION INDICATOR	STD	STD	STD	STD
	DUAL ZONE AUTOMATIC CLIMATE CONTROL SYSTEM	STD	STD	STD	STD
	DISPLAY SCREEN CONTROLLED	STD	STD	STD	STD
HVAC	DYNAMIC VENTILATION	STD	STD	STD	STD
T .	VOICE-ACTIVATED CONTROLS	STD	STD	STD	STD
	AIR FILTRATION SYSTEM	STD	STD	STD	STD
	BUCKET-TYPE, RECLINING, WHIPLASH REDUCING	STD	STD	STD	STD
ω .	HEAD RESTRAINTS: HEIGHT ADJUSTABLE	STD	STD	STD	STD
FRONT SEATS	HEATED (ALL-WEATHER PACKAGE)	_	OP14	STD	STD
l Si	DRIVER'S SEAT 6-WAY MANUAL	STD	STD	STD	_
N S	DRIVER'S SEAT 10-WAY POWER INCL. 2-WAY LUMBAR	_	OP14	OP22	STD
iii.	FRONT PASSENGER SEAT: 4-WAY MANUAL	STD	STD	STD	STD
	FRONT PASSENGER SEAT: SEATBACK POCKET	STD	STD	STD	STD

	INTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
TS	HEAD RESTRAINTS: REMOVABLE W/ HEIGHT ADJUSTABLE CENTER	STD	STD	STD	STD
SEATS	60/40-SPLIT FOLD-DOWN REAR SEATBACK	STD	STD	STD	STD
REAR	REAR SEATBACK RELEASE KNOB	STD	STD	STD	STD
8	FOLD-DOWN CENTER ARMREST W/ DUAL CUP HOLDERS	_	STD	STD	STD
	SOFT-GRIP URETHANE	STD	STD	_	_
∞ర .	LEATHER-WRAPPED W/ YELLOW STITCHING	_	_	STD	_
STEERING WHEEL SWITCHES	LEATHER-WRAPPED W/ ORANGE STITCHING	_	-	_	STD
CHE	AUDIO SYSTEM & BLUETOOTH CONTROLS	STD	STD	STD	STD
WIT	ADVANCED ADAPTIVE CRUISE CONTROL SWITCHES: W/ LANE CENTERING	STD	STD	STD	STD
S	COMBINATION METER DISPLAY CONTROLS	STD	STD	STD	STD
ST	SI-DRIVE: ENGINE PERFORMANCE MANAGEMENT	STD	STD	STD	STD
	PADDLE SHIFTERS	_	STD	STD	STD
RING	IGNITION SWITCH RING: ILLUMINATED W/ OFF-DELAY	STD	_	_	_
STEERING	ADJUSTABLE TILT/TELESCOPIC STEERING COLUMN	STD	STD	STD	STD
SHIFTER	SOFT-GRIP URETHANE	STD	STD	_	_
SHIF	LEATHER-WRAPPED	_	_	STD	STD
	ELECTRONIC PARKING BRAKE (EPB) SWITCH	STD	STD	STD	STD
	FRONT STORAGE TRAY, ILLUMINATED	STD	STD	STD	STD
щ	USB A INPUT / CHARGE PORT, ILLUMINATED	STD	_	_	_
CENTER CONSOLE	ONE EACH, USB A AND C INPUT / CHARGE PORTS, ILLUMINATED	_	STD	STD	STD
NO.	3.5 MM AUXILIARY INPUT JACK	STD	STD	STD	STD
ER 0	REAR STORAGE BOX W/ LID: SIMULATED LEATHER	STD	STD	_	_
EN	REAR STORAGE BOX W/ LID: SIMULATED LEATHER W/ YELLOW STITCHING	_	_	STD	_
5	REAR STORAGE BOX W/ LID: SIMULATED LEATHER W/ ORANGE STITCHING	_	_	_	STD
	DUAL USB A AND C CHARGE PORTS, ILLUMINATED	_	STD	STD	STD
	12-VOLT POWER OUTLET	STD	STD	STD	STD
щ	DUAL OVERHEAD MAP LIGHTS	STD	STD	STD	STD
ONSOI	SEATBELT: FRONT & REAR PASSENGER WARNING LIGHT & CHIME W/SEAT POSITION OCCUPANT DETECTION INDICATOR	STD	STD	STD	STD
OVERHEAD CONSOLE	SUN VISORS: DRIVER AND FRONT PASSENGER W/ EXTENDERS AND TICKET HOLDERS	STD	STD	STD	STD
ER	VANITY MIRRORS: W/LIDS	STD	STD	STD	STD
8	VANITY MIRRORS: ILLUMINATED	_	STD	STD	STD

	INTERIOR FEATURES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
RS	FRONT DUAL: CENTER CONSOLE	STD	STD	STD	STD
CUP HOLDERS	REAR DUAL: REAR SEAT CENTER ARMREST	_	STD	STD	STD
유	BOTTLE HOLDERS: FRONT AND REAR DOORS	STD	STD	STD	STD
	CENTER CONSOLE PANEL: BLACK	STD	STD	STD	STD
	CENTER DASH PANEL: CARBON TEXTURE BLACK COATING	STD	STD	_	_
	CENTER DASH PANEL: GUNMETAL FINISH	_	_	STD	STD
	COMBINATION METER VISOR: BLACK	STD	STD	STD	STD
	DOOR SWITCH TRIM BEZELS: BLACK	STD	STD	STD	STD
	DOOR TRIM: CENTER TRIM PANEL: SEAT UPHOLSTERY DESIGN	STD	STD	STD	STD
TRIM	DOOR TRIM ARMRESTS: SIMULATED LEATHER	STD	STD	_	_
Ĕ.	DOOR TRIM ARMRESTS: SIMULATED LEATHER W/ YELLOW STITCHING	_	_	STD	_
	DOOR TRIM ARMRESTS: SIMULATED LEATHER W/ ORANGE STITCHING	_	_	_	STD
	HVAC BEZEL: BLACK	STD	STD	STD	STD
	INNER DOOR HANDLE: UNPAINTED BLACK	STD	STD	STD	_
	INNER DOOR HANDLE: CHROME	_	_	_	STD
	FLOOR MATS: CARPETED W/ DRIVER'S SIDE RETENTION HOOK	STD	STD	STD	STD
	DOOR SILL COVERS, DOOR OPENINGS: PLASTIC	STD	STD	STD	STD
	CARGO AREA COVER	ACC	STD	STD	STD
	TRAY: REMOVABLE	STD	STD	STD	STD
	TIE-DOWN HOOKS	4	4	4	4
REA	GROCERY BAG HOOKS	2	2	2	2
O AF	LIGHT W/ GATE SWITCH & OFF-DELAY OPERATION	STD	STD	STD	STD
CARGO AREA	REAR SEATBACK AND CARGO FLOOR: CARPETED	STD	STD	STD	STD
CA	SUB-FLOOR: SPARE TIRE & JACK STORAGE W/ TWO-WAY SCREWDRIVER AND LUG WRENCH	STD	STD	STD	STD
	ELECTRONIC REAR GATE RELEASE HANDLE	STD	STD	STD	STD
	REAR GATE UNLOCK SENSOR/LOCK BUTTON	STD	STD	STD	STD

	INTERIOR DIMENSIONS	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	SEATING CAPACITY	5	5	5	5
⋖	HEAD ROOM, FRONT (W/O MOONROOF) (INCHES)	39.8	39.8	39.8	39.8
AREA	HEAD ROOM, FRONT (W/ MOONROOF) (INCHES)	_	38.7	38.7	38.7
H,	HEAD ROOM, REAR (W/ OR W/O MOONROOF) (INCHES)	38.0	38.0	38.0	38.0
PASSENGER	LEG ROOM, FRONT (INCHES)	42.9	42.9	42.9	42.9
ASS	LEG ROOM, REAR (INCHES)	36.5	36.5	36.5	36.5
4	SHOULDER ROOM, FRONT (INCHES)	56.8	56.8	56.8	56.8
	SHOULDER ROOM, REAR (INCHES)	55.3	55.3	55.3	55.3
	EPA CARGO VOLUME: CUBIC FEET (REAR SEAT UP) (INCHES)	19.9	19.9	19.9	19.9
	SAE CARGO VOLUME: CUBIC FEET (REAR SEAT DOWN) (INCHES)	54.7	54.7	54.7	54.7
	CARGO WIDTH BETWEEN WHEEL HOUSINGS (INCHES)	42.9	42.9	42.9	42.9
AREA	CARGO AREA HEIGHT (INCHES)	29.3	29.3	29.3	29.3
AR	CARGO LIFT OVER HEIGHT AT CURB WEIGHT (INCHES)	30.7	30.7	30.7	30.7
CARGO	REAR GATE OPENING WIDTH LOWER (INCHES)	40.7	40.7	40.7	40.7
CA	REAR GATE OPENING WIDTH MAXIMUM (INCHES)	41.0	41.0	41.0	41.0
	REAR GATE OPENING HEIGHT (INCHES)	25.6	25.6	25.6	25.6
	MAXIMUM LOAD LENGTH AT FLOOR (REAR SEAT UP) (INCHES)	32.1	32.1	32.1	32.1
	MAXIMUM LOAD LENGTH AT FLOOR (REAR SEAT DOWN) (INCHES)	63.9	63.9	63.9	63.9

	SAFETY	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	SUBARU ADVANCED FRONTAL AIRBAG SYSTEM (SRS)	STD	STD	STD	STD
	AIRBAGS: DUAL-STAGE DEPLOYMENT: DRIVER AND FRONT PASSENGER	STD	STD	STD	STD
	FRONT PASSENGER SEAT OCCUPANT DETECTION SYSTEM	STD	STD	STD	STD
	ROLLOVER SENSOR	STD	STD	STD	STD
œ	COLLISION DETECTION POWER DOOR UNLOCK FUNCTION	STD	STD	STD	STD
NTERIOR	AIRBAG DEPLOYMENT IMPACT SENSING FUEL CUTOFF	STD	STD	STD	STD
l li	WHIPLASH REDUCING FRONT SEATS	STD	STD	STD	STD
=	REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD
	REAR SEAT REMINDER	STD	STD	STD	STD
	COLLAPSIBLE STEERING COLUMN	STD	STD	STD	STD
	PILLAR-TO-PILLAR SUPPORT BEAM FOR COLLAPSIBLE STEERING COLUMN	STD	STD	STD	STD
	SAFETY PEDAL SYSTEM	STD	STD	STD	STD
	FRONT SEATBELTS: THREE-POINT W/ PRETENSIONERS & LOAD LIMITERS	STD	STD	STD	STD
	FRONT SEATBELTS: SELF LOCKING TONGUE MECHANISM	STD	STD	STD	STD
	FRONT DRIVER'S SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD	STD
ပ	FRONT PASSENGER SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD	STD
SEATBELTS	FRONT PASSENGER SEATBELT: AUTOMATIC LOCKING RETRACTOR (ALR) AND ADAPTIVE	STD	STD	STD	STD
SEA	REAR SEATBELTS: THREE-POINT, ALL THREE SEATING POSITIONS	STD	STD	STD	STD
.,	REAR SEATBELTS: EMERGENCY LOCKING RETRACTORS (ELR)	STD	STD	STD	STD
	REAR SEATBELTS: AUTOMATIC LOCKING RETRACTORS (ALR)	STD	STD	STD	STD
	LATCH SYSTEM (LOWER ANCHOR AND TETHER FOR CHILDREN) W/TETHER ANCHORS	STD (3)	STD (3)	STD (3)	STD (3)
	DAYTIME RUNNING LIGHTS (DRL)	STD	STD	STD	STD
	HIGH MOUNT STOP LIGHT: LED	STD	STD	STD	STD
<u> </u>	REMOTE KEYLESS ENTRY SYSTEM W/ ANSWER-BACK ELECTRONIC CHIRP	STD	STD	STD	STD
EXTERIOR	SECURITY SYSTEM W/ ANSWER-BACK ELECTRONIC CHIRP	STD	STD	STD	STD
Ä	SIDE-IMPACT DOOR BEAMS	STD	STD	STD	STD
	SUBAR GLOBAL PLATFORM (SGP)	STD	STD	STD	STD
	REAR-VISION CAMERA	STD	STD	STD	STD
	ENGINE IMMOBILIZER	STD	STD	STD	STD
	ACTIVE TORQUE VECTORING	STD	STD	STD	STD
	ANTI-LOCK BRAKING SYSTEM (ABS): 4 CHANNEL/4 SENSOR	STD	STD	STD	STD
Z	INCLINE START ASSIST	STD	STD	STD	STD
DRIVETRAIN	BRAKE ASSIST	STD	STD	STD	STD
≥	BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD
R	TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	_	_
	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY AND AUTOMATIC INDIVIDUAL WHEEL ID REGISTRATION	STD	STD	STD	STD
	VEHICLE DYNAMICS CONTROL (VDC) W/ TRACTION CONTROL SYSTEM (TCS)	STD	STD	STD	STD
	KEY INTEGRATED W/ KEYLESS ENTRY REMOTE TRANSMITTER	STD	_	_	_
S	STANDARD CUT MASTER KEY	STD	_	_	_
Ö	SPARE MASTER KEY	STD	_	_	_
8 L	SUB MASTER KEY	STD	_	_	_
KEYS & LOCKS	AUTOMATIC POWER DOOR LOCK/UNLOCK SYSTEM	STD	STD	STD	STD
Ř	POWER DOOR LOCKS	STD	STD	STD	STD
1	POWER DOOR LOCK SWITCH: DRIVER AND FRONT PASSENGER DOORS	STD	STD	STD	STD

	SAFETY	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	LASER CUT MASTER KEY	_	STD	STD	STD
USH-	REMOTE TRANSMITTER W/ REMOVABLE KEY	_	STD	STD	STD
	SPARE REMOTE TRANSMITTER W/ REMOVABLE KEY	_	STD	STD	STD
ESS W	ENGINE START/STOP SWITCH, ILLUMINATED	_	STD	STD	STD
CCES	SHIFT LEVER PARK ENGAGEMENT DISPLAY AND AUDIBLE WARNING	_	STD	STD	STD
<b>∢</b>	STARTER OVERRIDE PROTECTION	_	STD	STD	STD
ESS	DRIVER AND FRONT PASSENGER DOOR UNLOCK/LOCK SENSOR	_	STD	STD	STD
KEYI	REAR GATE UNLOCK SENSOR	_	STD	STD	STD
_	REAR GATE LOCK BUTTON	_	STD	STD	STD

	EYESIGHT® SYSTEM	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	EYESIGHT	STD	STD	STD	STD
	ADVANCED ADAPTIVE CRUISE CONTROL W/ LANE CENTERING	STD	STD	STD	STD
	AUTOMATIC EMERGENCY STEERING (AES)	_	OP14	OP22	STD
	PRE-COLLISION BRAKE ASSIST	STD	STD	STD	STD
ဟ	PRE-COLLISION BRAKING SYSTEM W/ OFF SWITCH	STD	STD	STD	STD
-EATURES	PRE-COLLISION FOLLOWING DISTANCE WARNING	STD	STD	STD	STD
ATL	PRE-COLLISION THROTTLE MANAGEMENT	STD	STD	STD	STD
쁜	LANE DEPARTURE AND SWAY WARNING W/ OFF SWITCH	STD	STD	STD	STD
	LANE KEEP ASSIST (LKA) ON/OFF SWITCH	STD	STD	STD	STD
	LANE CENTERING: ADVANCED ADAPTIVE CRUISE CONTROL ON	STD	STD	STD	STD
	LANE DEPARTURE PREVENTION: ADVANCED ADAPTIVE CRUISE CONTROL OFF	STD	STD	STD	STD
	LEAD VEHICLE START ALERT	STD	STD	STD	STD
	ADAPTIVE CRUISE CONTROL READY / OFF / ON / SET INDICATORS	STD	STD	STD	STD
	FOLLOW DISTANCE SETTING INDICATOR				
စ္တ	HOLD INDICATOR				
Þ	LANE DEPARTURE AND SWAY INDICATOR				
<u>2</u>	LANE KEEP ASSIST INDICATOR AND CANCELLATION INDICATOR				
WARNING INDICATORS	LEAD VEHICLE INDICATOR				
20	PRE-COLLISION WARNING INDICATOR				
S N	SET VEHICLE SPEED DISPLAY				
<b>Š</b>	SYSTEM MALFUNCTION OFF WARNING				
	SYSTEM TEMPORARY OFF WARNING				
	WARNING CHIME				

	DRIVER ASSIST TECHNOLOGY: BLIND-SPOT DETECTION (BSD)/REAR CROSS- TRAFFIC ALERT (RCTA) SYSTEM	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
FEATURES	BLIND-SPOT DETECTION / REAR CROSS-TRAFFIC ALERT (BSD/RCTA) SYSTEM  SYSTEM OFF SWITCH  EXTERIOR MIRRORS: BSD / RCTA DETECTION INDICATOR  BLIND-SPOT DETECTION  LANE CHANGE ASSIST  REAR RADAR DETECTION SENSORS	-	OP14	OP22	STD
	<ul> <li>REAR CROSS-TRAFFIC ALERT</li> <li>REAR CROSS-TRAFFIC ALERT AUDIBLE VEHICLE DETECTION WARNING</li> </ul>				

	DRIVER ASSIST TECHNOLOGY: REVERSE ASSIST SYSTEMS	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
JRES	REAR-VISION CAMERA	STD	STD	STD	STD
FEATL	REVERSE AUTOMATIC BRAKING (RAB) SYSTEM	_	_	_	STD

	ELECTRICAL SYSTEM	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
	HEADLIGHTS: STANDARD GRADE:	STD	STD	_	_
	LOW-BEAM & HIGH BEAM: LED				
	DAYTIME RUNNING LIGHTS (DRL): LED, LOW-BEAM				
	PARKING LIGHTS & TURN SIGNALS: INCANDESCENT				
	HEADLIGHTS: HIGH GRADE	_	_	STD	STD
	LOW-BEAM & HIGH BEAM: LED				
	DAYTIME RUNNING LIGHTS (DRL): LED, LOW-BEAM				
EXTERIOR LIGHTS	PARKING LIGHTS & TURN SIGNALS: LED				
9	HIGH BEAM ASSIST (HBA)	STD	STD	STD	STD
OR	STEERING RESPONSIVE HEADLIGHTS (SRH)	STD	STD	STD	STD
E.	AUTOMATIC HEIGHT ADJUSTMENT CONTROL	STD	STD	STD	STD
L X	AUTO ON/OFF: AUTOMATIC MODE POSITION	STD	STD	STD	STD
	AUTO ON/OFF W/ WINDSHIELD WIPER OPERATION	STD	STD	STD	STD
	FOG LIGHT INSERT COVERS: BLACK	STD	_	_	_
	FOG LIGHTS: LED	ACC	STD	STD	STD
	HIGH MOUNT STOP LIGHT: LED	STD	STD	STD	STD
	EXTERIOR POWER MIRRORS: INTEGRATED TURN SIGNALS	_	_	STD	STD
	REAR COMBINATION LIGHTS: INCANDESCENT & LED	STD	STD	STD	STD
	WELCOME/GOODBYE LIGHTING: VEHICLE APPROACH/DEPARTURE	STD	STD	STD	STD
ဟ	ILLUMINATED POWER DOOR LOCK SWITCHES: FRONT DOORS	STD	STD	STD	STD
9	ILLUMINATED POWER WINDOW SWITCHES: ALL DOORS	STD	STD	STD	STD
	DUAL OVERHEAD MAP LIGHTS W/ OFF-DELAY OPERATION	STD	STD	STD	STD
Ш К	DOME LIGHT W/ OFF-DELAY OPERATION	STD	STD	STD	STD
NO.	ILLUMINATED FRONT CONSOLE STORAGE TRAY	STD	STD	STD	STD
⊗ 	ILLUMINATED IGNITION SWITCH RING	STD	_	_	_
H H	ILLUMINATED ENGINE START/STOP SWITCH	_	STD	STD	STD
NTERIOR LIGHTS & POWER OUTLETS	CARGO AREA LIGHT W/ GATE SWITCH AND OFF-DELAY OPERATION	STD	STD	STD	STD
OR	12-VOLT POWER OUTLET: INSIDE FRONT CENTER CONSOLE	STD	STD	STD	STD
E. H	USB A INPUT / CHARGE PORT IN FRONT CENTER CONSOLE	STD	_	_	_
Z	DUAL USB INPUT / CHARGE PORTS IN FRONT CENTER CONSOLE	_	STD	STD	STD
	WINDSHIELD WIPERS: BLACK ARMS, TWO-SPEED W/ MIST FEATURE, INTERMITTENT AND VARIABLE TIMER	STD	STD	STD	STD
	WINDSHIELD WASHERS: DUAL FRONT, DUAL SPRAY, DIFFUSION TYPE	STD	STD	STD	STD
I S	WINDSHIELD WASHER: PASSENGER WIPER ARM-MOUNTED	STD	STD	STD	STD
MIPERS	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	_	OP14	STD	STD
>	REAR WIPER: BLACK, DUAL-SPRAY, SINGLE SPEED AND FIXED INTERMITTENT	STD	STD	STD	STD
	REAR WIPER: AUTOMATIC SINGLE SPEED ON OPERATION FROM FIXED INTERMITTENT MODE W/ SHIFT LEVER IN REVERSE POSITION	STD	STD	STD	STD

	SUBARU STARLINK <sup>®</sup> IN-VEHICLE TECHNOLOGY	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
MS	CP 1.5 SUBARU STARLINK DUAL 7.0-INCH MULTIMEDIA SYSTEM	STD	_	_	_
SYSTEMS	CP 1.5 SUBARU STARLINK 11.6-INCH MULTIMEDIA PLUS SYSTEM	_	STD	STD	STD
SY	CP 1.5 SUBARU STARLINK 11.6-INCH MULTIMEDIA NAVIGATION SYSTEM	_	_	_	OP33
	AM/FM STEREO HD RADIO	STD	STD	STD	STD
	MULTI-TOUCH GESTURE HIGH-RESOLUTION DISPLAY SCREEN	STD	STD	STD	STD
	VOICE-ACTIVATED CONTROLS	STD	STD	STD	STD
	NAVIGATION SYSTEM	_	_	_	OP33
	VOICE-ACTIVATED NAVIGATION	_	_	_	OP33
	BLUETOOTH AUDIO STREAMING & HANDS-FREE PHONE CONNECTIVITY (SEE SUBARU.COM FOR PHONE COMPATIBILITY)	STD	STD	STD	STD
	BLUETOOTH HANDS-FREE SMS TEXT MESSAGING CONNECTIVITY (SEE SUBARU.COM FOR PHONE COMPATIBILITY)	STD	STD	STD	STD
	iPOD <sup>®</sup> CONTROL CAPABILITY	STD	STD	STD	STD
	REAR-VISION CAMERA DISPLAY	STD	STD	STD	STD
	SIRIUSXM ALL-ACCESS RADIO (4 MONTHS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER)	STD	STD	STD	STD
	SIRIUSXM TRAVEL LINK (4 MONTHS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER)	STD	STD	STD	_
	SIRIUSXM TRAFFIC (3 YEARS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER)	_	_	_	OP33
	SIRIUSXM TRAVEL LINK (3 YEARS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER)	_	_	_	OP33
FEATURES	SMARTPHONE INTEGRATION  • ANDROID AUTO™  • APPLE CARPLAY®	STD	-	_	_
	SMARTPHONE INTEGRATION  • WIRELESS ANDROID AUTO™ W/ FULL SCREEN VIEW  • WIRELESS APPLE CARPLAY® W/ FULL SCREEN VIEW	_	STD	STD	STD
	SYSTEM SOFTWARE UPDATES				•
	AUDIO SYSTEM: USB	STD	STD	STD	STD
	AUDIO SYSTEM: OVER THE AIR (OTA)	_	STD	STD	STD
	<ul> <li>TOMTOM NAVIGATION SYSTEM UPDATE: USB / MAP OVER THE AIR (MOTA) (3 YEARS FREE MAP UPDATES)</li> </ul>	_	_	_	OP33
	STANDARD SPEAKER SYSTEM				
	TOTAL NUMBER OF SPEAKERS	4	6	6	6
	HARMAN KARDON SPEAKER SYSTEM				OP32,OP33
	TOTAL NUMBER OF SPEAKERS	_	_	_	10
	<ul> <li>HARMAN KARDON 432-WATT EQUIVALENT MAXIMUM OUTPUT AMPLIFIER (INCLUDED W/ HARMAN KARDON SPEAKER SYSTEM)</li> </ul>	_	_	_	STD
	QI WIRELESS PHONE CHARGER	_	_	STD	STD
	ANTENNA				
	ROOF MOUNTED, BLACK, SATELLITE	STD	STD	STD	STD
	ROOF MOUNTED, BLACK, SATELLITE & CONNECTED SERVICES		STD	STD	STD

	SUBARU STARLINK CONNECTED SERVICES	CROSSTREK BASE	PREMIUM	SPORT	LIMITED
AD LE	CONNECTED SERVICES OPERATION INDICATOR	_	STD	STD	STD
RE OSN	SOS EMERGENCY ASSISTANCE ACTIVATION SWITCH	_	STD	STD	STD
OVERHEAD	ENHANCED ROADSIDE ASSISTANCE ACTIVATION SWITCH	_	STD	STD	STD
	STARLINK SYSTEM UPDATE: FIRMWARE OVER THE AIR (FOTA)	_	OPT-IN	OPT-IN	OPT-IN
<b>"</b>	3 YEARS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER	_	OPT-IN	OPT-IN	OPT-IN
Lu	SOS EMERGENCY ASSISTANCE	_	OPT-IN	OPT-IN	OPT-IN
STARLINK SAFETY PLUS	ADVANCED AUTOMATIC COLLISION NOTIFICATION (AACN)	_	OPT-IN	OPT-IN	OPT-IN
AFE	ENHANCED ROADSIDE ASSISTANCE	_	OPT-IN	OPT-IN	OPT-IN
X	DIAGNOSTIC ALERTS	_	OPT-IN	OPT-IN	OPT-IN
Z LIN	MAINTENANCE NOTIFICATIONS	_	OPT-IN	OPT-IN	OPT-IN
STAF	VEHICLE HEALTH REPORT	_	OPT-IN	OPT-IN	OPT-IN
0,	SERVICE APPOINTMENT SCHEDULER	_	OPT-IN	OPT-IN	OPT-IN
	VEHICLE CONDITION CHECK	_	OPT-IN	OPT-IN	OPT-IN
	6 MONTHS FREE TRIAL/SUBSCRIPTION REQUIRED AFTER	_	OPT-IN	OPT-IN	OPT-IN
	REMOTE LOCK/UNLOCK	_	OPT-IN	OPT-IN	OPT-IN
<u>ئ</u>	REMOTE HORN & LIGHTS	_	OPT-IN	OPT-IN	OPT-IN
PLU	REMOTE VEHICLE LOCATOR	_	OPT-IN	OPT-IN	OPT-IN
Ĕ	REMOTE ENGINE START W/ REMOTE CLIMATE CONTROL**	_	OP14	OPT-IN	OPT-IN
CUR	STOLEN VEHICLE RECOVERY PLUS	_	OPT-IN	OPT-IN	OPT-IN
Š	STOLEN VEHICLE IMMOBILIZATION / MOBILIZATION	_	OPT-IN	OPT-IN	OPT-IN
ž X	VEHICLE SECURITY ALARM NOTIFICATION	_	OPT-IN	OPT-IN	OPT-IN
STARLINK SECURITY PLUS*	DESTINATION TO VEHICLE	_	_	_	OP33
S	BOUNDARY ALERT	_	OPT-IN	OPT-IN	OPT-IN
	SPEED ALERT	_	OPT-IN	OPT-IN	OPT-IN
	CURFEW ALERT	_	OPT-IN	OPT-IN	OPT-IN
<b>*</b>	SUBSCRIPTION REQUIRED; SERVICES INCLUDE ASSISTANCE W/:	_	OPT-IN	OPT-IN	OPT-IN
RGE	MAKING RESTAURANT AND HOTEL RESERVATIONS				
IAR ICIE	FINDING EVENT TICKETS				
STARLINK CONCIERGE**	SCHEDULING SERVICE AT A SUBARU RETAILER				
N L O	WI-FI HOTSPOT: ACCESS VIA AUDIO SYSTEM	_	OPT-IN	OPT-IN	OPT-IN
STARLINK WI-FI HOTSPOT	(REQUIRES AN ACTIVE AT&T WI-FI SUBSCRIPTION)		OF 1-IIV	OF I-IIV	OF I-III
ω±					

<sup>\*</sup> SUBARU STARLINK Security Plus (Requires STARLINK Safety Plus)

<sup>\*\*</sup> Requires Keyless Access w/ Push-button Start

<sup>\*\*\*</sup> SUBARU STARLINK Concierge (Requires STARLINK Safety & Security Plus)