TRIM LEVEL	MODEL CODE	OPTION GROUP	PACKAGE FEATURES
BASE	RLA	01	
BASE	RLA	03	ALLOY WHEELS
SPORT	RLD	21	
SPORT	RLD	23	POWER MOONROOF + BSD/RCTA + ALL-WEATHER PACKAGE
RS	RLG	31	
RS	RLG	33	POWER MOONROOF + POWER DRIVER SEAT + HARMAN KARDON UPGRADE AUDIO SYSTEM

BSD/RCTA = Blind-Spot Detection / Rear Cross-Traffic Alert

	ENGINE	BASE	SPORT	RS
2.0-LITER DOHC BOXER 4	2.0-LITER DOHC 16V HORIZONTALLY OPPOSED 4-CYLINDER  DISPLACEMENT: 2.0 LITERS (1,995 CC / 122 CI)  BORE/STROKE: 84.0MM X 90.0MM (3.31 X 3.54 INCHES)  HORSEPOWER: 152 HP @ 6,000 RPM  TORQUE: 145 LB-FT @ 4,000 RPM  COMPRESSION RATIO: 12.5:1  ENGINE TYPE: FB20  TUMBLE GENERATOR VALVES (TGV)  DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING  CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONER  DIRECT IGNITION  DIRECT FUEL INJECTION  ELECTRONIC THROTTLE CONTROL (ETC)  LIQUID-FILLED ALUMINUM ENGINE MOUNTS  SI-DRIVE ENGINE PERFORMANCE MANAGEMENT DUAL MODE: INTELLIGENT & SPORT FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE - 87 OCTANE RATING (AKI) EPA FUEL ECONOMY RATING (CITY/HWY MPG)  ENGINE OIL CAPACITY: QUARTS  FUEL TANK CAPACITY: GALLONS	STD  STD  87  PENDING  4.7  16.6	STD STD STD 87 PENDING 4.7 16.6	— — — —
2.5-LITER DOHC BOXER 4	2.5-LITER DOHC 16V HORIZONTALLY OPPOSED 4-CYLINDER  DISPLACEMENT: 2.5 LITERS (2.498 CC / 152 CI)  BORE/STROKE: 94.0MM X 90.0MM (3.70 X 3.54 INCHES)  HORSEPOWER: 182 HP @ 5,800 RPM  TORQUE: 178 LB-FT @ 3,700 RPM  COMPRESSION RATIO: 12.0:1  ENGINE TYPE: FB25  TUMBLE GENERATOR VALVES (TGV)  DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING  CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONER  DIRECT IGNITION  DIRECT FUEL INJECTION  ELECTRONIC THROTTLE CONTROL (ETC)  LIQUID-FILLED ALUMINUM ENGINE MOUNTS  SI-DRIVE ENGINE PERFORMANCE MANAGEMENT DUAL MODE: INTELLIGENT & SPORT FUEL REQUIREMENTS: REGULAR UNLEADED GASOLINE - 87 OCTANE RATING (AKI) EPA FUEL ECONOMY RATING (CITY/HWY MPG)  ENGINE OIL CAPACITY: QUARTS  FUEL TANK CAPACITY: GALLONS	- - - - -	_ _ _ _ _ _	STD STD STD 87 PENDING 4.4 16.6
FUEL ECONOMY TECHNOLOGY	AUTO START-STOP	STD	STD	STD

TRANSMISSION	BASE	SPORT	RS
LINEARTRONIC CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	STD	STD	STD
LOW SHIFT MODE	STD	_	_
8-SPEED MANUAL SHIFT & PADDLE SHIFTERS	_	STD	STD
LOCK-UP TORQUE CONVERTER	STD	STD	STD
FINAL DRIVE RATIO	3.700	3.700	3.700

	DRIVETRAIN, WHEELS AND TIRES	BASE	SPORT	RS
& NS MS	CVT: ACTIVE SYMMETRICAL AWD	STD	STD	STD
AWD &	ACTIVE TORQUE VECTORING	STD	STD	STD
S CO A	VEHICLE DYNAMICS CONTROL (VDC) W/ TRACTION CONTROL SYSTEM	STD	STD	STD
v	16-INCH X 6.0-INCH STEEL: BLACK FINISH	STD	_	_
	16-INCH X 6.5-INCH ALLOY: SILVER FINISH	OP 03	_	_
WHEEL	18-INCH X 7.0 ALUMINUM ALLOY: DARK GRAY W/ MACHINE FINISH	_	STD	_
_	18-INCH X 7.0 ALUMINUM ALLOY: DARK GRAY	_	_	STD
S	205/55 R16 99H ALL-SEASON	STD	_	_
8	225/40 R18 98V ALL-SEASON	_	STD	STD
-	TIRE REPAIR KIT	STD	STD	STD

	BRAKES, STEERING AND SUSPENSION	BASE	SPORT	RS
	ANTI-LOCK BRAKING SYSTEM: 4 CHANNEL/4 SENSOR	STD	STD	STD
	BRAKE ASSIST	STD	STD	STD
	BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD
S	ACTIVE TORQUE VECTORING	STD	STD	STD
BRAKES	ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD
8	ELECTRIC BRAKE BOOSTER / POWER ASSIST	STD	STD	STD
	FRONT VENTILATED DISCS W/ DUAL-PISTON FLOATING CALIPERS (INCHES)	11.6	12.4	12.4
	REAR VENTILATED DISCS W/ SINGLE-PISTON FLOATING CALIPERS (INCHES)	11.2	11.2	11.2
	ELECTRONIC PARKING BRAKE: DRUM IN REAR DISC	STD	STD	STD
ø	ELECTRIC POWER STEERING: DUAL PINION	STD	STD	STD
N N	VEHICLE SPEED & TORQUE SENSITIVE	STD	STD	STD
STEERING	TURNS: LOCK-TO-LOCK	2.5	2.5	2.5
ί	TURNING CIRCLE: CURB-TO-CURB (FEET)	34.78	34.78	34.78
z	4-WHEEL FULLY INDEPENDENT	STD	STD	STD
SUSPENSION	FRONT SUSPENSION: MACPHERSON- TYPE STRUT W/ COIL SPRINGS, LOWER L-ARMS & STABILIZER BAR, W/ ANTI-DIVE	STD	STD	STD
USF	REAR SUSPENSION: DOUBLE WISHBONE, COIL SPRINGS, W/ ANTI-LIFT GEOMETRY	STD	STD	STD
S	REAR SUSPENSION: STABILIZER BAR	_	STD	STD

	EXTERIOR FEATURES	BASE	SPORT	RS
	GRILLE: DARK GRAY TRIM	_	_	STD
FRONT	GRILLE: GLOSS BLACK TRIM	STD	STD	_
	HOOD: ALUMINUM	STD	STD	STD
	HOOD: INSULATOR	_	STD	STD
	HOOD: PROP ROD	STD	STD	STD
"	DOOR HANDLES: BODY-COLOR	STD	STD	STD
SIDES	DOOR HANDLES W/ DRIVER & FRONT PASSENGER DOOR LOCK/UNLOCK SENSOR	STD	STD	STD
<u>w</u>	FUEL DOOR: RIGHT-SIDE REAR QUARTER PANEL	STD	STD	STD
	POWER MOONROOF: TILT UP & INTERNAL RETRACTING W/ AUTO-OPEN/CLOSE	_	_	OP 33
FO.	FIXED ROOF CROSS BAR MOUNTING POINTS	STD	STD	STD
ROOF	ROOF-MOUNTED ANTENNA, BLACK, AUDIO, SATELLITE	STD	STD	STD
	ROOF-MOUNTED ANTENNA, BLACK, AUDIO, SATELLITE & CONNECTED SERVICES	_	STD	STD
	GARNISH: BODY-COLOR	STD	STD	STD
8	ROOF SPOILER: BODY-COLOR	STD	STD	STD
REAR	REAR-VISION CAMERA	STD	STD	STD
	REAR-VISION CAMERA WASHER	_	_	STD
ш	FRONT BUMPER: BODY-COLOR	STD	STD	STD
& AG	REAR BUMPER: BODY-COLOR	STD	STD	STD
RR	ACTIVE GRILLE SHUTTER	_	STD	STD
MPE RCA	ENGINE AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD
BUMPERS & UNDERCARRIAGE	FUELTANK AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD
5	FLOOR AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD
	WINDSHIELD: LAMINATED & TINTED GREEN	STD	STD	STD
	WINDSHIELD: SOUND INSULATION GLASS	_	STD	STD
NS .	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	_	OP 23	STD
00	MOONROOF GLASS: LAMINATED, UV & DARK TINT	_	OP 23	OP 33
GLASS & WINDOWS	FRONT DOOR GLASS: UV & TINTED GREEN	STD	STD	STD
∞გ	REAR DOOR GLASS: UV & DARK TINT	STD	STD	STD
ASS	DOOR GLASS: FRAME-TYPE	STD	STD	STD
G.	REAR WINDOW DEFOGGER W/ TIMER	STD	STD	STD
	AUTO UP/DOWN DRIVER'S SIDE & FRONT PASSENGER'S SIDE WINDOWS W/ ANTI- PINCH PROTECTION	STD	STD	STD
8	DUAL POWER, MANUAL-FOLDING: BLACK	STD	_	-
POWER EXTERIOR MIRRORS	DUAL POWER, MANUAL-FOLDING: DARK GRAY METALLIC	_	STD	_
ER EXTER	DUAL POWER, MANUAL-FOLDING: CRYSTAL BLACK SILICA	-	_	STD
R E	HEATED (ALL-WEATHER PACKAGE)	_	OP 23	STD
NE M	INTEGRATED TURN SIGNALS	-	STD	STD
P.	BLIND-SPOT DETECTION/REAR CROSS-TRAFFIC ALERT DETECTION INDICATOR	STD	STD	STD

	EXTERIOR DIMENSIONS AND WEIGHTS	BASE	SPORT	RS
	LENGTH OVERALL: INCHES	176.2	176.2	176.2
	FRONT OVERHANG: INCHES	38.4	38.4	38.4
	REAR OVERHANG: INCHES	32.6	32.6	32.6
	WIDTH OVERALL: INCHES	70.1	70.1	70.1
	WIDTH OVERALL INCLUDING MIRRORS: INCHES (W/O INTEGRATED TURN SIGNALS)	79.4	-	_
SNS	WIDTH OVERALL INCLUDING MIRRORS: INCHES (W/ INTEGRATED TURN SIGNALS)	_	79.4	79.4
OIMENSIONS	HEIGHT OVERALL: INCHES	58.3	58.3	58.3
Ü	WHEELBASE: INCHES	105.1	105.1	105.1
	MINIMUM ROAD CLEARANCE AT CURB WEIGHT: INCHES	5.1	5.1	5.1
	ANGLE OF APPROACH: DEGREES	13.9	13.9	13.9
	ANGLE OF DEPARTURE: DEGREES	23.3	23.3	23.3
	BREAK OVER ANGLE: DEGREES	11.5	11.5	11.5
	TRACK, FRONT: INCHES	60.6	60.6	60.6
	TRACK, REAR: INCHES	60.8	60.8	60.8
Z	CURB WEIGHT (LBS)	3,171	3,249	3,275
WEIGHTS	CURB WEIGHT, OP (LBS)	3,167	3,280	3,323
₹	GROSS VEHICLE WEIGHT RATING (LBS)	4,817	4,817	4,817

	INTERIOR FEATURES	BASE	SPORT	RS
	DAY/NIGHT REARVIEW MIRROR	STD	STD	STD
DASH	FRONT AND REAR SEATBELTS: WARNING LIGHT AND CHIME /W SEAT POSITION OCCUPANT DETECTION INDICATOR	STD	STD	STD
"	GLOVE BOX: ILLUMINATED	_	STD	STD
	GLOVE BOX: LOCKABLE	_	_	_
	4.2-INCH COLOR LCD COMBINATION METER DISPLAY	STD	STD	STD
	DIGITAL ODOMETER	STD	STD	STD
	DIGITAL DUAL-MODE TRIP ODOMETER	STD	STD	STD
	DIGITAL SPEEDOMETER	STD	STD	STD
	ECO GAUGE (FUEL ECONOMY)	STD	STD	STD
	EYESIGHT INDICATORS:	OTD	OTD	OTD
	ADVANCED ADAPTIVE CRUISE CONTROL SYSTEM OPERATION	STD	STD	STD
	ADVANCED ADAPTIVE CRUISE CONTROL READY INDICATOR	STD	STD	STD
	ADVANCED ADAPTIVE CRUISE CONTROL ON, OFF, AND SET INDICATORS	STD	STD	STD
	ADVANCED ADAPTIVE CRUISE CONTROL LANE CENTERING INDICATOR	STD	STD	STD
	EYESIGHT SYSTEM OPERATION	STD	STD	STD
	EYESIGHT CAMERA MALFUNCTION WARNING	STD	STD	STD
à	FOLLOW DISTANCE SETTING INDICATOR	STD	STD	STD
J.	HOLD INDICATOR	STD	STD	STD
<u>S</u>	LEAD VEHICLE INDICATOR	STD	STD	STD
l H	LANE DEPARTURE AND LANE SWAY INDICATOR	STD	STD	STD
Σ	PRE-COLLISION WARNING INDICATOR	STD	STD	STD
<u>N</u>	PRE-COLLISION FOLLOWING DISTANCE WARNING INDICATOR	STD	STD	STD
DASH - COMBINATION METER DISPLAY	SET VEHICLE SPEED DISPLAY	STD	STD	STD
W W	WARNING CHIME	STD	STD	STD
8	SYSTEM MALFUNCTION OFF WARNING	STD	STD	STD
±	SYSTEM TEMPORARY OFF WARNING	STD	STD	STD
DAS	FUEL ECONOMY: DISTANCE TO EMPTY AND CURRENT & AVERAGE FUEL ECONOMY A & B	STD	STD	STD
	INDICATORS:			
	AUTOMATIC TRANSMISSION SHIFT LEVER POSITION	STD	STD	STD
	AUTO START-STOP	STD	STD	STD
	AUTO VEHICLE HOLD (AVH)	STD	STD	STD
	BSD / RCTA SYSTEM OFF	_	OP 23	STD
	BSD / RCTA SYSTEM MALFUNCTION WARNING	_	OP 23	STD
	DIGITAL FUEL GAUGE WITH FUEL DOOR POSITION	STD	STD	STD
	DOOR AJAR	STD	STD	STD
	ENGINE OIL LEVEL WARNING	STD	STD	STD
	HIGH BEAM ASSIST	STD	STD	STD
	HIGH BEAM ASSIST MALFUNCTION WARNING	STD	STD	STD
	LED HEADLIGHT MALFUNCTION WARNING	STD	STD	STD

	INTERIOR FEATURES	BASE	SPORT	RS
	KEYLESS ACCESS WITH PUSH-BUTTON START WARNING	_	STD	STD
DASH - COMBINATION METER DISPLAY CONTINUED	PADDLE SHIFT RATIO POSITION	_	STD	STD
	<ul> <li>REVERSE AUTOMATIC BRAKING (RAB) SYSTEM INDICATORS</li> </ul>	_	_	STD
	ROAD SURFACE FREEZE WARNING	STD	STD	STD
	STEERING RESPONSIVE HEADLIGHTS (SRH) OFF	STD	STD	STD
INATION ME	STEERING RESPONSIVE HEADLIGHTS (SRH) MALFUNCTION WARNING	STD	STD	STD
	SI-DRIVE MODE	STD	STD	STD
MBINA	<ul> <li>TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY</li> </ul>	STD	STD	STD
8	WINDSHIELD WASHER FLUID LOW WARNING	STD	STD	STD
i ii	JOURNEY TRAVEL TIME & DISTANCE	STD	STD	STD
DA	NAVIGATION SYSTEM INFORMATION	_	_	_
	REAR SEAT REMINDER	STD	STD	STD
	AIR FILTRATION SYSTEM	STD	STD	STD
HVAC	DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM	STD	STD	STD
₹	DYNAMIC VENTILATION	STD	STD	STD
	VOICE ACTIVATED CONTROLS	STD	STD	STD
	BUCKET-TYPE, RECLINING, WHIPLASH REDUCING	STD	STD	STD
ဖ	HEAD RESTRAINTS: HEIGHT ADJUSTABLE	STD	STD	STD
FRONT SEATS	HEATED, DUAL-MODE (ALL-WEATHER PACKAGE)	_	OP 23	STD
S	DRIVER'S SEAT 6-WAY MANUAL	STD	STD	STD
8	DRIVER'S SEAT 10-WAY POWER /W 2-WAY POWER ADJUSTABLE LUMBAR SUPPORT	_	_	OP 33
ш.	PASSENGER SEAT 4-WAY MANUAL	STD	STD	STD
	PASSENGER SEATBACK POCKET	STD	STD	STD
SEATS	HEAD RESTRAINTS: REMOVABLE W/ HEIGHT- ADJUSTABLE CENTER	STD	STD	STD
SE/	60/40-SPLIT FOLD-DOWN REAR SEATBACK	STD	STD	STD
REAR	REAR SEATBACK LOCK RELEASE BUTTON	STD	STD	STD
R	FOLD-DOWN CENTER ARMREST W/ DUAL CUP HOLDERS	_	STD	STD

	INTERIOR FEATURES	BASE	SPORT	RS
ES	SOFT-GRIP URETHANE	STD	STD	_
호	LEATHER-WRAPPED W/ RED STITCHING	_	_	STD
L & SWITCHES	AUDIO SYSTEM CONTROLS	STD	STD	STD
	BLUETOOTH <sup>®</sup> CONTROLS	STD	STD	STD
H H	SI-DRIVE ENGINE PERFORMANCE MANAGEMENT	_	STD	STD
STEERING WHEEL	EYESIGHT: LANE KEEP ASSIST & ADVANCED ADAPTIVE CRUISE CONTROL W/ LANE CENTERING	STD	STD	STD
E E	PADDLE SHIFTERS	_	STD	STD
STE	COMBINATION METER DISPLAY	STD	STD	STD
STEERING	ILLUMINATED IGNITION SWITCH RING	STD	_	_
STEE	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	STD	STD	STD
NDLE	SOFT-GRIP URETHANE	STD	STD	_
SHIFTER HANDLE	LEATHER-WRAPPED	_	_	STD
SHIFT	HANDLE INSERT: GUNMETAL FINISH	_	_	STD
	ELECTRONIC PARKING BRAKE SWITCH	STD	STD	STD
	STORAGE BOX /W LID	STD	STD	STD
CONSOLE	ILLUMINATED FRONT STORAGE TRAY	STD	STD	STD
SNS	FRONT CENTER CONSOLE:			
200	3.5MM AUXILIARY INPUT JACK	STD	STD	STD
CENTER	12-VOLT POWER OUTLET	STD	STD	STD
CEN	1 ILLUMINATED USB-A INPUT/CHARGE PORT	STD	STD	STD
	1 ILLUMINATED USB-C INPUT/CHARGE PORT	_	STD	STD
	REAR CENTER CONSOLE: ILLUMINATED USB-A AND USB-C INPUT/CHARGE PORTS	_	_	STD

	INTERIOR FEATURES	BASE	SPORT	RS
	DUAL OVERHEAD MAP LIGHTS	STD	STD	STD
OVERHEAD	PASSENGER AIRBAG ON / OFF INDICATOR	STD	STD	STD
VERHEAL	SUN VISORS: DRIVER & PASSENGER W/EXTENDER AND TICKET HOLDER	STD	STD	STD
88	VANITY MIRRORS: DUAL W/LIDS	STD	STD	_
	VANITY MIRRORS: DUAL W/LIDS AND ILLUMINATED	_	OP 23	STD
RS	FRONT DUAL: CENTER CONSOLE	STD	STD	STD
CUP HOLDER\$	REAR DUAL: REAR SEAT CENTER ARMREST	_	STD	STD
유	BOTTLE HOLDERS: FRONT & REAR DOORS	STD	STD	STD
MATS	FLOOR MATS: CARPETED	STD	STD	_
MA	FLOOR MATS: CARPETED W/ RS LOGO	_	_	STD
	RETRACTABLE COVER	ACC	ACC	STD
⋖	TIE-DOWN HOOKS / GROCERY BAG HOOKS	4/2	4/2	4/2
AREA	LIGHT W/ OFF-DELAY OPERATION AND GATE SWITCH	STD	STD	STD
CARGO /	REAR SEATBACK & CARGO FLOOR: CARPETED	STD	STD	STD
	SUBFLOOR: SPARE TIRE & JACK STORAGE	_	_	_
O	ELECTRONIC REAR GATE RELEASE HANDLE	STD	STD	STD
	REAR GATE UNLOCK SENSOR/LOCK BUTTON	STD	STD	STD

	INTERIOR DIMENSIONS	BASE	SPORT	RS
	SEATING CAPACITY	5	5	5
	HEAD ROOM, FRONT: INCHES (W/O MOONROOF)	39.8	39.8	39.8
	HEAD ROOM, FRONT: INCHES (W/ MOONROOF)	_	38.7	38.7
AREA	HEAD ROOM, REAR: INCHES (W/O MOONROOF)	38.0	38.0	38.0
Α	HEAD ROOM, REAR: INCHES (W/ MOONROOF)	_	38.0	38.0
PASSENGER	LEG ROOM, FRONT: INCHES	42.9	42.9	42.9
SEN	LEG ROOM, REAR: INCHES	36.5	36.5	36.5
AS	SHOULDER ROOM, FRONT: INCHES	56.8	56.8	56.8
•	SHOULDER ROOM, REAR: INCHES	55.3	55.3	55.3
	HIP ROOM, FRONT: INCHES	55.1	55.1	55.1
	HIP ROOM, REAR: INCHES	53.2	53.2	53.2
	EPA CARGO VOLUME: CUBIC FEET (REAR SEAT UP)	20.4	20.4	20.4
	SAE CARGO VOLUME: CUBIC FEET (REAR SEAT DOWN)	56.0	56.0	56.0
	CARGO WIDTH BETWEEN WHEEL HOUSINGS: INCHES	42.9	42.9	42.9
EA	CARGO AREA HEIGHT: INCHES	30.0	30.0	30.0
AB	CARGO LIFT OVER HEIGHT AT CURB WEIGHT: INCHES	26.0	26.0	26.0
CARGO AREA	REAR GATE OPENING WIDTH LOWER: INCHES	40.7	40.7	40.7
	REAR GATE OPENING WIDTH MAXIMUM: INCHES	41.0	41.0	41.0
	REAR GATE OPENING HEIGHT: INCHES	25.6	25.6	25.6
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEAT UP)	32.1	32.1	32.1
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEAT DOWN)	63.9	63.9	63.9

	SAFETY	BASE	SPORT	RS
	SUBARU ADVANCED FRONTAL AIRBAG SYSTEM (SRS)	STD	STD	STD
	DUAL-STAGE DEPLOYMENT DRIVER & FRONT PASSENGER AIRBAGS	STD	STD	STD
	FRONT-SEAT SIDE PELVIS/TORSO AIRBAGS	STD	STD	STD
	FRONT PASSENGER SEAT CUSHION AIRBAG	STD	STD	STD
	FRONT PASSENGER SEAT OCCUPANT DETECTION SYSTEM	STD	STD	STD
	SIDE CURTAIN AIRBAGS	STD	STD	STD
<u>«</u>	DRIVER'S SIDE KNEE AIRBAG	STD	STD	STD
NTERIOR	ROLLOVER SENSOR	STD	STD	STD
I E	COLLISION DETECTION POWER DOOR UNLOCK FUNCTION	STD	STD	STD
	AIRBAG DEPLOYMENT IMPACT SENSING FUEL CUT OFF	STD	STD	STD
	WHIPLASH REDUCING FRONT SEATS REAR DOOR CHILD SAFETY LOCKS	STD STD	STD STD	STD STD
	REAR BOOK CHILD SAFETT LOCKS  REAR SEAT REMINDER	STD	STD	STD
	KEY OFF CHIME	STD	STD	STD
	PILLAR-TO-PILLAR SUPPORT BEAM FOR COLLAPSIBLE STEERING COLUMN	STD	STD	STD
	SAFETY PEDAL SYSTEM	STD	STD	STD
	FRONT SEATBELTS: THREE-POINT W/ PRETENSIONERS & LOAD LIMITERS	STD	STD	STD
	FRONT SEATBELTS: SELF-LOCKING TONGUE MECHANISM	STD	STD	STD
	FRONT SEATBELTS: HEIGHT ADJUSTABLE SHOULDER BELT ANCHOR	STD	STD	STD
	DRIVER'S SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD
w	FRONT PASSENGER SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD
SEATBELS	FRONT PASSENGER SEATBELT: AUTOMATIC LOCKING RETRACTOR (ALR) & ADAPTIVE	STD	STD	STD
SE/	FRONT AND REAR SEATBELTS: WARNING LIGHT AND CHIME /W SEAT POSITION OCCUPANT DETECTION INDICATOR	STD	STD	STD
	REAR SEATBELTS: THREE-POINT, ALL THREE SEATING POSITIONS	STD	STD	STD
	REAR SEATBELTS: EMERGENCY LOCKING RETRACTORS (ELR)	STD	STD	STD
	REAR SEATBELTS: AUTOMATIC LOCKING RETRACTORS (ELR)	STD	STD	STD
	LATCH SYSTEM (LOWER ANCHOR & TETHER FOR CHILDREN) W/ TETHER ANCHORS	STD (3)	STD (3)	STD (3)
	DAYTIME RUNNING LIGHTS: LED LOW BEAM	STD	STD	STD
_	REMOTE KEYLESS ENTRY SYSTEM	STD	STD	STD
EXTERIOR	SECURITY SYSTEM	STD	STD	STD
TE	SIDE-IMPACT DOOR BEAMS	STD	STD	STD
	SUBARU GLOBAL PLATFORM (SGP)	STD	STD	STD
	REAR-VISION CAMERA	STD	STD	STD

	SAFETY	BASE	SPORT	RS
	ENGINE IMMOBILIZER	STD	STD	STD
	ACTIVE TORQUE VECTORING	STD	STD	STD
	ANTI-LOCK BRAKING SYSTEM: 4 CHANNEL/4 SENSOR	STD	STD	STD
N N	INCLINE START ASSIST	STD	STD	STD
DRIVETRAIN	BRAKE ASSIST	STD	STD	STD
SIVE	BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD
P. D.	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY & AUTOMATIC WHEEL ID REGISTRATION	STD	STD	STD
	AIRBAG DEPLOYMENT IMPACT SENSING FUEL CUT OFF	STD	STD	STD
	VEHICLE DYNAMICS CONTROL W/ TRACTION CONTROL SYSTEM (VDC/TCS)	STD	STD	STD
	KEY INTEGRATED W/ KEYLESS ENTRY REMOTE TRANSMITTER	STD	_	_
XS	STANDARD CUT MASTER KEY	STD	_	_
LOCKS	SPARE MASTER KEY	STD	_	_
ಬ	AUTOMATIC POWER DOOR LOCK/UNLOCK SYSTEM	STD	STD	STD
KEYS	POWER DOOR LOCKS — ALL DOORS	STD	STD	STD
	POWER DOOR LOCK SWITCH: DRIVER & FRONT PASSENGER DOORS	STD	STD	STD
W/ RT	LASER CUT MASTER KEY	_	STD	STD
SS	REMOTE TRANSMITTER W/ REMOVABLE KEY	_	STD	STD
ON	ILLUMINATED ENGINE START/STOP SWITCH	_	STD	STD
SS A	DRIVER & FRONT PASSENGER DOOR UNLOCK/LOCK SENSOR	_	STD	STD
KEYLESS ACCESS W/ PUSH-BUTTON START	REAR GATE LOCK BUTTON	_	STD	STD
KE.	REAR GATE UNLOCK SENSOR	_	STD	STD

	DRIVER ASSIST TECHNOLOGY	BASE	SPORT	RS
	ADAPTIVE CRUISE CONTROL (ACC) W/ LANE CENTERING	STD	STD	STD
	AUTOMATIC EMERGENCY STEERING (AES)	— CTD	OP23	STD
	LANE DEPARTURE & SWAY WARNING (LDW)  LANE DEPARTURE & SWAY WARNING OFF SWITCH	STD STD	STD STD	STD STD
	LANE DEPARTURE PREVENTION	OP 03	OP 21,23	STD
불	LANE KEEP ASSIST ON/OFF SWITCH	STD	STD	STD
EYESIGHT	LANE DEPARTURE PREVENTION: ADAPTIVE CRUISE CONTROL OFF	STD	STD	STD
Ğ	LANE CENTERING: ADAPTIVE CRUISE CONTROL ON	STD	STD	STD
	LEAD VEHICLE START ALERT	STD	STD	STD
	PRE-COLLISION BRAKE ASSIST	STD	STD	STD
	PRE-COLLISION BRAKING SYSTEM (PCB) W/OFF SWITCH	STD	STD	STD
	PRE-COLLISION THROTTLE MANAGEMENT	STD	STD	STD
	ADAPTIVE CRUISE CONTROL READY INDICATOR	STD	STD	STD
	ADAPTIVE CRUISE CONTROL ON, OFF, AND SET INDICATORS	STD	STD	STD
	ADAPTIVE CRUISE CONTROL LANE CENTERING INDICATOR	STD	STD	STD
	EYESIGHT CAMERA MALFUNCTION WARNING	STD	STD	STD
ORS	FOLLOW DISTANCE SETTING INDICATOR	STD	STD	STD
ATC	HOLD INDICATOR	STD	STD	STD
DIQ.	LANE DEPARTURE & SWAY INDICATOR	STD	STD	STD
WARNING INDICATORS	LEAD VEHICLE INDICATOR	STD	STD	STD
N N	PRE-COLLISION WARNING INDICATOR	STD	STD	STD
WA	PRE-COLLISION FOLLOWING DISTANCE WARNING INDICATOR	STD	STD	STD
	SET VEHICLE SPEED DISPLAY	STD	STD	STD
	SYSTEM MALFUNCTION OFF WARNING	STD	STD	STD
	SYSTEM TEMPORARY OFF WARNING	STD	STD	STD
	WARNING CHIME	STD	STD	STD
IC (	EXTERIOR POWER MIRRORS: BSD/RCTA DETECTION INDICATOR	_	OP 23	STD
TECT FRAFI RCTA	BLIND-SPOT DETECTION	_	OP 23	STD
OSS-1 (BSD/I	LANE CHANGE ASSIST	_	OP 23	STD
D-SPC AR CR -ERT (	REAR RADAR DETECTION SENSORS	_	OP 23	STD
BLIND-SPOT DETECTION REAR CROSS-TRAFFIC ALERT (BSD/RCTA) SYSTEM	REAR CROSS-TRAFFIC ALERT: AUDIBLE VEHICLE DETECTION WARNING	_	OP 23	STD
	REAR-VISION CAMERA	STD	STD	STD
REVERSE ASSIST SYSTEMS	REAR-VISION CAMERA WASHER	_	_	STD
REV	REVERSE AUTOMATIC BRAKING (RAB) SYSTEM	_	_	STD

	ELECTRICAL SYSTEM	BASE	SPORT	RS
	HEADLIGHTS: LED AND INCANDESCENT	STD	STD	_
	CLEARANCE LIGHT: INCANDESCENT			
	LOW BEAM: LED			
	HIGH BEAM: LED			
	DAYTIME RUNNING LIGHT: LED – LOW BEAM			
	PARKING LIGHTS AND TURN SIGNALS: INCANDESCENT			
	HEADLIGHTS: ALL LED	_	_	STD
2	CLEARANCE LIGHT: LED C-SHAPE     LOW BEAM: LED.			
EXTERIOR LIGHTS	LOW BEAM: LED     HIGH BEAM: LED			
JR L	NIGH BEAM: LED     DAYTIME RUNNING LIGHT: LED – LOW BEAM			
RIC	DAYTIME RUNNING LIGHT: LED – LOW BEAM     PARKING LIGHTS AND TURN SIGNALS: LED			
X	HIGH BEAM ASSIST (HBA)	STD	STD	STD
	HEADLIGHTS: AUTOMATIC LED LOW & HIGH BEAM HEIGHT ADJUSTMENT CONTROL	STD	STD	STD
	STEERING RESPONSIVE HEADLIGHTS (SRH)	STD	STD	STD
	HEADLIGHTS: AUTO ON/OFF, AUTOMATIC MODE POSITION W/ WINDSHIELD WIPER OPERATION	_	STD	STD
	HEADLIGHTS & PARKING LIGHTS: AUTO-OFF W/ IGNITION SWITCH	STD	STD	STD
	FOG LIGHTS: LED	ACC	STD	STD
	TURN SIGNALS: ONE-TOUCH LANE CHANGER	STD	STD	STD
	WELCOME LIGHTING: VEHICLE APPROACH/DEPARTURE	STD	STD	STD
· ·	ILLUMINATED POWER DOOR LOCK SWITCH DRIVER & PASSENGER FRONT DOORS	STD	STD	STD
Ë	ILLUMINATED POWER WINDOW SWITCHES: FRONT DOORS AUTO UP/DOWN	STD	STD	STD
<u> </u>	DOME LIGHT /W OFF-DELAY OPERATION	STD	STD	STD
E C	DUAL OVERHEAD MAP LIGHTS	STD	STD	STD
NO.	DRIVER AND PASSENGER VANITY MIRROR /W LIGHTS	_	OP 23	STD
8	ILLUMINATED ENGINE START/STOP SWITCH	_	STD	STD
NTERIOR LIGHTS & POWER OUTLETS	CARGO AREA LIGHT W/ GATE SWITCH & OFF- DELAY OPERATION	STD	STD	STD
LIG	12-VOLT POWER OUTLET IN FRONT CENTER CONSOLE	STD	STD	STD
SIOR	FRONT CENTER CONSOLE: 1 ILLUMINATED USB-A INPUT/CHARGE PORT	STD	STD	STD
Ė	FRONT CENTER CONSOLE: 1 ILLUMINATED USB-C INPUT/CHARGE PORT	_	STD	STD
=	REAR CENTER CONSOLE: ILLUMINATED USB-A AND USB-C INPUT/CHARGE PORTS	_	_	STD
	WINDSHIELD WIPERS: BLACK ARMS, TWO-SPEED W/ MIST FEATURE, INTERMITTENT & VARIABLE TIMER	STD	STD	STD
S AR	WINDSHIELD WASHERS: DUAL SPRAY, FRONT DIFFUSION- TYPE	STD	STD	STD
A RE	WINDSHIELD WASHER: PASSENGER WIPER ARM- MOUNTED (EYESIGHT SYSTEM)	STD	STD	STD
LD 8	WINDSHIELD WIPER DE-ICER (ALL-WEATHER PACKAGE)	_	OP 23	STD
WINDSHIELD & REAR WINDOW WIPERS	REAR WIPER: BLACK, DUAL SPRAY, DUAL MODE, SINGLE SPEED & FIXED INTERMITTENT	STD	STD	STD
NIW W	REAR WIPER: AUTOMATIC SINGLE SPEED OPERATION W/ SHIFT LEVER IN REVERSE POSITION & REAR WIPERS IN THE FIXED INTERMITTENT POSITION	STD	STD	STD
	WASHER TANK: UNDER HOOD	STD	STD	STD

	STARLINK® IN-VEHICLE TECHNOLOGY	BASE	SPORT	RS
SYSTEMS	SUBARU STARLINK DUAL 7.0-INCH MULTIMEDIA SYSTEM	STD	_	_
SYS	SUBARU STARLINK 11.6-INCH MULTIMEDIA PLUS SYSTEM	_	STD	STD
	AM/FM STEREO HD RADIO	STD	STD	STD
	MULTI-TOUCH GESTURE HI-RES DISPLAY SCREEN	STD	STD	STD
	VOICE ACTIVATED CONTROLS	STD	STD	STD
	VOICE ACTIVATED NAVIGATION	_	_	_
	BLUETOOTH AUDIO STREAMING & HANDS-FREE PHONE	STD	STD	STD
	BLUETOOTH HANDS-FREE SMS TEXT MESSAGING	STD	STD	STD
	IPOD CONTROL CAPABILITY	STD	STD	STD
	REAR-VISION CAMERA DISPLAY	STD	STD	STD
	SIRIUSXM ALL ACCESS RADIO (4-MONTH FREE TRIAL; THEN SUBSCRIPTION REQUIRED)	STD	STD	STD
	SIRIUSXM TRAVEL LINK (4-MONTH FREE TRIAL; THEN SUBSCRIPTION REQUIRED)	STD	STD	STD
	SIRIUSXM TRAFFIC (3-YEAR FREE TRIAL; THEN SUBSCRIPTION REQUIRED)	_	_	_
	SMARTPHONE INTEGRATION: ANDROID AUTO™ APPLE CARPLAY®	STD	_	_
FEATURES	SMARTPHONE INTEGRATION: WIRELESS ANDROID AUTO™ W/ FULL SCREEN VIEW WIRELESS APPLE CARPLAY® W/ FULL SCREEN VIEW	-	STD	STD
Ę.	WIRELESS PHONE CHARGING	_	_	STD
_	SPEAKER SYSTEM: NUMBER OF SPEAKERS	4	6	6
	HARMAN KARDON SPEAKER SYSTEM W/ 432-WATT EQUIVALENT MAXIMUM OUTPUT AMPLIFIER	_	_	OP 33
	NUMBER OF SPEAKERS			10
	DASH SIDE COAXIAL SPEAKERS: STACKED			4
	FRONT DOOR SPEAKERS			2
	REAR DOOR COAXIAL SPEAKERS: STACKED			4
	SUBWOOFER			_
	3.5MM ILLUMINATED AUXILIARY INPUT JACK	STD	STD	STD
	USB-A ILLUMINATED INPUT/CHARGE PORT	STD	STD	STD
	USB-C ILLUMINATED INPUT/CHARGE PORT	_	STD	STD
	ANTENNA:			
	ROOF MOUNTED: SATELLITE	STD	STD	STD
	ROOF MOUNTED: SATELLITE AND CONNECTED SERVICES	_	STD	STD
	ROOF MOUNTED: BLACK	STD	STD	STD
	REAR IN GLASS: AUDIO	STD	STD	STD

STA	ARLINK® CONNECTED SERVICES SAFETY & SECURITY SYSTEM	BASE	SPORT	RS
FEATURES	CONNECTED SERVICES OPERATION INDICATOR	_	STD	STD
	SOS EMERGENCY ASSISTANCE: RED SOS BUTTON	_	STD	STD
	ENHANCED ROADSIDE ASSISTANCE: BLUE BUTTON	_	STD	STD
Đ.	SYSTEM UPDATE: FIRMWARE OVER THE AIR (FOTA)	_	OPT-IN	OPT-IN
	WIFI HOTSPOT VIA AUDIO SYSTEM	_	OPT-IN	OPT-IN
	3 YEARS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER	_	OPT-IN	OPT-IN
	SOS EMERGENCY ASSISTANCE	_	OPT-IN	OPT-IN
	ADVANCED AUTOMATIC COLLISION NOTIFICATION (AACN)	_	OPT-IN	OPT-IN
STARLINK SAFETY PLUS	ENHANCED ROADSIDE ASSISTANCE	_	OPT-IN	OPT-IN
STARLINK AFETY PLU	MAINTENANCE NOTIFICATIONS	_	OPT-IN	OPT-IN
STA	DIAGNOSTIC ALERTS	_	OPT-IN	OPT-IN
Ŋ	VEHICLE HEALTH REPORT	_	OPT-IN	OPT-IN
	VEHICLE CONDITION CHECK	_	OPT-IN	OPT-IN
	SERVICE APPOINTMENT SCHEDULER	_	OPT-IN	OPT-IN
	6 MONTHS FREE TRIAL / SUBSCRIPTION REQUIRED AFTER	_	OPT-IN	OPT-IN
	STOLEN VEHICLE RECOVERY PLUS	_	OPT-IN	OPT-IN
	STOLEN VEHICLE IMMOBILIZER	_	OPT-IN	OPT-IN
	STOLEN VEHICLE MOBILIZATION	_	OPT-IN	OPT-IN
	VEHICLE SECURITY ALARM NOTIFICATION	_	OPT-IN	OPT-IN
*sn	REMOTE LOCK/UNLOCK	_	OPT-IN	OPT-IN
STARLINK SURITY PLI	REMOTE HORN & LIGHTS	_	OPT-IN	OPT-IN
IAR!	REMOTE VEHICLE LOCATOR	_	OPT-IN	OPT-IN
STARLINK SECURITY PLUS*	REMOTE ENGINE START	_	OPT-IN	OPT-IN
ဟ	REMOTE ENGINE START W/ REMOTE CLIMATE CONTROL <sup>††</sup>	_	OPT-IN	OPT-IN
	BOUNDARY ALERT	_	OPT-IN	OPT-IN
	SPEED ALERT	_	OPT-IN	OPT-IN
	CURFEW ALERT	_	OPT-IN	OPT-IN
	DESTINATION TO VEHICLE	_	_	_
	SUBSCRIPTION REQUIRED (NO FREE TRIAL)	_	OPT-IN	OPT-IN
l *	REQUIRES CUSTOMER OPT-IN AND A CREDIT CARD ON FILE	_	OPT-IN	OPT-IN
STARLINK CONCIERGE**	PROVIDES ACCESS TO A SUBARU CUSTOMER CARE REPRESENTATIVE WHO CAN (FOR EXAMPLE):	_	OPT-IN	OPT-IN
Ž Q	HELP LOCATE A POINT OF INTEREST	_	OPT-IN	OPT-IN
X	SEND DIRECTIONS TO VEHICLE'S NAVIGATION SYSTEM	_	OPT-IN	OPT-IN
RLI	MAKE RESTAURANT & LODGING RESERVATIONS	_	OPT-IN	OPT-IN
STA	FIND EVENT SCHEDULING & PURCHASE TICKETS	_	OPT-IN	OPT-IN
	SET SERVICE APPOINTMENTS AT A SUBARU RETAILER	_	OPT-IN	OPT-IN

<sup>\*</sup>STARLINK Security Plus (Requires STARLINK Safety Plus)

### **2024 PRODUCT SPECIFICATIONS**

<sup>\*\*</sup> SUBARU STARLINK Concierge (Requires STARLINK Safety & Security Plus)

 $<sup>^{\</sup>dagger}$  Requires an active AT&T Wi-Fi subscription

<sup>††</sup> Remote Engine Start w/ Remote Climate Control requires vehicles equipped w/ Keyless Access w/ Push-Button Start