

2025 OUTBACK

Trim Level	Code	Option Group	Features
Base	SDB	01	
Premium	SDD	11	
Premium	SDD	13	<ul style="list-style-type: none"> • Blind-Spot Detection w/ Rear Cross-Traffic Alert • Keyless Access w/ Push-Button Start • Power Rear Gate w/ Hands-free Access
Premium	SDD	15	<ul style="list-style-type: none"> • Blind-Spot Detection w/ Rear Cross-Traffic Alert • Keyless Access w/ Push-Button Start • Panoramic Power Moonroof • Power Rear Gate w/ Hands-free Access • 11.6-inch STARLINK Multimedia Navigation System
Onyx Edition	SDE	21	
Limited	SDF	34	
Touring	SDG	41	
Onyx Edition XT	SDH	21	
Wilderness	SDI	21	
Wilderness	SDI	22	<ul style="list-style-type: none"> • Panoramic Power Moonroof • Reverse Automatic Braking • 11.6-inch STARLINK Multimedia Navigation System
Limited XT	SDJ	32	
Touring XT	SDL	41	

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

ENGINES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
2.5-LITER DOHC NATURALLY ASPIRATED BOXER 4	STD	STD	STD	STD	STD	—	—	—	—
<ul style="list-style-type: none"> DISPLACEMENT: 2.5 LITERS (2,498 CC) BORE/STROKE: 94.0MM X 90.0MM HORSEPOWER: 182 HP @ 5,800 RPM TORQUE: 176 LB-FT @ 4,400 RPM COMPRESSION RATIO: 12.0:1 ELECTRONIC THROTTLE CONTROL (ETC) TUMBLE GENERATOR VALVES (TGV) DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONERS SEQUENTIAL MULTI-PORT FUEL INJECTION DIRECT INJECTION DIRECT IGNITION AUTO START-STOP 									
FUEL: REGULAR UNLEADED GASOLINE OCTANE RATING (AKI)	87	87	87	87	87	—	—	—	—
EPA FUEL ECONOMY: AUTOMATIC TRANSMISSION (CITY/HWY MPG)	26/32	26/32	26/32	26/32	26/32	—	—	—	—
FUEL TANK CAPACITY: GALLONS	18.5	18.5	18.5	18.5	18.5	—	—	—	—
2.4-LITER DOHC TURBOCHARGED BOXER 4	—	—	—	—	—	STD	STD	STD	STD
<ul style="list-style-type: none"> DISPLACEMENT: 2.4 LITERS (2,387 CC) BORE/STROKE: 94.0MM X 86.0MM HORSEPOWER: 260 HP @ 5,600 RPM TORQUE: 277 LB-FT @ 2,000—4,800 RPM COMPRESSION RATIO: 10.6:1 TWIN SCROLL TURBOCHARGED W/ INTERCOOLER MAXIMUM BOOST PRESSURE: 14.5 PSI TUMBLE GENERATOR VALVES (TGV) DUAL ACTIVE VALVE CONTROL SYSTEM (DAVCS) VARIABLE VALVE TIMING CHAIN-DRIVEN CAMSHAFTS W/ AUTOMATIC TENSIONERS SEQUENTIAL MULTI-PORT FUEL INJECTION DIRECT INJECTION DIRECT IGNITION AUTO START-STOP 									
FUEL: REGULAR UNLEADED GASOLINE OCTANE RATING (AKI)	—	—	—	—	—	87	87	87	87
EPA FUEL ECONOMY: AUTOMATIC TRANSMISSION (CITY/HWY MPG)	—	—	—	—	—	22/29	21/26	22/29	22/29
FUEL TANK CAPACITY: GALLONS	—	—	—	—	—	18.5	18.5	18.5	18.5

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

DRIVETRAIN, WHEELS & TIRES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
TRANSMISSIONS									
LINEARTRONIC® CVT (CONTINUOUSLY VARIABLE TRANSMISSION)	STD	STD	STD	STD	STD	—	—	—	—
HIGH TORQUE LINEARTRONIC CVT	—	—	—	—	—	STD	STD	STD	STD
8-SPEED MANUAL SHIFT AND PADDLE SHIFTERS	STD	STD	STD	STD	STD	STD	STD	STD	STD
ADAPTIVE CONTROL	STD	STD	STD	STD	STD	STD	STD	STD	STD
AUTO VEHICLE HOLD (AVH)	STD	STD	STD	STD	STD	STD	STD	STD	STD
X-MODE	STD	STD	—	STD	STD	—	—	STD	STD
X-MODE: DUAL-MODE (SNOW/DIRT, DEEP SNOW/MUD)	—	—	STD	—	—	STD	—	—	—
X-MODE: DUAL-MODE (SNOW/DIRT, DEEP SNOW/MUD W/ LOW-SPEED/LOW-RATIO GRADIENT CONTROL)	—	—	—	—	—	—	STD	—	—
HILL DESCENT CONTROL	STD	STD	STD	STD	STD	STD	STD	STD	STD
CVT RATIO SPREAD	4.07-0.56	4.07-0.56	4.07-0.56	4.07-0.56	4.07-0.56	3.23-0.47	3.49-0.51	3.23-0.47	3.23-0.47
TRANSFER GEAR RATIO	1.00	1.00	1.00	1.00	1.00	1.00	1.08	1.00	1.00
AUTOMATIC TRANSMISSION FINAL DRIVE RATIO	3.90:1	3.90:1	3.90:1	3.90:1	3.90:1	4.11:1	4.44:1	4.11:1	4.11:1
DRIVE SYSTEMS									
SYMMETRICAL AWD	STD	STD	STD	STD	STD	STD	STD	STD	STD
ACTIVE AWD W/ ELECTRONICALLY CONTROLLED VARIABLE TRANSFER CLUTCH	STD	STD	STD	STD	STD	STD	STD	STD	STD
ACTIVE TORQUE VECTORING	STD	STD	STD	STD	STD	STD	STD	STD	STD
VEHICLE DYNAMICS CONTROL (VDC) W/ TRACTION CONTROL SYSTEM (TCS)	STD	STD	STD	STD	STD	STD	STD	STD	STD
X-MODE: ACTIVE AND VARIABLE TRANSFER CLUTCH LOCK CONTROL	STD	STD	STD	STD	STD	STD	STD	STD	STD
TOWING									
MAXIMUM TOWING CAPACITY: LBS (CLASS II)	2700	2700	2700	2700	2700	3500	3500	3500	3500
MAXIMUM TONGUE WEIGHT LOAD CAPACITY: LBS	270	270	270	270	270	350	350	350	350
CONNECTOR FOR GSA TRAILER HARNESS	STD	STD	STD	STD	STD	STD	STD	STD	STD
WHEELS									
17-INCH X 7.0-INCH ALLOY: BLACK W/ MACHINE FINISH	STD	STD	—	—	—	—	—	—	—
18-INCH X 7.0 INCH ALLOY: BLACK FINISH	—	—	STD	—	—	STD	—	—	—
17-INCH X 7.0-INCH ALLOY: MATTE BLACK FINISH	—	—	—	—	—	—	STD	—	—
18-INCH X 7.0-INCH ALLOY: BLACK W/ MACHINE FINISH	—	—	—	STD	STD	—	—	STD	STD
TIRES									
225/65 R17 102H ALL SEASON	STD	STD	—	—	—	—	—	—	—
225/65 R17 102T ALL SEASON W/ RAISED LETTERS	—	—	—	—	—	—	STD	—	—
225/60 R18 100H ALL SEASON	—	—	STD	STD	STD	STD	—	STD	STD
TEMPORARY SPARE TIRE: T155/80 D17: STEEL RIM	STD	STD	STD	STD	STD	—	—	STD	STD
FULL SIZE SPARE TIRE: 225/65 R17 W/ TPMS SENSOR	—	—	—	—	—	—	STD	—	—
FULL SIZE SPARE TIRE: 225/60 R18 W/ TPMS SENSOR	—	—	—	—	—	STD	—	—	—

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

CHASSIS SYSTEMS	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
BRAKES									
ELECTRONICALLY CONTROLLED POWER ASSISTED DUAL DIAGONAL BRAKING SYSTEM	STD	STD	STD	STD	STD	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM: 4 CHANNEL/4 SENSOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD	STD	STD	STD	STD	STD
INCLINE START ASSIST	STD	STD	STD	STD	STD	STD	STD	STD	STD
BRAKE ASSIST	STD	STD	STD	STD	STD	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD	STD	STD	STD	STD	STD
ACTIVE TORQUE VECTORING	STD	STD	STD	STD	STD	STD	STD	STD	STD
FRONT VENTILATED DISCS W/ DUAL-PISTON FLOATING CALIPERS (INCHES)	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4
REAR VENTILATED DISCS W/ SINGLE-PISTON FLOATING CALIPERS (INCHES)	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
ELECTRONIC PARKING BRAKE: SWITCH ACTIVATED	STD	STD	STD	STD	STD	STD	STD	STD	STD
AUTO VEHICLE HOLD (AVH)	STD	STD	STD	STD	STD	STD	STD	STD	STD
STEERING									
QUICK-RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION	STD	STD	STD	STD	STD	STD	STD	STD	STD
VEHICLE SPEED AND TORQUE SENSING (EPAS)	STD	STD	STD	STD	STD	STD	STD	STD	STD
VARIABLE GEAR RATIO RACK	STD	STD	STD	STD	STD	STD	STD	STD	STD
TURNS: LOCK-TO-LOCK	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
TURNING CIRCLE: CURB-TO-CURB (FEET)	36.1	36.1	36.1	36.1	36.1	36.1	36.1	36.1	36.1
SUSPENSION									
4-WHEEL FULLY INDEPENDENT RAISED	STD	STD	STD	STD	STD	STD	STD	STD	STD
FRONT: STRUTS W/ INTERNAL REBOUND SPRINGS, ALUMINUM ALLOY LOWER L-ARMS AND STABILIZER BAR W/ ANTI-DIVE GEOMETRY	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR: DOUBLE WISHBONE, COIL SPRINGS AND STABILIZER BAR W/ ANTI-LIFT GEOMETRY	STD	STD	STD	STD	STD	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

EXTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
FRONT									
GRILLE: BLACK & MAGNETITE GRAY FINISH	STD	STD	—	STD	STD	—	—	STD	STD
GRILLE: BLACK & CRYSTAL BLACK SILICA FINISH	—	—	STD	—	—	STD	—	—	—
GRILLE: WILDERNESS TYPE W/ MATTE BLACK FINISH	—	—	—	—	—	—	STD	—	—
ACTIVE GRILLE SHUTTER	STD	STD	STD	STD	STD	—	—	—	—
TOW POINT W/ BLACK COVER	STD	STD	STD	STD	STD	STD	—	STD	STD
TOW POINTS W/ ANODIZED COPPER FINISH COVER	—	—	—	—	—	—	STD	—	—
HOOD: STANDARD TYPE	STD	STD	STD	STD	STD	—	—	—	—
HOOD: TURBO TYPE W/ UNDERHOOD INTERCOOLER DUCT	—	—	—	—	—	STD	STD	STD	STD
HOOD: MATTE BLACK DECAL	—	—	—	—	—	—	STD	—	—
HOOD: ALUMINUM	STD	STD	STD	STD	STD	STD	STD	STD	STD
HOOD: PROP ROD	STD	STD	STD	STD	STD	STD	STD	STD	STD
HOOD INSULATOR	STD	STD	STD	STD	STD	STD	—	STD	STD
SIDES									
CLADDING: BLACK	STD	STD	STD	STD	STD	STD	—	STD	STD
CLADDING: BLACK, SUBARU WILDERNESS TYPE	—	—	—	—	—	—	STD	—	—
WHEEL ARCH: BLACK	STD	STD	STD	STD	STD	STD	—	STD	STD
WHEEL ARCH: BLACK, SUBARU WILDERNESS TYPE	—	—	—	—	—	—	STD	—	—
AERODYNAMIC WHEEL ARCH FINS: FRONT AND REAR	STD	STD	STD	STD	STD	STD	—	STD	STD
DOOR HANDLES: BODY-COLOR	STD	STD	STD	STD	—	STD	STD	STD	—
DOOR HANDLES: BODY-COLOR W/ CHROME INSERT	—	—	—	—	STD	—	—	—	STD
DOOR HANDLES W/ DRIVER AND FRONT PASSENGER DOOR UNLOCK/LOCK SENSOR	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
FUEL DOOR: RIGHT-SIDE REAR QUARTER PANEL	STD	STD	STD	STD	STD	STD	STD	STD	STD
ROOF									
POWER MOONROOF: TILT UP & INTERNAL RETRACTING W/ AUTO-OPEN/CLOSE	—	OP15	STD	STD	STD	STD	OP22	STD	STD
ROOF RAILS: BLACK FINISH W/ INTEGRATED RETRACTABLE CROSS BARS AND ADJUSTABLE REAR RAIL CROSS BAR	STD	STD	STD	STD	STD	STD	—	STD	STD
ROOF RAILS: RAISED LADDER TYPE: BLACK FINISH W/ ANODIZED COPPER FINISH END MOUNT COVERS	—	—	—	—	—	—	STD	—	—
ROOF RAIL TIE-DOWN POINTS	4	4	4	4	4	4	4	4	4
ROOF RAIL CROSS BARS AND TIE-DOWN POINTS: BLACK FINISH	STD	STD	STD	STD	—	STD	STD	STD	—
ROOF RAIL CROSS BARS AND TIE-DOWN POINTS: SILVER FINISH	—	—	—	—	STD	—	—	—	STD
CROSS BARS DYNAMIC LOAD CAPACITY (LBS)	150	150	150	150	150	150	150	150	150
ROOF RAILS DYNAMIC LOAD CAPACITY (LBS)	—	—	—	—	—	—	220	—	—
ROOF RAILS STATIC LOAD CAPACITY (LBS)	—	—	—	—	—	—	700	—	—
ROOF MOUNTED SATELLITE ANTENNA (BLACK)	STD	STD	STD	STD	STD	STD	STD	STD	STD
ROOF MOUNTED SATELLITE AND CONNECTED SERVICES ANTENNA (BLACK)	—	STD	STD	STD	STD	STD	STD	STD	STD
ROOF SPOILER: BODY-COLOR W/ BLACK EDGE AND END PANELS	STD	STD	—	STD	STD	—	STD	STD	STD
ROOF SPOILER: CRYSTAL BLACK SILICA W/ BLACK EDGE AND END PANELS	—	—	STD	—	—	STD	—	—	—

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

EXTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
REAR									
GARNISH: BODY-COLOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
TOW POINT W/ BLACK COVER	STD	STD	STD	STD	STD	STD	—	STD	STD
TOW POINTS W/ ANODIZED COPPER FINISH COVER	—	—	—	—	—	—	STD	—	—
REAR-VISION CAMERA	STD	STD	STD	STD	STD	STD	STD	STD	STD
BUMPERS									
FRONT: ACTIVE GRILLE SHUTTER	STD	STD	STD	STD	STD	—	—	—	—
FRONT & REAR: UPPER: BODY-COLOR / LOWER: BLACK	STD	STD	STD	STD	STD	STD	—	STD	STD
FRONT & REAR: UPPER: BODY-COLOR / LOWER: BLACK, WILDERNESS TYPE	—	—	—	—	—	—	STD	—	—
FRONT & REAR: UNDERGUARD: SILVER METALLIC FINISH	—	—	—	STD	STD	—	—	STD	STD
GLASS									
WINDSHIELD: LAMINATED, UV, TINTED GREEN	STD	STD	STD	STD	STD	STD	STD	STD	STD
WINDSHIELD WIPER DE-ICER	—	STD	STD	STD	STD	STD	STD	STD	STD
MOONROOF GLASS: LAMINATED, UV & DARK TINT	—	OP15	STD	STD	STD	STD	OP22	STD	STD
DOOR GLASS, FRONT: UV AND TINTED GREEN	STD	STD	STD	STD	STD	STD	STD	STD	STD
DOOR GLASS, REAR: UV AND TINTED GREEN	STD	—	—	—	—	—	—	—	—
DOOR GLASS, REAR: UV AND DARK TINT	—	STD	STD	STD	STD	STD	STD	STD	STD
DOOR GLASS: FRAME TYPE	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR WINDOW: UV AND TINTED GREEN	STD	—	—	—	—	—	—	—	—
REAR WINDOW: UV AND DARK TINT	—	STD	STD	STD	STD	STD	STD	STD	STD
REAR WINDOW DEFOGGER W/ TIMER	STD	STD	STD	STD	STD	STD	STD	STD	STD
POWER EXTERIOR MIRRORS									
MANUAL-FOLDING	STD	STD	STD	STD	—	STD	STD	STD	—
AUTOMATIC POWER-FOLDING	—	—	—	—	STD	—	—	—	STD
DUAL: BLACK	STD	—	—	—	—	—	STD	—	—
DUAL: CRYSTAL BLACK SILICA FINISH	—	STD	STD	STD	—	STD	—	STD	—
DUAL: SATIN CHROME	—	—	—	—	STD	—	—	—	STD
HEATED (ALL-WEATHER PACKAGE)	—	STD	STD	STD	STD	STD	STD	STD	STD
PASSENGER-SIDE W/ AUTO TILT-DOWN	—	—	—	STD	STD	—	—	STD	STD
INTEGRATED TURN SIGNALS W/ INDICATOR	—	STD	STD	STD	STD	STD	STD	STD	STD
BLIND SPOT DETECTION/LANE CHANGE ASSIST INDICATOR IN MIRROR HOUSING	—	OP13,15	STD	STD	STD	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

EXTERIOR DIMENSIONS & WEIGHTS	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
DIMENSIONS									
LENGTH OVERALL: INCHES	191.9	191.9	191.9	191.9	191.9	191.9	191.3	191.9	191.9
FRONT OVERHANG: INCHES	40.2	40.2	40.2	40.2	40.2	40.2	39.6	40.2	40.2
REAR OVERHANG: INCHES	43.6	43.6	43.6	43.6	43.6	43.6	43.7	43.6	43.6
WIDTH OVERALL: INCHES	74.2	74.2	74.2	74.2	74.2	74.2	74.6	74.2	74.2
WIDTH OVERALL INCLUDING MIRRORS: INCHES (W/OUT INTEGRATED TURN SIGNALS)	81.8	—	—	—	—	—	—	—	—
WIDTH OVERALL INCLUDING MIRRORS: INCHES (W/ INTEGRATED TURN SIGNALS)	—	82.0	82.0	82.0	82.0	82.0	82.0	82.0	82.0
HEIGHT OVERALL INCLUDING ROOF RAILS: INCHES	66.1	66.1	66.1	66.1	66.1	66.1	66.9	66.1	66.1
WHEELBASE: INCHES	108.1	108.1	108.1	108.1	108.1	108.1	108.1	108.1	108.1
MINIMUM ROAD CLEARANCE AT CURB WEIGHT: INCHES (MEASURED AT FLOOR UNDERCOVER INSULATOR)	8.7	8.7	8.7	8.7	8.7	8.7	9.5	8.7	8.7
ANGLE OF APPROACH: DEGREES	18.2	18.2	18.2	18.0	18.0	18.2	20.0	18.0	18.0
ANGLE OF DEPARTURE: DEGREES	21.7	21.7	21.7	21.7	21.7	21.7	23.6	21.7	21.7
BRAKING ANGLE: DEGREES	19.4	19.4	19.4	19.4	19.4	19.4	21.2	19.4	19.4
TRACK, FRONT: INCHES	61.8	61.8	61.8	61.8	61.8	61.8	62.0	61.8	61.8
TRACK, REAR: INCHES	62.8	62.8	62.8	62.8	62.8	62.8	63.0	62.8	62.8
WEIGHTS									
CURB WEIGHT (LBS)	3641	3661/ 3698	3743	3735/ 3766	3781	3940	3922/ 3953	3931	3946
GROSS VEHICLE WEIGHT RATING (LBS)	4850	4850	4850	4850	4850	5026	5026	5026	5026

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
DASH									
DAY/NIGHT REARVIEW MIRROR	STD	STD	—	—	—	—	—	—	—
AUTO-DIMMING REARVIEW COMPASS MIRROR W/ HOMELINK: THIN FRAME	—	—	STD	STD	—	STD	STD	STD	—
SMART AUTO-DIMMING REARVIEW COMPASS MIRROR W/ HOMELINK AND CAMERA INTEGRATED INTO ROOF ANTENNA: THIN FRAME	—	—	—	—	STD	—	—	—	STD
DRIVERFOCUS DISTRACTION MITIGATION SYSTEM CAMERA	—	—	—	STD	STD	—	—	STD	STD
GLOVEBOX: ILLUMINATED & LOCKABLE	STD	STD	STD	STD	STD	STD	STD	STD	STD
ILLUMINATED ENGINE START / STOP SWITCH	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
PANEL W/ SILVER STITCHING	STD	—	—	—	—	—	—	—	—
PANEL W/ SILVER OR IVORY STITCHING	—	STD	—	STD	—	—	—	STD	—
PANEL W/ SILVER & GREEN STITCHING	—	—	STD	—	—	STD	—	—	—
PANEL W/ COPPER-COLOR STITCHING	—	—	—	—	—	—	STD	—	—
PANEL W/ SILVER OR TAN STITCHING	—	—	—	—	STD	—	—	—	STD
HVAC									
AUTOMATIC CLIMATE CONTROL SYSTEM	STD	—	—	—	—	—	—	—	—
DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM	—	STD	STD	STD	STD	STD	STD	STD	STD
POSITIVE TEMPERATURE COEFFICIENT (PTC) HEATER	—	—	—	—	—	STD	STD	STD	STD
CENTER CONSOLE REAR A/C OUTLETS	—	STD	STD	STD	STD	STD	STD	STD	STD
REAR SEAT HEATER DUCT OUTLETS	STD	STD	STD	STD	STD	STD	STD	STD	STD
AIR FILTRATION SYSTEM	STD	STD	STD	STD	STD	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
INSTRUMENTATION									
STANDARD 4.2-INCH LCD COLOR COMBINATION METER DISPLAY	STD	—	—	—	—	—	—	—	—
HIGH-GRADE 4.2-INCH LCD COLOR COMBINATION METER DISPLAY	—	STD	STD	STD	STD	STD	—	STD	STD
HIGH-GRADE 4.2-INCH LCD COLOR COMBINATION METER DISPLAY W/ ANODIZED COPPER ACCENTS	—	—	—	—	—	—	STD	—	—
ANALOG FUEL GAUGE W/ FUEL DOOR POSITION INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
ANALOG SPEEDOMETER AND TACHOMETER	STD	STD	STD	STD	STD	STD	STD	STD	STD
AUDIO SYSTEM INFORMATION	STD	STD	STD	STD	STD	STD	STD	STD	STD
DIGITAL SPEEDOMETER, ODOMETER, CLOCK, TRIP ODOMETER	STD	STD	STD	STD	STD	STD	STD	STD	STD
ECO GAUGE (FUEL ECONOMY)	STD	STD	STD	STD	STD	STD	STD	STD	STD
HEADLIGHT STATUS AND WARNING INDICATORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
HILL DESCENT CONTROL OPERATION INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
JOURNEY TRAVEL TIME AND DISTANCE	STD	STD	STD	STD	STD	STD	STD	STD	STD
PADDLE SHIFT RATIO POSITION INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR SEAT REMINDER	STD	STD	STD	STD	STD	STD	STD	STD	STD
STEERING RESPONSIVE HEADLIGHTS INDICATORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM INDICATORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
WELCOME/GOODBYE MESSAGE	STD	STD	STD	STD	STD	STD	STD	STD	STD
X-MODE OPERATION INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
ADVANCED ADAPTIVE CRUISE CONTROL INDICATORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
EYESIGHT SYSTEM OPERATION INDICATORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
AUTO VEHICLE HOLD INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
LEAD VEHICLE START ALERT INDICATOR	STD	STD	STD	STD	STD	STD	STD	STD	STD
BSD/RCTA INDICATORS	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
AUTOMATIC EMERGENCY STEERING OFF INDICATOR	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
COMPASS (MODELS W/ NAVIGATION SYSTEM)	—	OP15	—	STD	STD	—	OP22	STD	STD
DRIVERFOCUS INDICATORS	—	—	—	STD	STD	—	—	STD	STD
KEYLESS ACCESS W/ PUSHBUTTON START INDICATOR	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
NAVIGATION SYSTEM INFORMATION	—	OP15	—	STD	STD	—	OP22	STD	STD
REVERSE AUTOMATIC BRAKING INDICATORS	—	—	STD	STD	STD	STD	OP22	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
FRONT SEATS									
BUCKET-TYPE, RECLINING, WHIPLASH-REDUCING	STD	STD	STD	STD	STD	STD	STD	STD	STD
HEAD RESTRAINTS: HEIGHT & TILT ADJUSTABLE	STD	STD	STD	STD	STD	STD	STD	STD	STD
HEATED 3-MODE	—	STD	STD	STD	STD	STD	STD	STD	STD
VENTILATED	—	—	—	—	STD	—	—	—	STD
DRIVER SEAT: 6-WAY MANUAL, HEIGHT ADJUSTER (PUMP-LEVER)	STD	—	—	—	—	—	—	—	—
DRIVER SEAT: 10-WAY POWER W/ 2-WAY POWER LUMBAR	—	STD	STD	—	—	STD	STD	—	—
DRIVER SEAT: 12-WAY POWER W/ 4-WAY POWER LUMBAR	—	—	—	STD	STD	—	—	STD	STD
DRIVER SEAT: 2-POSITION MEMORY W/ EXTERIOR MIRROR ADJ.	—	—	—	STD	STD	—	—	STD	STD
DRIVER SEAT: BOTTOM CUSHION EXTENSION: FORWARD LENGTH ADJUSTMENT	—	—	—	STD	STD	—	—	STD	STD
PASSENGER SEAT 4-WAY MANUAL	STD	STD	STD	—	—	—	—	—	—
PASSENGER SEAT 8-WAY POWER	—	—	STD	STD	STD	STD	STD	STD	STD
DRIVER & PASSENGER SEATBACK POCKET	STD	STD	—	—	—	—	—	—	—
DRIVER & PASSENGER SEATBACK DIVIDED POCKET	—	—	STD	STD	STD	STD	STD	STD	STD
REAR SEATS									
HEAD RESTRAINTS: ADJUSTABLE/REMOVABLE: ALL POSITIONS	STD	STD	STD	STD	STD	STD	STD	STD	STD
RECLINING SEATBACK FUNCTION	STD	STD	STD	STD	STD	STD	STD	STD	STD
HEATED, OUTBOARD SEAT POSITIONS (ALL-WEATHER PACKAGE)	—	—	—	STD	STD	STD	STD	STD	STD
60/40-SPLIT FOLD-DOWN REAR SEATBACK	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR SEATBACK RELEASE LEVERS IN CARGO AREA	STD	STD	STD	STD	STD	STD	STD	STD	STD
FOLD-DOWN CENTER ARMREST W/ DUAL CUP HOLDERS	STD	STD	STD	STD	STD	STD	STD	STD	STD
STEERING WHEEL									
SOFT-GRIP URETHANE	STD	—	—	—	—	—	—	—	—
LEATHER-WRAPPED W/ SILVER STITCHING	—	STD	—	STD	—	—	—	STD	—
LEATHER-WRAPPED W/ GREEN STITCHING & BLACK ACCENTS	—	—	STD	—	—	STD	—	—	—
LEATHER-WRAPPED W/ COPPER STITCHING	—	—	—	—	—	—	STD	—	—
HIGH-GRADE LEATHER-WRAPPED W/ SILVER STITCHING	—	—	—	—	STD	—	—	—	STD
360 DEGREE HEATED W/ HEATED STEERING WHEEL ON/OFF SWITCH	—	—	STD	STD	STD	STD	STD	STD	STD
AUDIO SYSTEM CONTROLS	STD	STD	STD	STD	STD	STD	STD	STD	STD
EYESIGHT: ADVANCED ADAPTIVE CRUISE CONTROL	STD	STD	STD	STD	STD	STD	STD	STD	STD
BLUETOOTH® CONTROLS	STD	STD	STD	STD	STD	STD	STD	STD	STD
PADDLE SHIFTERS	STD	STD	STD	STD	STD	STD	STD	STD	STD
COMBINATION METER DISPLAY CONTROLS	STD	STD	STD	STD	STD	STD	STD	STD	STD
STEERING COLUMN									
ILLUMINATED IGNITION SWITCH RING	STD	STD	—	—	—	—	—	—	—
ADJUSTABLE/COLLAPSIBLE TILT/TELESCOPIC STEERING COLUMN	STD	STD	STD	STD	STD	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
CENTER CONSOLE									
ELECTRONIC PARKING BRAKE (EPB) SWITCH	STD	STD	STD	STD	STD	STD	STD	STD	STD
FRONT STORAGE TRAY	STD	STD	STD	STD	STD	STD	STD	STD	STD
STORAGE POCKET: PASSENGER SIDE	STD	STD	STD	STD	STD	STD	STD	STD	STD
USB TYPE A ILLUMINATED INPUT/CHARGE PORT	STD	STD	STD	STD	STD	STD	STD	STD	STD
USB TYPE C ILLUMINATED INPUT/CHARGE PORT	—	STD	STD	STD	STD	STD	STD	STD	STD
3.5MM ILLUMINATED AUXILIARY INPUT JACK	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR CENTER CONSOLE W/ LID	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR CENTER CONSOLE USB TYPE A AND TYPE C ILLUMINATED CHARGE PORTS	—	STD	STD	STD	STD	STD	STD	STD	STD
OVERHEAD CONSOLE									
SUNGLASSES STORAGE COMPARTMENT	STD	STD	STD	STD	STD	STD	STD	STD	STD
DUAL OVERHEAD MAP LIGHTS: LED W/ OFF DELAY OPERATION	STD	STD	STD	STD	STD	STD	STD	STD	STD
SUN VISOR: DRIVER & PASSENGER: SLIDE ADJUSTABLE W/ TICKET HOLDER	STD	STD	STD	STD	STD	STD	STD	STD	STD
SUN VISOR VANITY MIRROR: DUAL, ILLUMINATED W/ LID	STD	STD	STD	STD	STD	STD	STD	STD	STD
CUP HOLDERS									
FRONT DUAL: CENTER CONSOLE	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR DUAL: IN REAR SEAT CENTER ARMREST	STD	STD	STD	STD	STD	STD	STD	STD	STD
BOTTLE HOLDERS: FRONT AND REAR DOORS	STD	STD	STD	STD	STD	STD	STD	STD	STD
TRIM									
FRONT CENTER CONSOLE PANEL: MATTE BLACK FINISH	STD	—	—	—	—	—	—	—	—
FRONT CENTER CONSOLE PANEL: GLOSS BLACK FINISH W/ SILVER METALLIC TRIM	—	STD	STD	STD	STD	STD	—	STD	STD
FRONT CENTER CONSOLE PANEL: GLOSS BLACK FINISH W/ GUNMETAL METALLIC TRIM	—	—	—	—	—	—	STD	—	—
CENTER DASH PANEL: MATTE BLACK FINISH	STD	STD	STD	—	—	—	—	—	—
CENTER DASH PANEL: GLOSS BLACK FINISH	—	—	—	STD	STD	STD	—	STD	STD
CENTER DASH PANEL: GUNMETAL METALLIC FINISH	—	—	—	—	—	—	STD	—	—
DOOR TRIM PANEL ACCENT INSERT: BLACK SIMULATED CARBON FIBER FINISH W/ MATTE BLACK TRIM	STD	STD	—	—	—	—	STD	—	—
DOOR TRIM PANEL ACCENT INSERT: GLOSS BLACK FINISH W/ SILVER METALLIC TRIM	—	—	STD	STD	STD	STD	—	STD	STD
FLOOR MATS: CARPETED W/ DRIVER SIDE RETENTION HOOK	STD	STD	STD	STD	STD	STD	—	STD	STD
FLOOR MATS: ALL-WEATHER W/ DRIVER SIDE RETENTION HOOK	—	—	—	—	—	—	STD	—	—
DOOR SILL COVERS, DOOR OPENINGS: PLASTIC	STD	STD	STD	STD	STD	STD	STD	STD	STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR FEATURES	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
CARGO AREA									
CARGO AREA COVER, LIFTING & RETRACTABLE	ACC	STD	STD	STD	STD	STD	STD	STD	STD
TRAY: REMOVABLE	STD	STD	STD	STD	STD	STD	STD	STD	STD
TIE-DOWN HOOKS	4	4	8	4	8	8	8	4	8
GROCERY BAG HOOKS	2	2	2	2	2	2	2	2	2
LED LIGHT W/ GATE SWITCH AND OFF DELAY	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR SEATBACK AND CARGO FLOOR: CARPETED	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR SEATBACK RELEASE LEVERS	STD	STD	STD	STD	STD	STD	STD	STD	STD
RIGHT QUARTER STORAGE POCKET W/ NET	STD	STD	STD	STD	STD	STD	STD	STD	STD
SUB-FLOOR: MULTI BOX STORAGE TRAY W/ SPACE SAVER SPARE TIRE	STD	STD	STD	STD	STD	—	—	STD	STD
SUB-FLOOR: FULL SIZE SPARE TIRE	—	—	—	—	—	STD	STD	—	—
ELECTRONIC REAR GATE RELEASE HANDLE	STD	STD	STD	STD	STD	STD	STD	STD	STD
REAR GATE LIGHT: LED	—	STD	STD	STD	STD	STD	STD	STD	STD
POWER REAR GATE W/ AUTOMATIC CLOSE AND HEIGHT MEMORY W/ SWITCH	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
POWER REAR GATE ILLUMINATED SWITCH	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
REAR GATE UNLOCK SENSOR/LOCK BUTTON	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
POWER REAR GATE: PIN CODE ACCESS	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
POWER REAR GATE: HANDS-FREE OPENING	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
POWER REAR GATE: HAND-PRESSURE SENSING AUTOMATIC CLOSE	—	OP13,15	STD	STD	STD	STD	STD	STD	STD
CARGO AREA COVER, LIFTING & RETRACTABLE TRAY: REMOVABLE	ACC STD	STD STD	STD STD	STD STD	STD STD	STD STD	STD STD	STD STD	STD STD

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

2025 OUTBACK

INTERIOR DIMENSIONS	Base	Premium	Onyx Ed	Limited	Touring	Onyx Ed XT	Wilderness	Limited XT	Touring XT
PASSENGER AREA									
SEATING CAPACITY	5	5	5	5	5	5	5	5	5
HEAD ROOM, FRONT: INCHES (W/OUT MOONROOF)	40.1	40.1	—	40.1	—	40.1	40.1	—	—
HEAD ROOM, FRONT: INCHES (W/ MOONROOF)	—	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1
HEAD ROOM, REAR: INCHES (W/OUT MOONROOF)	39.1	39.1	—	39.1	—	39.1	39.1	—	—
HEAD ROOM, REAR: INCHES (W/ MOONROOF)	—	39.1	39.1	39.1	39.1	39.1	39.1	39.1	39.1
LEG ROOM, FRONT: INCHES	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8	42.8
LEG ROOM, REAR: INCHES	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5	39.5
SHOULDER ROOM, FRONT: INCHES	58.1	58.1	58.1	58.1	58.1	58.1	58.1	58.1	58.1
SHOULDER ROOM, REAR: INCHES	57.4	57.4	57.4	57.4	57.4	57.4	57.4	57.4	57.4
CARGO AREA									
EPA CARGO VOLUME: CUBIC FEET (REAR SEAT UP, W/ OR W/O MOONROOF)	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6
SAE CARGO VOLUME: CUBIC FEET (REAR SEAT DOWN, W/ OR W/O MOONROOF)	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6
CARGO WIDTH BETWEEN WHEEL HOUSINGS: INCHES	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3
CARGO AREA HEIGHT: INCHES (W/ AND W/OUT MOONROOF)	32.1	32.1	32.1	32.1	32.1	32.1	32.1	32.1	32.1
CARGO LIFT OVER HEIGHT AT CURB WEIGHT: INCHES	28.4	28.4	28.4	28.4	28.4	28.4	29.2	28.4	28.4
REAR GATE OPENING WIDTH LOWER: INCHES	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1
REAR GATE OPENING WIDTH MAXIMUM: INCHES	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2
REAR GATE OPENING HEIGHT: INCHES	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5
MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEATBACK UP)	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0
MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEATBACK FOLDED DOWN)	75.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0

PRODUCT SPECIFICATIONS 2025

Revised: 04/16/2024

