TRIM LEVEL	MODEL CODE	OPTION GROUP	FEATURES	"Transmission"
PREMIUM	PED	11	BASE	SST
LIMITED	PEG	31	BASE	SST
TOURING	PEJ	41	BASE	SST

SST = Single Speed Transmission

	eAXLES	Premium	Limited	Touring
	AC SYNCHRONOUS ELECTRIC GENERATOR W/INTEGRATED TRANSAXLE & POWER INVERTER	STD	STD	STD
	BRUSHLESS PERMANENT MAGNET	STD	STD	STD
	MAXIMUM OUTPUT: 80 kW	STD	STD	STD
	HORSEPOWER: 107.3 HP	STD	STD	STD
	TORQUE: 169 LB-FT	STD	STD	STD
	TRANSAXLE			
ä	REDUCTION RATIO	13:8	13:8	13:8
FRONT eAXLE	SIZE			
Ī	LENGTH (MILLIMETERS)	390	390	390
FRO	WIDTH (MILLIMETERS)	481	481	481
	HEIGHT (MILLIMETERS)	415	415	415
	POWER CONTROL UNIT: INVERTER	STD	STD	STD
	DC / DC CONVERTER: HIGH VOLTAGE BATTERY STEP DOWN: 14.0 VOLTS	STD	STD	STD
	DC / AC INVERTER: DRIVE MOTOR POWER	STD	STD	STD
	MOTOR CONTROL MODULE: REGENERATIVE BRAKING DC HIGH VOLTAGE BATTERY CHARGING	STD	STD	STD
	MOTOR COOLING SYSTEM	STD	STD	STD
	AC SYNCHRONOUS ELECTRIC GENERATOR W/ INTEGRATED TRANSAXLE & POWER INVERTER	STD	STD	STD
	BRUSHLESS PERMANENT MAGNET	STD	STD	STD
	MAXIMUM OUTPUT: 80 kW	STD	STD	STD
	HORSEPOWER: 107.3 HP	STD	STD	STD
	TORQUE: 169 LB-FT	STD	STD	STD
	TRANSAXLE			
9	REDUCTION RATIO	13:8	13:8	13:8
eAX	SIZE			
REAR eAXLE	LENGTH (MILLIMETERS)	441	441	441
22	WIDTH (MILLIMETERS)	457	457	457
	HEIGHT (MILLIMETERS)	304	304	304
	POWER CONTROL UNIT: INVERTER	STD	STD	STD
	DC / DC CONVERTER: HIGH VOLTAGE BATTERY STEP DOWN: 14.0 VOLTS	STD	STD	STD
	DC / AC INVERTER: DRIVE MOTOR POWER	STD	STD	STD
	MOTOR CONTROL MODULE: REGENERATIVE BRAKING DC HIGH VOLTAGE BATTERY CHARGING	STD	STD	STD
	MOTOR COOLING SYSTEM	STD	STD	STD
COMBINED	MAXIMUM OUTPUT: 160 kW	STD	STD	STD
MBI	HORSEPOWER: 214.6 HP	STD	STD	STD
80	TORQUE: 249.3 LB-FT	STD	STD	STD

	CHARGING SYSTEM	Premium	Limited	Touring
>	DC / DC CONVERTER: HIGH VOLTAGE BATTERY STEP DOWN: 14.0 VOLTS	STD	STD	STD
ELECTRICITY SUPPLY UNIT (ESU)	AC (L2) CHARGING MAXIMUM SPEED: 7.0 kW	STD	STD	STD
	DC CHARGING RELAY: MAXIMUM SPEED: 100 kW	STD	STD	STD
	DC CHARGING INTEGRATED CONTROL MODULE	STD	STD	STD
E E	RECHARGER	STD	STD	STD
E E	RECHARGER ECM	STD	STD	STD
	COOLING SYSTEM	STD	STD	STD
ROL	AUXILIARY BATTERY CHARGE MAINTENANCE: LONG TERM VEHICLE PARKING	STD	STD	STD
CONTROL	REGENERATIVE BRAKING	STD	STD	STD
	AC / DC CHARGE INLET PORT: LEFT FENDER: TYPE 1 (SAE J1772) COMBO	STD	STD	STD
	CONNECTOR SYSTEM (CCS)			
ш	AC / DC CHARGE STATUS INDICATOR LIGHT	STD	STD	STD
BL	AC / DC CHARGE PORT AREA LIGHT	STD	STD	STD
70/	AC / DC CHARGE PORT CABLE LOCK W/ MANUAL EMERGENCY RELEASE	STD	STD	STD
PORT / CABLE	AC / DC CHARGE PORT DOOR: PUSH OPEN W/ POWER LOCK SYNCHRONIZED TO DOOR LOCKS	STD	STD	STD
CHARGE	AC / DC CHARGE PORT DOOR W/ MANUAL EMERGENCY RELEASE	STD	STD	STD
HAF	120V L1 CHARGE CABLE	STD	STD	STD
0	120V CHARGE CABLE LENGTH: 24.6 FT	STD	STD	STD
	AC (L2) CHARGING MAXIMUM SPEED: 7.0 kW	STD	STD	STD
	DC CHARGING MAXIMUM SPEED: 100 kW	STD	STD	STD
ELECTRICAL SYSTEM	BATTERY DRAINAGE PREVENTION	STD	STD	STD

	HIGH VOLTAGE BATTERY	Premium	Limited	Touring
	LITHIUM-ION (Li-ion) BATTERY	STD	STD	STD
	CELL QUANTITY: 96 CELLS	STD	STD	STD
	RATED VOLTAGE: 355.2	STD	STD	STD
	RATED CAPACITY: 201 Ah	STD	STD	STD
	TOTAL POWER: 72.8 kWh	STD	STD	STD
	LOCATION: CENTER FLOOR PAN	STD	STD	STD
R	DC QUICK CHARGING COMPATIBLE	STD	STD	STD
BATTERY	LOW TEMPERATURE ELECTRIC HEATER	STD	STD	STD
BA	HEATING SYSTEM	STD	STD	STD
	COOLING SYSTEM	STD	STD	STD
	AUTOMATIC EMERGENCY DISCONNECT	STD	STD	STD
	SERVICE / EMERGENCY DISCONNECT: DRIVER'S FLOOR AREA	STD	STD	STD
	SIDE COLLISION IMPACT PROTECTION: ROCKER SILL AREA	STD	STD	STD
	FLOOR PROTRUSION PROTECTION	STD	STD	STD
	FAILSAFE FUNCTION PROTECTION	STD	STD	STD
	DC CHARGER COMPATIBLE	STD	STD	STD
	L1 CHARGER:			
	120V @ 8A: APPROXIMATE CHARGE TIME: HOURS	77	77	77
Ж	120V @ 12A: APPROXIMATE CHARGE TIME: HOURS	50	50	50
AM	240V @ 8A: APPROXIMATE CHARGE TIME: HOURS	35	35	35
CHARGING METHODS / PERFORMANCE	L2 CHARGER:			
ERF	240V @ 32A: APPROXIMATE CHARGE TIME: HOURS	9	9	9
/ PE	COMBINED CHARGING SYSTEM (CCS) FAST CHARGING:			
SOC	80 PERCENT CHARGE: APPROXIMATE CHARGE TIME: MINUTES	56	56	56
Ĭ	MAXIMUM CHARGE LIMIT SETTINGS:			
© ME	100 PERCENT	STD	STD	STD
N O	90 PERCENT	STD	STD	STD
IAR	80 PERCENT	STD	STD	STD
ប់	70 PERCENT	STD	STD	STD
	60 PERCENT	STD	STD	STD
	50 PERCENT	STD	STD	STD
	40 PERCENT	STD	STD	STD
RGING	TIMED CHARGING SCHEDULE SETTING: MAXIMUM 15 REGISTERED CHARGING SCHEDULES	STD	STD	STD
ADD' L CHARGING INFORMATION	MY ROOM MODE: VEHICLE ACCESSORY OPERATION VIA EXTERNAL POWER SOURCE DURING CHARGING	STD	STD	STD
ADD' INF(	FAST CHARGING CHARGER MALFUNCTION DISCONNECT VIA ELECTRONIC KEY AND DRIVER'S DOOR UNLOCK SWITCH	STD	STD	STD

	DRIVETRAIN	Premium	Limited	Touring
	S-PEDAL DRIVE: VEHICLE ACCELERATION / DECELERATION REGENERATIVE BRAKING CONTROL	STD	STD	STD
	ROTARY SHIFTER: SHIFT BY WIRE (SBW) SYSTEM:	STD	STD	STD
	REVERSE			
	NEUTRAL			
	DRIVE			
	PARK POSITION BUTTON	STD	STD	STD
	X-MODE / DUAL-MODE SYSTEM:	STD	STD	STD
	SYSTEM ON / OFF			
	SNOW / DIRT			
	DEEP SNOW / MUD			
A N	DOWNHILL ASSIST CONTROL (DAC)			
DRIVETRAIN	GRIP-CONTROL W/ DAC & VEHICLE SPEED ADJUSTMENT SETTINGS	STD	STD	STD
N N	DRIVING MODE SELECT: ACCELERATION:	STD	STD	STD
	MODE SETTINGS:			
	ECO			
	NORMAL		•	
	POWER			
	STEERING WHEEL PADDLE SHIFT SWITCHES:			
	REGENERATIVE BRAKING FORCE SELECTION MODES:	STD	STD	STD
	LOW BRAKING			
	MEDIUM LOW BRAKING			
	MEDIUM HIGH BRAKING			
	HIGH BRAKING			
	HILL-START ASSIST CONTROL (HAC)	STD	STD	STD
ΘĒ	SYMMETRICAL ALL-WHEEL DRIVE: ELECTRONICALLY CONTROLLED	STD	STD	STD
AWD	ELECTRONIC POWER CONTROLLED VARIABLE POWER DISTRIBUTION	STD	STD	STD
VEHICLE STABILITY CONTROL	VEHICLE STABILITY CONTROL (VSC)	STD	STD	STD
HE HE	TRACTION CONTROL (TRAC)	STD	STD	STD
STA CO	ACTIVE CORNERING ASSIST (ACA)	STD	STD	STD
P I				
RAT	FRONT	13.8	13.8	13.8
DIFFERENTIAL GEAR RATIO	REAR	13.8	13.8	13.8
Ë	STANDARD OPEN TYPE	STD	STD	STD
DIFFERENTIAL	STANDAND OF LIN TIFE	טוט	310	טוט
딤				

	BRAKES, STEERING & SUSPENSION	Premium	Limited	Touring
	ELECTRONIC CONTROLLED POWER ASSISTED DUAL DIAGONAL SYSTEM	STD	STD	STD
	ABS SYSTEM: 4 CHANNEL, 4 SENSOR	STD	STD	STD
	REGENERATIVE BRAKING CONTROL	STD	STD	STD
ပ္သ	ELECTRONIC BRAKE FORCE DISTRIBUTION (EBD)	STD	STD	STD
BRAKES	BRAKE ASSIST (BA)	STD	STD	STD
8	BRAKE OVERRIDE SYSTEM	STD	STD	STD
	ACTIVE CORNERING ASSIST (ACA)	STD	STD	STD
	HILL-START ASSIST CONTROL (HAC)	STD	STD	STD
	BRAKE HOLD (BH)	STD	STD	STD
ပ္က	VENTILATED DISCS	STD	STD	STD
D D	DUAL PISTON FLOATING CALIPERS	STD	STD	STD
FRONT DISC	BRAKE PAD RETURN SPRING	STD	STD	STD
Æ	DISC OUTER DIAMETER: INCHES	12.9	12.9	12.9
Ų,	VENTILATED DISCS	STD	STD	STD
DISC	SINGLE PISTON FLOATING CALIPERS	STD	STD	STD
REAR	DISC OUTER DIAMETER: INCHES	12.5	12.5	12.5
~	ELECTRONIC PARKING BRAKE (EPB): CALIPERS W/ AUTOMATIC MODE	STD	STD	STD
	ELECTRIC POWER ASSISTED RACK AND PINION (EPAS): ADAPTIVE	STD	STD	STD
o	VEHICLE SPEED AND TORQUE SENSITIVE (EPAS)	PENDING	PENDING	PENDING
Ž.	VARIABLE GEAR RATIO RACK	PENDING	PENDING	PENDING
STEERING	ON-CENTER STEERING RATIO:	PENDING	PENDING	PENDING
o o	STEERING, TURNS LOCK TO LOCK:	2.8	2.8	2.8
	TURNING CIRCLE, CURB TO CURB: FEET	36.7	36.7	36.7
	FOUR WHEEL FULLY INDEPENDENT	STD	STD	STD
	FRONT: ANTI-DIVE / REAR: ANTI-LIFT GEOMETRY	STD	STD	STD
	RAISED SUSPENSION	STD	STD	STD
	FRONT:			
8	STRUT: ADAPTIVE W/ INTERNAL REBOUND SPRING	STD	STD	STD
S	STEEL LOWER L-ARM	STD	STD	STD
SUSPENSION	STABILIZER BAR	STD	STD	STD
SU	REAR:			
	DOUBLE WISHBONE	STD	STD	STD
	SHOCK ABSORBER: ADAPTIVE W/ INTERNAL REBOUND SPRING	STD	STD	STD
	STEEL LOWER ARM W/ AERODYNAMIC COVER	STD	STD	STD
	STABILIZER BAR	STD	STD	STD
ES	18-INCH X 7.5 J ALUMINUM-ALLOY W/ BLACK & SILVER FINISH FULL WHEEL COVER	STD	-	-
WHEELSS & TIRES	20-INCH X 7.5 J ALUMINUM-ALLOY: GRAY FINISH W/ SILVER FINISH SPOKE INSERTS	_	STD	STD
ELS	235/60 R18 103V ALL-SEASON	STD	-	_
VHE	235/50 R20 100V ALL-SEASON	_	STD	STD
-	TEMPORARY SPARE TIRE: EMERGENCY TIRE PUNCTURE REPAIR KIT	STD	STD	STD

	EXTERIOR FEATURES	Premium	Limited	Touring
	GRILLE PLATE: BODY COLOR INSERT W/ GALACTIC BLACK FINISH FRAME	STD	STD	STD
	HOOD: BODY COLOR W/ BLACK INSERT PANEL	STD	STD	_
FRONT	HOOD: BODY COLOR W/ GALACTIC BLACK FINISH INSERT PANEL	-	_	STD
	HOOD: INSULATOR	STD	STD	STD
	HOOD: ALUMINUM	STD	STD	STD
	HOOD: PROP ROD	STD	STD	STD
	DOOR HANDLES: BODY-COLOR	STD	STD	STD
ဟ	DOOR HANDLES: W/ DRIVER AND PASSENGER DOOR UNLOCK/LOCK SENSOR	STD	STD	STD
SIDES	CHARGE PORT: LEFT FENDER	STD	STD	STD
o,	HIGH VOLTAGE BATTERY: SIDE COLLISION IMPACT PROTECTION: ROCKER SILL AREA	STD	STD	STD
	ROOF SPOILER: SPLIT: BODY COLOR W/ AERODYNAMIC FINS	_	STD	STD
K.	ROOF SPOILER: SPLIT: GALACTIC BLACK FINISH W/ AERODYNAMIC FINS (MODEL W/TWO-TONE PAINT)	_	-	STD
REAR	REAR DOOR DUCKTAIL SPOILER: GALACTIC BLACK FINISH	STD	STD	STD
	REAR COMBINATION LIGHTS QUARTER PANEL TRIM: GALACTIC BLACK FINISH	STD	STD	STD
	GARNISH: GALACTIC BLACK FINISH	STD	STD	STD
	FIXED CROSS BARS	ACC	-	_
	FIXED CROSS BARS MOUNTING POINTS	STD	_	-
	FIXED CROSS BARS DYNAMIC LOAD CAPACITY: POUNDS	176	_	_
	ROOF RAILS: GALACTIC BLACK FINISH	_	STD	STD
ROOF	ROOF RAILS: FIXED CROSS BAR MOUNTING POINTS	-	STD	STD
8	CROSS BARS: GALACTIC BLACK FINISH	-	ACC	ACC
	CROSS BARS DYNAMIC LOAD CAPACITY: POUNDS	-	176	176
	ROOF RAILS DYNAMIC LOAD CAPACITY: POUNDS	_	176	176
	ROOF RAILS STATIC LOAD CAPACITY: POUNDS	-	700	700
	PANORAMIC MOONROOF: FIXED W/ ELECTRONIC SUNSHADE	-	-	STD
	MANUAL-FOLDING	STD	_	_
	POWER-FOLDING: AUTOMATIC & MANUAL SWITCH OPERATED	_	STD	STD
	DUAL: GALACTIC BLACK FINISH	STD	STD	STD
စ္တ	PANORAMIC VIEW MONITOR: INTEGRATED CAMERAS W/ INFRARED EMITTER	_	STD	STD
ROF	INTEGRATED TURN SIGNALS	_	STD	STD
₹ E	HEATED	STD	STD	STD
Æ	FOOT LIGHTING	_	STD	STD
Po	DETECTION INDICATOR:			
OUTSIDE POWER MIRRORS	BLIND-SPOT MONITOR (BSM)	STD	STD	STD
JTSI	REAR CROSS-TRAFFIC ALERT (RCTA)	_	STD	STD
٥	REAR CAMERA DETECTION (RCD): PEDESTRIAN WARNING	_	STD	STD
	SAFE EXIT ASSIST (SEA)	STD	STD	STD
	PASSENGER-SIDE: W/ AUTO TILT-DOWN	_	STD	STD
	TWO POSITION MEMORY: SYNCHRONIZED W/ DRIVER'S SEAT POSITION MEMORY	ı	STD	STD

	EXTERIOR FEATURES	Premium	Limited	Touring
UNDER- CARRIAGE	FRONT AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD
NDE RRIA	HIGH VOLTAGE BATTERY AERODYNAMIC ALUMINUM UNDER COVER	STD	STD	STD
CAL	UNDERCARRIAGE: REAR: AERODYNAMIC UNDERCOVER (INTEGRATED)	STD	STD	STD
	FRONT: ACTIVE GRILLE SHUTTER	STD	STD	STD
	FRONT: UPPER: BODY COLOR / LOWER: BLACK	STD	STD	STD
	FRONT: SIDE: BODY COLOR / BLACK	STD	STD	STD
	FRONT: SIDE AIR CURTAIN SPOILER	STD	STD	STD
BUMPERS	FRONT: UNDERGUARD: SILVER METALLIC FINISH (INTEGRATED)	STD	STD	STD
ЛМР	FRONT: TOW POINT COVER: BODY COLOR & BLACK	2	2	2
B	FRONT: AIR DUCTS:	STD	STD	STD
	OPENING TRIM: BLACK	STD	STD	STD
	REAR: UPPER: BODY COLOR / LOWER: BLACK	STD	STD	STD
	REAR: DIFFUSER (INTEGRATED)	STD	STD	STD
	REAR: TOW POINT COVER: BLACK	1	1	1
DING	SIDE: BLACK	STD	STD	STD
CLADDING	WHEEL ARCH: BLACK	STD	STD	STD
	FRONT BUMPER: ACTIVE GRILLE SHUTTER	STD	STD	STD
	FRONT BUMPER: AIR DUCTS	STD	STD	STD
	FRONT BUMPER SIDE AIR CURTAIN SPOILER	STD	STD	STD
RTS	FRONT WHEEL WELL: FRONT AIR OUTLETS	STD	STD	STD
, PA	REAR BUMPER: DIFFUSER (INTEGRATED)	STD	STD	STD
OD	REAR DOOR DUCKTAIL SPOILER: GALACTIC BLACK FINISH	STD	STD	STD
C B	ROOF SPOILER: SPLIT: BODY COLOR W/ AERODYNAMIC FINS	-	STD	STD
AERODYNAMIC BODY PARTS	ROOF SPOILER: SPLIT: GALACTIC BLACK FINISH W/ AERODYNAMIC FINS (MODEL W/ TWO-TONE PAINT)	-	-	STD
ROD	REAR SUSPENSION: STEEL LOWER ARM W/ AERODYNAMIC COVER	STD	STD	STD
AE	UNDERCARRIAGE: FRONT AERODYNAMIC UNDERCOVER INSULATOR	STD	STD	STD
	UNDERCARRIAGE: HIGH VOLTAGE BATTERY AERODYNAMIC ALUMINUM UNDER COVER	STD	STD	STD
	UNDERCARRIAGE: REAR: AERODYNAMIC UNDERCOVER (INTEGRATED)	STD	STD	STD
	WINDSHIELD: LAMINATED AND TINTED GREEN (INFRARED REDUCING)	STD	STD	STD
	WINDSHIELD WIPER DE-ICER	STD	STD	STD
	WINDSHIELD: SOUND INSULATION GLASS	STD	STD	STD
	PANORAMIC MOONROOF: LAMINATED, UV AND TINTED GREEN	_	_	STD
တ္တ	DOOR PARTITION GLASS, FRONT: UV AND TINTED GREEN	STD	STD	STD
GLASS	SIDE GLASS, FRONT: UV AND TINTED GREEN	STD	STD	STD
U	SIDE GLASS, REAR: UV AND DARK TINT	STD	STD	STD
	SIDE GLASS: FRAME TYPE	STD	STD	STD
	REAR QUARTER WINDOW: UV AND DARK TINT	STD	STD	STD
	REAR WINDOW: UV AND DARK TINT	STD	STD	STD
	REAR WINDOW DEFOGGER W/ TIMER	STD	STD	STD

	EXTERIOR DIMENSIONS	Premium	Limited	Touring
	LENGTH-OVERALL: INCHES	184.6	184.6	184.6
	FRONT OVERHANG: INCHES	36.0	36.0	36.0
	REAR OVERHANG: INCHES	36.4	36.4	36.4
	WIDTH-OVERALL: INCHES	73.2	73.2	73.2
	WIDTH-OVERALL INCLUDING MIRRORS: INCHES	85.4	85.4	85.4
S	HEIGHT-OVERALL: INCHES	65.1	65.1	65.1
DIMENSIONS	WHEELBASE: INCHES	112.2	112.2	112.2
NEN NEW	MINIMUM ROAD CLEARANCE AT CURB WEIGHT: INCHES	8.3	8.3	8.3
5	LOCATION OF MINIMUM ROAD CLEARANCE: FRONT UNDERCOVER	STD	STD	STD
	ANGLE OF APPROACH: DEGREES	17.7	17.7	17.7
	ANGLE OF DEPARTURE: DEGREES	25.4	25.4	25.4
	BREAK OVER ANGLE: DEGREES	18.2	18.2	18.2
	TRACK, FRONT: INCHES	63.1	63.1	63.1
	TRACK, REAR: INCHES	63.4	63.4	63.4
	CURB WEIGHT (LBS): SUBARU SAFETY SENSE	4,365	-	-
WEIGHTS	CURB WEIGHT (LBS): SUBARU SAFETY SENSE, ROOF SPOILER, ROOF RAILS & POWER BACK DOOR	-	4,455	-
	CURB WEIGHT (LBS): SUBARU SAFETY SENSE, ROOF SPOILER, ROOF RAILS & POWER BACK DOOR & PANORAMIC MOONROOF	_	_	4,505
	GROSS VEHICLE WEIGHT RATING (LBS)	5,620	5,620	5,620

	INTERIOR FEATURES	Premium	Limited	Touring
	LOW PROFILE	STD	STD	STD
DASH PANEL	LOWER PANEL: CLOTH MATERIAL	STD	STD	STD
	EMERGENCY FLASHERS SWITCH: MATTE BLACK	STD	STD	STD
	POWER SWITCH: ILLUMINATED	STD	STD	STD
	FOOTWELL LIGHTING: FRONT SEAT POSITIONS W/ OFF-DELAY OPERATION	_	_	STD
OR.	AUTO ANTI-GLARE INSIDE REAR VIEW MIRROR: THIN FRAME	STD	-	_
RR	AUTO ANTI-GLARE INSIDE REAR VIEW MIRROR W/ HOMELINK®: THIN FRAME	_	STD	_
REAR VIEW MIRROR	DIGITAL REAR VIEW MIRROR CAMERA W/ VIEW POSITION ADJUSTMENT & HOMELINK®: THIN FRAME	-	-	STD
AR	DIGITAL REAR VIEW MIRROR CAMERA LOCATION: REAR DOOR	_	_	STD
RE	DIGITAL REAR VIEW MIRROR CAMERA WASHER	_	-	STD
	TOP MOUNTED ELECTRONIC W/ 7.0-INCH LCD DISPLAY	STD	STD	STD
	ADJUSTABLE ILLUMINATION	STD	STD	STD
	BRAKE HOLD (BH) ON / STANDBY INDICATOR	STD	STD	STD
	BRAKE HOLD (BH) INDICATOR	STD	STD	STD
	ELECTRONIC PARKING BRAKE (EPB) INDICATOR	STD	STD	STD
	EV CHARGE CABLE CONNECTION INDICATOR	STD	STD	STD
	EV READY INDICATOR	STD	STD	STD
ER	FOG LIGHT ON INDICATOR	_	STD	STD
Σ	HEADLIGHTS: ON INDICATOR	STD	STD	STD
NO NO	HEADLIGHTS: HIGH BEAM ON INDICATOR	STD	STD	STD
E A	HEADLIGHTS: AUTOMATIC HIGH BEAM (AHB) INDICATOR	STD	STD	STD
COMBINATION METER	ADVANCED PARK ASSIST OFF INDICATOR	STD	STD	STD
ပိ	PRE-COLLISION SYSTEM (PCS) OFF INDICATOR	STD	STD	STD
	SEATBELTS: DRIVER & FRONT PASSENGER WARNING LIGHT & CHIME	STD	STD	STD
	SECURITY SYSTEM INDICATOR	STD	STD	STD
	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY INDICATOR	STD	STD	STD
	TRACTION CONTROL (TRAC) OPERATION INDICATOR	STD	STD	STD
	TRACTION CONTROL (TRAC) SYSTEM OFF INDICATOR	STD	STD	STD
	TURN SIGNAL INDICATORS	STD	STD	STD

	INTERIOR FEATURES	Premium	Limited	Touring
	AMBIENT TEMPERATURE DISPLAY	STD	STD	STD
	ROTARY SHIFTER: SHIFT BY WIRE (SBW): SHIFT POSITION DISPLAY W/ REGENERATIVE BRAKING POWER DISPLAY	STD	STD	STD
	DIGITAL CLOCK / SPEEDOMETER / ODOMETER / DUAL-MODE TRIP ODOMETER	STD	STD	STD
	DOWNHILL ASSIST CONTROL (DAC) INDICATOR	STD	STD	STD
	GRIP-CONTROL INDICATOR / GRIP-CONTROL SET SPEED INDICATOR	STD	STD	STD
	PARKING SUPPORT BRAKE (PKSB) SYSTEM AUDIBLE WARNING	STD	STD	STD
	ROAD SURFACE FREEZE WARNING INDICATOR	STD	STD	STD
	SEATBELTS: REAR PASSENGER WARNING LIGHT & CHIME W/ SEAT POSITION OCCUPANT DETECTION INDICATOR	STD	STD	STD
	SNOW MODE INDICATOR	STD	STD	STD
	S-PEDAL DRIVE INDICTOR	STD	STD	STD
	WELCOME MESSAGE	STD	STD	STD
6	CONTENT DISPLAY: LARGE SCREEN:	STD	STD	STD
₩.	DRIVING SUPPORT SYSTEM INFORMATION	STD	STD	STD
-AY	AUDIO SYSTEM INFORMATION	STD	STD	STD
SPI	VEHICLE INFORMATION	STD	STD	STD
Z	SETTINGS	STD	STD	STD
ST.	WARNING MESSAGE DISPLAY	STD	STD	STD
7.0-INCH LCD COLOR MULTI-INFORMATION DISPLAY (MID)	HIGH VOLTAGE BATTERY MESSAGE: PLUG-IN CHARGING STATUS & ESTIMATE TIME OF CHARGE COMPLETION	STD	STD	STD
Ξ	DRIVING SUPPORT INFORMATION: SMALL SCREEN:			
ULT	AUTOMATIC HIGH BEAM (AHB)	STD	STD	STD
Σ.	PRE-COLLISION SYSTEM (PCS)	STD	STD	STD
)LO	PRE-COLLISION INTERSECTION ASSIST	STD	STD	STD
Ö	PRE-COLLISION ACCELERATION SUPPRESSION: LOW SPEED	STD	STD	STD
CC	BREAK SUGGESTION FUNCTION	STD	STD	STD
ᅙ	LANE TRACING ASSIST (LTA)	STD	STD	STD
.0- II-0:	LANE DEPARTURE ALERT (LDA)	STD	STD	STD
1	LANE DEPARTURE PREVENTION	STD	STD	STD
	VEHICLE MANEUVER ASSIST SYSTEMS	STD	STD	STD
	ROAD SIGN ASSIST (RSA)	STD	STD	STD
	SUBARU SAFETY SENSE: DYNAMIC RADAR CRUISE CONTROL W/ LANE TRACING ASSIST (LTA)	STD	STD	STD
	NAVIGATION SYSTEM INFORMATION (NAVIGATION SUBSCRIPTION REQUIRED)	STD	STD	STD
	X-MODE OPERATION INDICATOR / X-MODE GRIP-CONTROL INDICATOR	STD	STD	STD
	DRIVING MODE SELECT: ACCELERATION	STD	STD	STD
	METER RING:			
	CHARGE INDICATOR: REGENERATION STATUS	STD	STD	STD
	DRIVING RANGE	STD	STD	STD
	POWER INDICATOR: EV SYSTEM OUTPUT	STD	STD	STD
	STATE OF CHARGE (SOC) GAUGE	STD	STD	STD

	INTERIOR FEATURES	Premium	Limited	Touring
	BUCKET-TYPE	-	STD	STD
ဟ	RECLINING SEATBACK	STD	STD	STD
FRONT SEATS	HEAD RESTRAINTS: HEIGHT ADJUSTABLE	STD	STD	STD
	WHIPLASH REDUCING FRONT SEATS	STD	STD	STD
NO.	4-MODE HEATED W/ AUTO SETTING	STD	STD	STD
FR	4-MODE VENTILATORS W/ AUTO SETTING	_	-	STD
	FOOTWELL LIGHTING: FRONT SEAT POSITIONS W/ OFF-DELAY OPERATION	_	_	STD
	6-WAY MANUAL	STD	_	-
	HEIGHT ADJUSTER (PUMP LEVER TYPE)	STD	_	_
₽	FULL WIDTH LEVER: SEAT FORE / AFT ADJUSTMENT	STD	_	-
DRIVER SEAT	POWER EASY ACCESS SYSTEM	_	STD	STD
VER	10-WAY POWER (INCLUDES 2-WAY POWER LUMBAR)	_	STD	STD
DRI	TWO POSITION MEMORY: OUTSIDE POWER MIRRORS: SYNCHRONIZED W/ DRIVER'S SEAT POSITION MEMORY	-	STD	STD
	SEAT POSITION ADJUSTMENT: VOICE ACTIVATED	_	STD	STD
	SEATBACK POCKET	STD	STD	STD
FRONT PASSENGER SEAT	6-WAY MANUAL	STD	STD	STD
FRONT SSENG SEAT	HEIGHT ADJUSTER (PUMP LEVER TYPE)	STD	STD	STD
ASS SE	FULL WIDTH LEVER: SEAT FORE / AFT ADJUSTMENT	STD	STD	STD
Δ.	SEATBACK POCKET	STD	STD	STD
	BENCH-TYPE	STD	STD	STD
	HEAD RESTRAINTS: ALL SEAT POSITIONS	STD	STD	STD
	HEAD RESTRAINTS: REMOVABLE W/ HEIGHT ADJUSTABLE CENTER	STD	STD	STD
REAR SEATS	60/40 SPLIT FOLD-DOWN REAR SEATBACK	STD	STD	STD
SE	REAR SEATBACK: RECLINING	STD	STD	STD
EAF	REAR SEATBACK: CARPETED	STD	STD	STD
Œ	REAR SEATBACK LOCK RELEASE LEVER	STD	STD	STD
	FOLD DOWN CENTER ARMREST W/ DUAL CUP HOLDERS	STD	STD	STD
	3-MODE HEATED: OUTBOARD SEAT POSITIONS FOOTWELL LIGHTING: REAR SEAT POSITIONS W/ OFF-DELAY OPERATION	_	STD	STD STD
	RETRACTABLE LUGGAGE COVER	ACC	ACC	STD
	TRAY: REMOVABLE	ACC	ACC	ACC
	TIE DOWN HOOKS	4	4	4
REA	GROCERY BAG HOOKS	2	2	2
CARGO AREA	LIGHT: LED W/ BACK DOOR SWITCH & OFF-DELAY OPERATION	STD	STD	STD
ARG.	REAR SEATBACK AND CARGO FLOOR: CARPETED	STD	STD	STD
Ö	SUB-FLOOR: LUGGAGE COVER STORAGE	STD	STD	STD
	SUB-FLOOR: MULTI-BOX STORAGE TRAY	STD	STD	STD
	EMERGENCY TIRE PUNCTURE REPAIR KIT (LOCATED IN CARGO AREA)	STD	STD	STD
	ELECTRONIC BACK DOOR RELEASE HANDLE: AUTOMATIC UNLOCK BACK DOOR & ALL DOORS	STD	-	-
OOR	BACK DOOR LOCK BUTTON	STD	_	_
BACK DOOR	POWER BACK DOOR W/: LOCK BUTTON; AUTOMATIC CLOSE & HEIGHT MEMORY; HAND PRESSURE SENSING AUTOMATIC CLOSE; ILLUMINATED CLOSE & LOCK SWITCH; AUTOMATIC LOCK / UNLOCK BACK DOOR & ALL DOORS	_	STD	STD
	ILLUMINATED POWER BACK DOOR SWITCH ON DASH PANEL	_	STD	STD

	INTERIOR FEATURES	Premium	Limited	Touring
	3 SPOKE, LEATHER-WRAPPED W/ GRAY STITCHING	STD	STD	STD
	HEATED: 4-MODE W/ AUTO SETTING	_	STD	STD
S	SWITCHES:			
, CHE	AUDIO SYSTEM	STD	STD	STD
STEERING WHEEL / STEERING WHEEL SWITCHES	SUBARU SAFETY SENSE: DYNAMIC RADAR CRUISE CONTROL W/ LANE TRACING ASSIST (LTA)	STD	STD	STD
NG HEE	SUBARU SAFETY SENSE: LANE TRACING ASSIST (LTA) ON / OFF	STD	STD	STD
G W	INTELLIGENT ASSISTANT: TALK	STD	STD	STD
STE	PADDLE SHIFT SWITCHES: REGENERATIVE BRAKING FORCE SELECTION MODES	STD	STD	STD
ί	BLUETOOTH <sup>®</sup>	STD	STD	STD
	7.0-INCH LCD COLOR MULTI-INFORMATION DISPLAY (MID): CONTENT DISPLAY: LARGE SCREEN	STD	STD	STD
ZING	TILT ADJUSTABLE STEERING COLUMN	STD	STD	STD
STEERING	TELESCOPIC ADJUSTABLE STEERING COLUMN	STD	STD	STD
	ROTARY SHIFT KNOB: BLACK W/ SILVER METALLIC FINISH TRIM	STD	-	-
ER K	ROTARY SHIFT KNOB: BLACK W/ SATIN CHROME PLATING TRIM	-	STD	STD
ROTARY SHIFTER	SHIFT POSITIONS: REVERSE, NEUTRAL, DRIVE	STD	STD	STD
S 42	BUTTON: PARK	STD	STD	STD
	VEHICLE LOSS OF POWER: AUXILIARY POWER SOURCE BACK-UP	STD	STD	STD
ELECTRONIC PARKING BRAKE	ELECTRONIC PARKING BRAKE (EPB): SWITCH ACTIVATED	STD	STD	STD
CUP/ BOTTLE HOLDERS	FRONT DUAL: CENTER CONSOLE	STD	STD	STD
CUP /	REAR DUAL: IN REAR SEAT ARMREST	STD	STD	STD
B S	BOTTLE HOLDERS: FRONT AND REAR DOORS	STD	STD	STD
	HEADLINER: TRICOT MATERIAL: GRAY	STD	STD	STD
R &	SUN VISOR: TRICOT MATERIAL: GRAY	STD	STD	STD
HEADLINER & SUN VISORS	SUN VISOR: DRIVER AND PASSENGER W/ EXTENDER	STD	STD	STD
ADI N	SUN VISOR: DRIVER AND PASSENGER VANITY MIRROR W/ LIDS	STD	STD	STD
표망	SUN VISOR: DRIVER AND PASSENGER VANITY MIRROR W/ HEADLINER MOUNTED LIGHTS	STD	STD	STD
LS	PADS: BLACK RUBBERIZED SURFACE	STD	STD	STD
PEDALS	SAFETY PEDAL SYSTEM	STD	STD	STD
ã	ACCELERATOR PEDAL: ORGAN PEDAL FLOOR MOUNT DESIGN	STD	STD	STD
S S	CARPETED W/ SOLTERRA LOGO ON FRONT MATS	STD	STD	STD
FLOOR	RETENTION HOOK, DRIVER'S SIDE	STD	STD	STD
_				

	INTERIOR FEATURES	Premium	Limited	Touring
	UPPER:			
	BRAKE HOLD (BH) SWITCH	STD	STD	STD
	ELECTRONIC PARKING BRAKE (EPB) SWITCH	STD	STD	STD
	S-PEDAL DRIVE: MODE SWITCH	STD	STD	STD
	ROTARY SHIFTER: SHIFT BY WIRE (SBW) W/ INTEGRATED PARK ENGAGEMENT	STD	STD	STD
	DRIVING MODE SELECT SWITCH W/ ACCELERATION MODE SETTINGS:	STD	STD	STD
빌	ECO			
NSC	NORMAL			
8	POWER			
I I	PANORAMIC VIEW MONITOR SWITCH	_	STD	STD
FRONT CENTER CONSOLE	X-MODE CONTROL SWITCH	STD	STD	STD
Ę	X-MODE GRIP-CONTROL SPEED ADJUSTMENT SWITCH	STD	STD	STD
8	ADVANCED PARK SWITCH	STD	STD	STD
	POCKET W/ LID: ILLUMINATED:	STD	STD	STD
	HIGH-SPEED WIRELESS SMARTPHONE CHARGING PAD	_	STD	STD
	USB A INPUT / CHARGE PORT	STD	STD	STD
	LOWER:	STD	STD	STD
	SMARTPHONE STORAGE	STD	STD	STD
	STORAGE SPACE	STD	STD	STD
	DUAL USB C INPUT / CHARGE PORT: ILLUMINATED	STD	STD	STD
) LE	STORAGE BOX W/ LID	STD	STD	STD
CONSOLE	LID: CLOTH MATERIAL	STD	_	-
8	LID: SIMULATED LEATHER	-	STD	STD
CENTER	3-MODE HEATED REAR SEAT: OUTBOARD SEAT POSITIONS	_	STD	STD
Ë	STORAGE BOX TRAY	STD	STD	STD
REAR (	REAR SEAT HVAC VENTS	STD	STD	STD
퓚	DUAL USB C CHARGE PORT: ILLUMINATED	STD	STD	STD
	PANORAMIC ROOF: ELECTRONIC SUNSHADE SWITCH	-	-	STD
EAD	SHIFT LIGHT: LED W/ OFF-DELAY OPERATION	STD	STD	STD
IR HI	DUAL OVERHEAD MAP LIGHTS: LED W/ OFF-DELAY OPERATION	STD	STD	STD
OVERHEAD	ONE-TOUCH INTERIOR ILLUMINATION	STD	STD	STD
	PASSENGER AIRBAG ON / OFF INDICATOR	STD	STD	STD

	INTERIOR DIMENSIONS	Premium	Limited	Touring
	HEADROOM, FRONT: INCHES (W/O MOONROOF)	38.8	38.8	-
	HEADROOM, FRONT: INCHES (W/ MOONROOF)	_	_	38.6
PASSENGER AREA	HEADROOM, REAR: INCHES (W/O MOONROOF)	38.0	38.0	_
	HEADROOM, REAR: INCHES (W/ MOONROOF)	_	_	37.1
H.	LEGROOM, FRONT: INCHES	PENDING	PENDING	PENDING
ENG	LEGROOM, REAR: INCHES	PENDING	PENDING	PENDING
ASS	SHOULDER ROOM, FRONT: INCHES	57.8	57.8	57.8
<u>a</u>	SHOULDER ROOM, REAR: INCHES	56.0	56.0	56.0
	HIP ROOM, FRONT: INCHES	54.4	54.4	54.4
	HIP ROOM, REAR: INCHES	44.8	44.8	44.8
	EPA PASSENGER VOLUME: CUBIC FT. (W/O MOONROOF)	95.7	95.7	_
	EPA PASSENGER VOLUME: CUBIC FT. (W/ MOONROOF)	_	-	94.4
	EPA TOTAL: PASSENGER & CARGO VOLUME INDEX: CUBIC FT. (W/O MOONROOF; LUGGAGE COMPARTMENT DECK BOARD IN UPPER POSITION)	123.4	123.4	-
	EPA TOTAL: PASSENGER & CARGO VOLUME INDEX: CUBIC FT. (W/ MOONROOF; LUGGAGE COMPARTMENT DECK BOARD IN UPPER POSITION)	-	_	PENDING
	EPA TOTAL: PASSENGER & CARGO VOLUME INDEX: CUBIC FT. (W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	PENDING	PENDING	-
UMES	EPA TOTAL: PASSENGER & CARGO VOLUME INDEX: CUBIC FT. (W/ MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	-	-	124.2
30 VOL	EPA CARGO VOLUME: CUBIC FT. (REAR SEAT UP W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD UPPER POSITION)	27.7	27.7	-
& CARG	EPA CARGO VOLUME: CUBIC FT. (REAR SEAT UP W. MOONROOF & LUGGAGE COMPARTMENT DECK BOARD UPPER POSITION)	-	_	PENDING
PASSENGER & CARGO VOLUMES	EPA CARGO VOLUME: CUBIC FT. (REAR SEAT UP W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	PENDING	PENDING	_
PASSE	EPA CARGO VOLUME: CUBIC FT. (REAR SEAT UP W./ MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	-	-	29.0
	SAE CARGO VOLUME: CUBIC FT. (REAR SEAT DOWN W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD UPPER POSITION)	PENDING	PENDING	_
	SAE CARGO VOLUME: CUBIC FT. (REAR SEAT DOWN W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD UPPER POSITION)	-	_	PENDING
	SAE CARGO VOLUME: CUBIC FT. (REAR SEAT DOWN W/O MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	PENDING	PENDING	-
	SAE CARGO VOLUME: CUBIC FT. (REAR SEAT DOWN W/ MOONROOF & LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	-	-	PENDING
	CARGO WIDTH BETWEEN WHEEL HOUSINGS: INCHES	38.1	38.1	38.1
	CARGO AREA HEIGHT: INCHES (LUGGAGE COMPARTMENT DECK BOARD UPPER POSITION)	29.8	29.8	29.8
REA	CARGO AREA HEIGHT: INCHES (LUGGAGE COMPARTMENT DECK BOARD LOWER POSITION)	32.6	32.6	32.6
CARGO AREA	CARGO LIFT OVER HEIGHT AT CURB WEIGHT: INCHES	28.0	28.0	28.0
RG	BACK DOOR OPENING WIDTH LOWER: INCHES	38.6	38.6	38.6
ర	BACK DOOR OPENING WIDTH MAXIMUM: INCHES	41.3	41.3	41.3
	BACK DOOR OPENING HEIGHT: INCHES	29.8	29.8	29.8
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEAT UP)	38.3	38.3	38.3
	MAXIMUM LOAD LENGTH AT FLOOR: INCHES (REAR SEAT DOWN)	73.0	73.0	73.0

	SAFETY	Premium	Limited	Touring
	EMERGENCY STEERING ASSIST (ESA)	STD	STD	STD
	INTERSECTION COLLISION AVOIDANCE SUPPORT	STD	STD	STD
	PRE-COLLISION SYSTEM (PCS)	STD	STD	STD
	PRE-COLLISION BRAKE ASSIST / BRAKING / BRAKE CONTROL	STD	STD	STD
띯	PRE-COLLISION ACCELERATOR SUPPRESSION: LOW SPEED	STD	STD	STD
SUBARU SAFETY SENSE	PROACTIVE DRIVING ASSIST (PDA): PEDESTRIAN & CYCLIST AVOIDANCE ASSISTANCE	STD	STD	STD
AFE:	LANE DEPARTURE ALERT (LDA)	STD	STD	STD
O S/	LANE DEPARTURE PREVENTION	STD	STD	STD
3AR	LEAD VEHICLE START ALERT (VEHICLE IN FRONT)	STD	STD	STD
SOL	DYNAMIC RADAR CRUISE CONTROL W/ LANE TRACING ASSIST (LTA)	STD	STD	STD
	EMERGENCY DRIVING STOP SYSTEM (EDSS)	STD	STD	STD
	ROAD SIGN ASSIST (RSA) W/ VEHICLE SPEED LIMIT WARNING	STD	STD	STD
	FRONT MONOCULAR CAMERA	STD	STD	STD
	FRONT RADAR SENSOR	STD	STD	STD
BLIND-SPOT MONITOR	OUTSIDE POWER MIRRORS: BSM DETECTION INDICATOR	STD	STD	STD
P.S.	REAR RADAR DETECTION SENSORS	STD	STD	STD
N N	BLIND-SPOT MONITOR (BSM)	STD	STD	STD
<u>m</u>	REAR-VISION CAMERA	STD	STD	STD
띯늗	REAR-VISION CAMERA WASHER	STD	STD	STD
REVERSE ASSIST		210	טוט	STD
A A	DIGITAL REAR VIEW MIRROR: AUTO-DIMMING COMPASS MIRROR W/ HOMELINK®  DIGITAL REAR VIEW MIRROR CAMERA: BACK DOOR	_	_	STD
	DIGITAL REAR VIEW WIRKOR CAWERA. BACK DOOR	_	_	טוט
SIDE ASSIST	SAFE EXIT ASSIST (SEA)	STD	STD	STD
ບ ~	PANORAMIC VIEW MONITOR: MULTIMEDIA DISPLAY (CID) INTEGRATED	_	STD	STD
PANORAMIC VIEW MONITOR	FRONT-VISION CAMERA	_	STD	STD
	OUTSIDE POWER MIRRORS: INTEGRATED CAMERAS W/ INFRARED EMITTER	_	STD	STD
P. P.	REAR-VISION CAMERA	-	STD	STD
	BRAKE ASSIST (BA)	STD	STD	STD
쁘늗	BRAKE OVERRIDE SYSTEM	STD	STD	STD
BRAKE	ACTIVE CORNERING ASSIST (ACA)	STD	STD	STD
m ∢	HILL-START ASSIST CONTROL (HAC)	STD	STD	STD
	BRAKE HOLD (BH)	STD	STD	STD
VEHICLE MANEUVER ASSIST	ADVANCED PARK: DRIVER PARKING ASSISTANCE	-	STD	STD
T.	PARKING SUPPORT BRAKE SYSTEM W/ OBJECT & VEHICLE DETECTION	STD	-	_
PARKING SUPPORT BRAKE (PKSB) SYSTEM	PARKING SUPPORT BRAKE SYSTEM W/ OBJECT, VEHICLE & PEDESTRIAN DETECTION	_	STD	STD
NG KE	PARKING SUPPORT BRAKE SYSTEM: SONAR SENSORS	STD	STD	STD
BRA	REAR CROSS-TRAFFIC ALERT (RCTA)	STD	STD	STD
PA	REAR CAMERA DETECTION (RCD): PEDESTRIAN WARNING	STD	STD	STD

	SAFETY	Premium	Limited	Touring
	ADVANCED FRONTAL AIRBAG SYSTEM	STD	STD	STD
	DUAL STAGE DEPLOYMENT DRIVER AND FRONT PASSENGER FRONT AIRBAGS	STD	STD	STD
	FRONT SEATS: SIDE PELVIS / TORSO AIRBAGS: SEAT MOUNTED	STD	STD	STD
	FRONT PASSENGER SEAT OCCUPANT CLASSIFICATION SYSTEM	STD	STD	STD
	CURTAIN SHIELD AIRBAGS	STD	STD	STD
OR	DRIVER AND FRONT PASSENGER KNEE AIRBAG	STD	STD	STD
NTERIOR	COLLISION DETECTION POWER DOOR UNLOCK FUNCTION	STD	STD	STD
Z	WHIPLASH REDUCING FRONT SEATS	STD	STD	STD
	REAR CHILD SAFETY DOOR LOCKS	STD	STD	STD
	REAR SEAT REMINDER	STD	STD	STD
	COLLAPSIBLE STEERING COLUMN	STD	STD	STD
	PILLAR TO PILLAR STEERING COLUMN SUPPORT BEAM	STD	STD	STD
	SAFETY PEDAL SYSTEM	STD	STD	STD
T.S	SEATBELTS: THREE POINT W/ DOUBLE PRETENSIONERS AND ADAPTIVE LOAD LIMITERS	STD	STD	STD
BEI	SEATBELTS: HEIGHT ADJUSTABLE SHOULDER BELT ANCHOR	STD	STD	STD
RONT SEATBELTS	DRIVER'S SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD
S L	PASSENGER SEATBELT: EMERGENCY LOCKING RETRACTOR (ELR)	STD	STD	STD
ROI	PASSENGER SEATBELT: AUTOMATIC LOCKING RETRACTOR (ALR)	STD	STD	STD
_	SEATBELT: DRIVER & FRONT PASSENGER WARNING LIGHT & CHIME	STD	STD	STD
	OUTER SEATBELTS: THREE POINT W/ PRETENSIONERS AND LOAD LIMITERS	STD	STD	STD
တ	CENTER SEATBELT: THREE POINT	STD	STD	STD
ËLT	SEATBELTS: EMERGENCY LOCKING RETRACTORS (ELR) / ALL POSITIONS	STD	STD	STD
REAR SEATBELTS	SEATBELTS: AUTOMATIC LOCKING RETRACTORS (ALR) / ALL POSITIONS	STD	STD	STD
S SE	REAR SEAT CHILD SAFETY SEAT TETHER ANCHOR POSITIONS	3	3	3
EAF	LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILDREN)	STD	STD	STD
Œ	SEATBELTS: REAR PASSENGER WARNING LIGHT & CHIME W/ SEAT POSITION OCCUPANT DETECTION	STD	STD	STD
	DAYTIME RUNNING LIGHTS (DRL)	STD	STD	STD
	KEYLESS ENTRY SYSTEM W/ ANSWER BACK ELECTRONIC CHIRP	STD	STD	STD
IOR	SECURITY SYSTEM W/ ANSWER BACK ELECTRONIC CHIRP	STD	STD	STD
EXTERIOR	SIDE IMPACT DOOR BEAMS	STD	STD	STD
EX	E-SUBARU GLOBAL PLATFORM (SGP) W/ FRONT SUB-FRAME	STD	STD	STD
	HIGH MOUNT STOP LIGHT: LED	STD	STD	STD
	ACOUSTIC VEHICLE ALERT SYSTEM	STD	STD	STD

	SAFETY	Premium	Limited	Touring
	ROTARY SHIFTER: SHIFT BY WIRE (SBW) W/INTEGRATED PARK ENGAGEMENT SHIFT LOCK SYSTEM	STD	STD	STD
	BRAKE ASSIST (BA)	STD	STD	STD
	BRAKE HOLD (BH)	STD	STD	STD
	BRAKE OVERRIDE SYSTEM	STD	STD	STD
	HILL-START ASSIST CONTROL (HAC)	STD	STD	STD
	ACTIVE CORNERING ASSIST (ACA)	STD	STD	STD
	BRAKE HOLD	STD	STD	STD
	VEHICLE STABILITY CONTROL (VSC)	STD	STD	STD
A N	TRACTION CONTROL (TRAC)	STD	STD	STD
DRIVETRAIN	HIGH VOLTAGE BATTERY: AUTOMATIC EMERGENCY DISCONNECT	STD	STD	STD
RIVE	HIGH VOLTAGE BATTERY: SERVICE / DISCONNECT	STD	STD	STD
Q	HIGH VOLTAGE BATTERY: SIDE COLLISION IMPACT PROTECTION: ROCKER SILL AREA	STD	STD	STD
	HIGH VOLTAGE BATTERY: FLOOR PROTRUSION PROTECTION	STD	STD	STD
	HIGH VOLTAGE BATTERY: FAILSAFE FUNCTION PROTECTION	STD	STD	STD
	ABS SYSTEM: 4 CHANNEL, 4 SENSOR	STD	STD	STD
	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ INDIVIDUAL WHEEL PRESSURE DISPLAY	STD	STD	STD
	TIRE PRESSURE MONITORING SYSTEM (TPMS) W/ AUTOMATIC INDIVIDUAL WHEEL ID REGISTRATION	STD	STD	STD
	AUTOMATIC VEHICLE POWER OFF FUNCTION	STD	STD	STD
د ۲۲	AUTOMATIC POWER DOOR LOCK / UNLOCK SYSTEM	STD	STD	STD
90.0	POWER DOOR LOCKS	STD	STD	STD
POWER DOOR LOCK / UNLOCK SYSTEM & AC / DC CHARGE PORT	ONE-MOTION UNLOCK: INTERNAL DRIVER'S DOOR HANDLE UNLOCKS ALL DOORS AND BACK DOOR	STD	STD	STD
500	POWER DOOR LOCK SWITCH: DRIVER AND FRONT PASSENGER DOORS	STD	STD	STD
OR I	AC / DC CHARGE PORT CABLE LOCK W/ MANUAL EMERGENCY RELEASE	STD	STD	STD
ER DO	AC / DC CHARGE PORT DOOR: PUSH OPEN W/ POWER LOCK SYNCHRONIZED TO DOOR LOCKS	STD	STD	STD
OW	AC / DC CHARGE PORT DOOR W/ MANUAL EMERGENCY RELEASE	STD	STD	STD
SY	DOOR LOCK CYLINDER: DRIVER'S DOOR	STD	STD	STD
	LASER CUT MASTER KEY	STD	STD	STD
	ELECTRONIC KEY W/ REMOVABLE KEY & BATTERY SAVE MODE	STD	STD	STD
	SPARE ELECTRONIC KEY W/ REMOVABLE KEY & BATTERY SAVE MODE	STD	STD	STD
E	POWER SWITCH: ILLUMINATED	STD	STD	STD
Y SYSTEM	AUTOMATIC PARK POSITION SELECTION FUNCTION: SYSTEM ENGAGEMENT WHEN MANUALLY UNSELECTED	STD	STD	STD
TRY	DRIVER & FRONT PASSENGER DOOR UNLOCK / LOCK SENSOR	STD	STD	STD
KEYLESS ENT	ELECTRONIC BACK DOOR RELEASE HANDLE: AUTOMATIC UNLOCK BACK DOOR & ALL DOORS	STD	-	_
EYL	BACK DOOR LOCK BUTTON	STD	-	_
_ ~	POWER BACK DOOR LOCK BUTTON	_	STD	STD
	POWER BACK DOOR RELEASE & CLOSE HANDLE: AUTOMATIC UNLOCK BACK DOOR & ALL DOORS	_	STD	STD
	DIGITAL KEY: SUBARU SOLTERRA CONNECT APP	_	STD	STD

	ELECTRICAL SYSTEM	Premium	Limited	Touring
	HEADLIGHTS: MULTI-BEAM ELLIPSOID (PES) LIGHT SYSTEM:	STD	STD	STD
	CLEARANCE LIGHT: LED: C-SHAPE TYPE			
	DAYTIME RUNNING LIGHT (DRL): LED: C-SHAPE TYPE			
	LOW BEAM: MULTI-BEAM LED			
	HIGH BEAM: LED			
	HEADLIGHTS: AUTOMATIC LED LOW & HIGH BEAM HEIGHT ADJUSTMENT CONTROL	STD	STD	STD
	HEADLIGHTS: AUTOMATIC HIGH BEAM (AHB)	STD	STD	STD
	HEADLIGHTS: AUTO-ON / OFF: AUTOMATIC MODE POSITION	STD	STD	STD
	HEADLIGHTS: AUTO-ON / OFF W/ WINDSHIELD WIPER OPERATION: AUTOMATIC MODE POSITION	STD	STD	STD
E L	HEADLIGHTS: INNER BEZEL: BLACK	STD	STD	STD
OR LIGH	HEADLIGHTS / PARKING / CLEARANCE LIGHTS: MANUAL ON WITHOUT POWER SWITCH	STD	STD	STD
EXTERIOR LIGHTS	HEADLIGHTS / PARKING / CLEARANCE LIGHTS: AUTOMATIC OFF SYSTEM: BATTERY DRAIN PREVENTION	STD	STD	STD
	DAYTIME RUNNING LIGHT (DRL): ON /OFF SWITCH (INTEGRATED IN HEADLIGHT SWITCH)	STD	STD	STD
	LICENSE PLATE LIGHT: LED	STD	STD	STD
	FRONT TURN SIGNALS: LED: C-SHAPE TYPE: INTEGRAL W/ HEADLIGHTS	STD	STD	STD
	FOG LIGHT COVERS: BLACK	STD	STD	STD
	FOG LIGHTS: LED	_	STD	STD
	HIGH MOUNT STOP LIGHT: LED	STD	STD	STD
	REAR COMBINATION LIGHTS: LED W/ C-SHAPE TYPE ILLUMINATION	STD	STD	STD
	OUTSIDE POWER MIRRORS: INTEGRATED TURN SIGNALS	_	STD	STD
	OUTSIDE POWER MIRRORS: FOOT LIGHTING	_	STD	STD
	TURN SIGNALS: ONE-TOUCH LANE CHANGER	STD	STD	STD
	AMBIENT INTERIOR LIGHTING: ALL DOORS: W/ OFF-DELAY OPERATION	_	_	STD
	CARGO AREA LIGHT: LED W/BACK DOOR SWITCH & OFF-DELAY OPERATION	STD	STD	STD
	DOME LIGHT: LED W/ OFF-DELAY OPERATION	STD	STD	STD
ဟု	DRIVER AND PASSENGER VANITY MIRROR W/ HEADLINER MOUNTED LIGHTS	STD	STD	STD
당	DUAL OVERHEAD MAP LIGHTS: LED W/ OFF-DELAY OPERATION	STD	STD	STD
R	FOOTWELL LIGHTING: FRONT SEAT POSITIONS W/ OFF-DELAY OPERATION	_	_	STD
NTERIOR LIGHTS	FOOTWELL LIGHTING: REAR SEAT POSITIONS W/ OFF-DELAY OPERATION	_	-	STD
NT	FRONT CENTER CONSOLE STORAGE TRAY LIGHT: LED W/ OFF-DELAY OPERATION	STD	STD	STD
	INNER DOOR PULL HANDLE: ALL DOORS: W/ OFF-DELAY OPERATION	_	-	STD
	ONE-TOUCH INTERIOR ILLUMINATION: OVERHEAD CONSOLE	STD	STD	STD
	OVERHEAD CONSOLE SHOWER LIGHT: LED W/ OFF-DELAY OPERATION	STD	STD	STD

	ELECTRICAL SYSTEM	Premium	Limited	Touring
	AMBIENT INTERIOR LIGHTING: ALL DOORS	-	_	STD
	AUDIO SYSTEM	STD	STD	STD
OFF-DELAY SYSTEMS	CARGO AREA LIGHT: LED W/ BACK DOOR SWITCH	STD	STD	STD
YST	DOME LIGHT: LED	STD	STD	STD
S >	DUAL OVERHEAD MAP LIGHTS: LED	STD	STD	STD
Ē	FOOTWELL LIGHTING: FRONT SEAT POSITIONS	_	_	STD
문	FOOTWELL LIGHTING: REAR SEAT POSITIONS	_	_	STD
ШO	FRONT CENTER CONSOLE STORAGE TRAY LIGHT: LED	STD	STD	STD
VEHICLE	INNER DOOR PULL HANDLE: ALL DOORS	_	_	STD
<b>#</b>	OVERHEAD CONSOLE SHOWER LIGHT: LED	STD	STD	STD
	POWER WINDOWS: ALL WINDOWS	STD	STD	STD
	POWER SWITCH RING	STD	STD	STD
	WINDSHIELD WIPERS: ARMS: BLACK FINISH	STD	STD	STD
	WINDSHIELD WIPERS: TWO SPEED W/ MIST FEATURE	STD	STD	STD
8	WINDSHIELD WIPERS: INTERMITTENT FEATURE W/ VARIABLE TIMER	STD	STD	STD
W	RAIN-SENSING WINDSHIELD WIPER SYSTEM	_	STD	STD
WINDSHIELD WIPERS	RAIN-SENSING WINDSHIELD WIPER SYSTEM: AUTOMATIC MODE POSITION W/ VARIABLE TIMER	-	STD	STD
NDS	WINDSHIELD WIPER DE-ICER: HVAC TOUCH SCREEN CONTROLLED	STD	STD	STD
×	WINDSHIELD WIPERS: WASHERS: DUAL NOZZLES FRONT, DIFFUSION TYPE / BLACK	STD	STD	STD
	WASHER TANK: UNDER HOOD	STD	STD	STD
	AUTOMATIC AIR CONDITIONING SYSTEM	STD	STD	STD
	LCD DISPLAY W/ SOFT TOUCH & TOGGLE SWITCH CONTROLS	STD	STD	STD
	REMOTE AIR CONDITIONING SYSTEM: ELECTRONIC KEY ACTIVATED	STD	STD	STD
	AUTO MODE SWITCH: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
	ECO MODE: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
S <sub>Q</sub>	S-FLOW SWITCH: FRONT SEAT CONCENTRATED AIRFLOW MODE: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
CONDITIONING	SYSTEM OFF SWITCH: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
듬	A/C SWITCH: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
NO NO	FAN SPEED: TOGGLE SWITCH CONTROLLED	STD	STD	STD
AIR	FAN SPEED INDICATOR: DISPLAY SCREEN	STD	STD	STD
≪ర	MODE SELECTOR: TOGGLE SWITCH CONTROLLED	STD	STD	STD
ē	MODE SELECTION INDICATOR: DISPLAY SCREEN	STD	STD	STD
ΙĘ	DUAL TEMPERATURE SELECTORS: TOGGLE SWITCH CONTROLLED	STD	STD	STD
, VENTILATION	DUAL-ZONE TEMPERATURE SYNCHRONIZE FUNCTION: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
HEATING,	DUAL-ZONE SET TEMPERATURE INDICATORS: DISPLAY SCREEN	STD	STD	STD
EAT	RECIRCULATION: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
=	FRONT DEFROSTER: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
	WINDSHIELD WIPER DE-ICER SWITCH: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
	REAR DEFROSTER & HEATED POWER EXTERIOR MIRRORS: PUSH BUTTON SWITCH CONTROLLED	STD	STD	STD
	DUAL-ZONE: VOICE ACTIVATED CONTROLS: FRONT SEAT POSITION RECOGNITION	STD	STD	STD
	POSITIVE TEMPERATURE COEFFICIENT (PTC) HEATER	STD	STD	STD

#### Zhuoran: Add these rows to the previous table

4-MODE HEATED STEERING WHEEL W/ AUTO SETTING	_	STD	STD
	OTD		
4-MODE HEATED FRONT SEATS W/ AUTO SETTING	STD	STD	STD
4-MODE VENTILATORS: FRONT SEATS W/ AUTO SETTING	_	_	STD
HVAC ALL AUTO ECO MODE:			
HEATED STEERING WHEEL	_	STD	STD
HEATED FRONT SEATS	STD	STD	STD
VENTILATORS: FRONT SEATS	_	_	STD
WINDSHIELD DEFROSTER VENT: DASH	STD	STD	STD
FRONT SIDE WINDOW DEFROSTER VENTS: DASH	STD	STD	STD
CENTER AND SIDE DASH VENTS	STD	STD	STD
FRONT FOOTWELL VENTS	STD	STD	STD
REAR CENTER CONSOLE REAR SEAT VENTS	STD	STD	STD
REAR SEAT HEATER DUCT VENTS	STD	STD	STD
AIR FILTRATION SYSTEM	STD	STD	STD
FRONT SEAT CONCENTRATED AIRFLOW MODE (S-FLOW)	STD	STD	STD

	SUBARU SOLTERRA CONNECT	Premium	Limited	Touring
EMS	SUBARU SOLTERRA CONNECT 8.0-INCH MULTIMEDIA NAVIGATION SYSTEM (SUBSCRIPTION REQUIRED)	STD	-	-
SYST	SUBARU SOLTERRA CONNECT 12.3-INCH MULTIMEDIA NAVIGATION SYSTEM (SUBSCRIPTION REQUIRED)	-	STD	STD
CONNECTED	SUBARU SOLTERRA CONNECT SERVICES ISUBSCRIPTION REQUIRED)	STD	STD	STD